

MELITTIDAE

	Taxon Distribution Distribution of the records in Italian regions References	Altitude (Italy) I = 0-800 II = 800- 1600 III = 1600- 2100 IV = > 2100	Risk of extinction	No. of sites	Comba Collection (place, region)	Cleptoparasitism Floral preferences Number of annual generations
Gen. Melitta Kirby, 1802						
Subgen. Cilissa Leach, 1812						
1	Melitta dimidiata Morawitz, 1876 [Pseudocilissa] Sp. asiatico-europeo-anatolica Ao, Lo, VT, FVG, Um, Abr References: 202, 239, 362, 386, 577, CK03, S53, CK12, CK09, L1, S75b	I, II, III	Low	10	—	Oligoleptic Univoltine
	Melitta dimidiata dimidiata Morawitz, 1876 Ssp. asiatico-europea VT, FVG, Um, Abr	I, II, III			—	
2	Melitta haemorrhoidalis (Fabricius, 1775) Sp. europeo-caucasico-anatolica Pi, Li, Lo, VT, FVG, Em, To, La References: 46, 67, 68, 174, 180, 205, 362, 577, CK03, S53, L1	I, II, III	Low	17	Angrogna (3 loc.) (Pi), Villar Pellice (Pi), Montoso (Pi), Prima Porta (La).	Nomada emarginata, ? N. Flavopicta Oligoleptic Univoltine
	Melitta haemorrhoidalis haemorrhoidalis (Fabricius, 1775) Ssp. europeo-caucasico-anatolica Pi, Li, VT, FVG, Em, To, La	I, II, III			Angrogna (3 loc.) (Pi), Villar Pellice (Pi), Montoso (Pi), Prima Porta (La).	
3	Melitta tomentosa Friese, 1900 Sp. italico-dalmatico-nord-est-europea Italy; FVG References: 109a, 314, CK03, CK12	I	High Last record: 1900	2	—	Monoleptic Univoltine
Subgen. Melitta Kirby, 1802						
4	Melitta leporina (Panzer, 1799) Sp. asiatico-europeo-anatolica Ao, Pi, Lo, V, VT, FVG, Em, To, Ma, La, Si References: 46, 67, 68, 151, 174, 180, 189, 205, 213, 314, 362, 370, 386, 408, 416, 577, 634, CK03, S53, S90, L1, S75b	I, II	Low	42	Angrogna (Pi), San Benedetto Belbo (Pi), Caorle (V).	Nomada flavopicta Oligoleptic Univoltine
5	Melitta nigricans Alfken, 1905 Sp. europeo-maghrebino-anatolico-caucasica Pi, Li, VT, Em	I	Low	4	—	? Nomada flavopicta

	References: 239, 416, 577, CK03, S17					Oligoleptic Univoltine
6	Melitta tricincta Kirby, 1802 Sp. asiatico-europea Pi, Lo, Li, VT, Em, La, Mo, Cal, Si References: 31, 68, 174, 203, 204, 205, 218, 239, 314, 362, 416, 533, 577, CK03, S25, S27, S53, S90, CK12, L1	I, II	Low	26	Luserna San Giovanni (Pi), Villar Pellice (Pi), Angrogna (2 loc.) (Pi), Val di Varri (La), Ariccia (La).	? Nomada flavopicta Oligoleptic Univoltine
	Melitta tricincta meridionalis Hedicke, 1933 Ssp. appenninico-balcanica Pi, Em References: 203, 533, S25, S27	I			—	
	Melitta tricincta tricincta (Kirby, 1802) Ssp. europea Pi, VT References: 68, 174, 239, 533	I			Luserna San Giovanni (Pi), Villar Pellice (Pi), Angrogna (2 loc.) (Pi).	

Taxon	Distribution	Distribution of the records in Italian regions	References	Altitude (Italy) I = 0-800 II = 800-1600 III = 1600-2100 IV = > 2100	Risk of extinction	No. of sites	Comba Collection (place, region)	Cleptoparasitism	Floral preferences	Number of annual generations
-------	--------------	--	------------	--	--------------------	--------------	----------------------------------	------------------	--------------------	------------------------------

Gen. **Macropis** Panzer, 1809

Subgen. **Macropis** Panzer, 1809

1	Macropis europaea Warncke, 1973 Sp. asiatico-europea Lo, V, VT, FVG References: 247, 362, 416, CK03, S5, S90a, L1	I	Moderate	5	—	Epeoloides coecutiens Oligoleptic Univoltine
2	Macropis frivaldskyi Mocsáry, 1878 Sp. asiatico-sud- e est-europeo-anatolica FVG References: 174, CK03, CK12	I	Critic	1	—	? Epeoloides coecutiens
3	Macropis fulvipes (Fabricius, 1804) Sp. palearctica Pi, Lo, VT, FVG, Em, To References: 174, 203, 204, 205, 362, CK03, S5, L1	I, II	Low	9	—	? Epeoloides coecutiens Oligoleptic Univoltine

	<i>Macropis fulvipes fulvipes</i> (Fabricius, 1804) Ssp. europea Pi, VT, FVG, Em, To	I, II			—	Epeoloides coecutiens
--	--	-------	--	--	---	--------------------------

Taxon Distribution Distribution of the records in Italian regions References	Altitude (Italy) I = 0-800 II = 800- 1600 III = 1600- 2100 IV = > 2100	Risk of extinction	No. of sites	Comba Collection (place, region)	Cleptoparasitism Floral preferences Number of annual generations
---	---	-----------------------	-----------------	-------------------------------------	---

Gen. *Dasypoda* Latreille, 1802

1	<i>Dasypoda altercator</i> (Harris, 1780) = <i>D. hirtipes</i> F., 1793 Sp. palearctica Pi, Li, Lo, V, VT, FVG, Em, To, La, Abr, Cp, Bas, Cal, Pu, Si, Sa References: 46, 63, 67, 68, 101, 105, 158, 174, 186, 189, 203, 204, 206, 208, 225, 239, 279, 286, 344, 362, 369, 370, 384, 408, 416, 485, 577, CK03, S6, S53, S68, L1, S75b	I, II	Slightest	70	Angrogna (2 loc.) (Pi), Luserna San Giovanni (Pi), Montefiascone (La), Maccarese (La), Monte Mario (La), Roma (La), Ariccia (La), Torre Paola (La), Monte Circeo (La), Ninfa (La).	? Sphecodes albilabris, S. Gibbus Oligoleptic Univoltine
	<i>Dasypoda altercator altercator</i> (Harris, 1780) Ssp. palearctica Pi, Li, Lo, V, VT, FVG, Em, To, La, Abr, Cp, Bas, Cal, Pu, Si, Sa	I, II			<i>Angrogna</i> (2 loc.) (Pi), Luserna San Giovanni (Pi), Montefiascone (La), Maccarese (La), Monte Mario (La), Roma (La), Ariccia (La), Torre Paola (La), Monte Circeo (La), Ninfa (La).	
2	<i>Dasypoda argentata</i> Panzer, 1809 [Megadasypoda] Sp. palearctica Ao, Pi, V, VT, Pu, Cal, Si References: 101, 203, 239, 362, 408, CK03, S45, S53, S91, CK12, S75b	I, II, III	Low	13	—	Oligoleptic Univoltine
	<i>Dasypoda argentata argentata</i> Panzer, 1809 Ssp. europea V, VT, Pu, Cal, Si	I, II, III			—	
3	<i>Dasypoda aurata</i> Rudow, 1881 [subgen. Incertum] = <i>D. suripes</i> (Christ, 1791) Sp. centro-esteuropeo-anatolico-caucasica Si References: 364, CK03, CK12 (sub suripes)	Not assessed	High	1	—	Oligoleptic Univoltine
4	<i>Dasypoda braccata</i> Eversmann, 1852 [Megadasypoda]	Not assessed	Critic	1	—	

	Sp. centro-sud- e esteuropeo-anatolico-caucasica Pi References: 397, CK03, S59, CK12					
5	Dasyпода cingulata Erichson, 1835 [Microdasyпода] Sp. sud-europeo-maghebina VT, Em, To References: 416, 577, CK03, S45	I	Moderate	3	—	
	Dasyпода cingulata cingulata Erichson, 1835 Ssp. ovest-europea VT, Em, To	I			—	
6	Dasyпода pyriformis Radoszkowski, 1887 Sp. italico-sudbalcanico-anatolica Northern Italy (presence in Italy to be confirmed) References: 364, CK03 (absent in Italy)	Not assessed	Not assessed	1	—	
	Dasyпода pyriformis pyriformis Radoszkowski, 1887 Ssp. italico-sudbalcanico-anatolica Northern Italy	Not assessed			—	
7	Dasyпода spinigera Kohl, 1905 [Megadasyпода] Sp. centro-sudeuropeo-anatolico-caucasica Italy (presence in Italy to be confirmed) References: 109 a, CK03, S45 (?)	Not assessed	Not assessed	1	—	
8	Dasyпода visnaga (Rossi, 1790) [Megadasyпода] Sp. palearctica V, FVG, Em, To, Ma, La, Cp, Bas, Cal, Pu, Si References: 63, 101, 105, 174, 186, 190, 193, 204, 206, 208, 214, 344, 362, 408, 417, 450, 577, CK03, S45	I	Low	44	Maccarese (La), Monte Mario (La), Torre Paola (La), Capo Circeo (La), Capo Spulico (Cal).	