

# **WORLDWIDE MARINE RADIOFACSIMILE BROADCAST SCHEDULES**

**U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC and ATMOSPHERIC ADMINISTRATION**

## **NATIONAL WEATHER SERVICE**

**May 24, 2007**



# INTRODUCTION

A printed copy of this publication is distributed free of charge to all ships that participate in the U.S. Voluntary Observing Ship (VOS) program. If your ship is not participating in this worthwhile international program, we urge you to join. Remember, the meteorological agencies that do the weather forecasting cannot help you without input from you. **ONLY YOU KNOW THE WEATHER AT YOUR POSITION!!**

Please report the weather at 0000, 0600, 1200, and 1800 UTC as explained in the National Weather Service Observing Handbook No. 1 for Marine Surface Weather Observations.

Within 300 nm of a named hurricane, typhoon or tropical storm, or within 200 nm of U.S. or Canadian waters, also report the weather at 0300, 0900, 1500, and 2100 UTC. Your participation is greatly appreciated by all mariners.

For assistance, contact a Port Meteorological Officer (PMO), who will come aboard your vessel and provide all the information you need to observe, code and transmit weather observations.

Appendix C contains information on a PC software program known as AMVER/SEAS which greatly assists in coding and transmitting meteorological observations and AMVER position reports.

This publication is made available via Internet at:

**<http://www.nws.noaa.gov/om/marine/home.htm>**

This webpage also contains information on the dissemination of U.S. National Weather Service marine products including radiofax, such as frequency and scheduling information as well as links to products. A listing of other recommended webpages may be found in the Appendix.

# TABLE of C O N T E N T S

INTRODUCTION-----	i
TABLE OF CONTENTS-----	ii,iii
ABOUT THIS PUBLICATION-----	iii,iv

## AFRICA

NAIROBI, KENYA-----	I-1
CAPE NAVAL, SOUTH AFRICA-----	I-2

## ASIA

BEIJING, CHINA (BAF)-----	II-1
BEIJING, CHINA (3SD)-----	II-1
TOKYO, JAPAN-----	II-2-3
PEVEK, CHUKOTKA PENINSULA-----	II-3
TAIPEI, REPUBLIC OF CHINA-----	II-4
SEOUL, REPUBLIC OF KOREA-----	II-4-5
BANGKOK, THAILAND-----	II-5-6
TASHKENT 1, UZBEKISTAN-----	II-6-7
TASHKENT 2, UZBEKISTAN-----	II-7
KYODO NEWS, JAPAN/SINGAPORE-----	II-8
NORTHWOOD, UNITED KINGDOM (GULF)-----	II-9

## SOUTH AMERICA

RIO DE JANEIRO, BRAZIL-----	III-1
VALPARAISO PLAYA ANCHA, CHILE-----	III-1

## NORTH AMERICA

HALIFAX, NOVA SCOTIA, CANADA-----	IV-1
IQUALUIT, N.W.T., CANADA-----	IV-2
RESOLUTE, N.W.T., CANADA-----	IV-2
SYDNEY-NOVA SCOTIA, CANADA-----	IV-2
KODIAK, ALASKA, U.S.A.-----	IV-3
POINT REYES, CALIFORNIA, U.S.A.-----	IV-4,5
NEW ORLEANS, LOUISIANA, U.S.A.-----	IV-6
BOSTON, MASSACHUSETTS, U.S.A.-----	IV-7
INUVIK, CANADA-----	IV-8

## PACIFIC OCEAN BASIN

CHARLEVILLE & WILUNA, AUSTRALIA-----	V-1,2
WELLINGTON, NEW ZEALAND-----	V-3
HONOLULU, HAWAII, U.S.A.-----	V-4,5

## EUROPE

SKAMLEBAEK, DENMARK-----	VI-1
ATHENS, GREECE-----	VI-1
HAMBURG-PINNEBERG, GERMANY-----	VI-2
ROME, ITALY-----	VI-3
MOSCOW, RUSSIA-----	VI-4,5
MURMANSK, RUSSIA-----	VI-5
NORTHWOOD, UNITED KINGDOM-----	VI-6

# APPENDICIES

MARINE WEATHER VIA THE INTERNET INCLUDING RADIOFAX----- A  
FTPMAIL INSTRUCTIONS----- B  
AMVER/SEAS PC PROGRAM----- C  
EXPERIMENTAL MAROB VOLUNTARY OBSERVATION PROGRAM ----- C  
USEFUL MARINE WEATHER PUBLICATIONS----- D  
PORT METEOROLOGICAL OFFICERS ----- E  
NOAA WEATHER RADIO----- Right Cover

# ABOUT THIS PUBLICATION

The schedules contained in this book were obtained from official and unofficial sources. The information herein may neither be complete or accurate. Wherever possible, the schedules are dated with the latest change available. In several cases, unofficial reception reports have been received identifying the station as no longer being operational. The National Weather Service would like to thank everyone who provided assistance.

For ease of use, all stations are listed by WMO region, in alphabetical order, by country and location. All times listed herein are Universal Coordinated Time (UTC), unless otherwise indicated.

Unless otherwise stated, assigned frequencies are shown, for carrier frequency subtract 1.9 kHz. Typically dedicated radiofax receivers use assigned frequencies, while receivers or transceivers, connected to external recorders or PC's, are operated in the upper sideband (USB) mode using carrier frequencies.

For information on weather broadcasts worldwide, also refer to NGA Publication 117, the Canadian Coast Guard Radio Aids to Navigation (Canada Only) and the British Admiralty List of Signals, which are updated through Notices to Mariners. Information on these and other marine weather publications may be found in Appendix D. These publications are HIGHLY recommended.

This document also includes information on how to obtain National Weather Service text forecasts, graphic forecasts, and marine observations via the Internet and e-mail (FTPMAIL). Mariners are highly encouraged to explore these options.

The accuracy of this publication depends on YOUR input.

Please direct comments, recommendations, and corrections for this publication to:

Tim Rulon  
National Weather Service W/OS21  
1325 East-West Highway  
Silver Spring, MD 20910 USA  
1-301-713-1677 x128  
1-301-713-1520 (fax)  
timothy.rulon@noaa.gov  
marine.weather@noaa.gov  
<http://www.nws.noaa.gov/om/marine/home.htm>

AFRICA





# NAIROBI, KENYA

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
5YE	9044.9 kHz	ALL BROADCAST TIMES	F3C	6 KW
5YE	17447.5 kHz	ALL BROADCAST TIMES	F3C	6 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0010/-----	SIGWX FL250	120/576	1200	
0100/-----	SIGWX BELOW FL240 (1200) - FORM NO. 585A	120/576	0000	
0140/-----	TABULAR FORECAST- FORM NO. 2053	120/576	1200	
0540/-----	SIGWX FL100-250	120/576	1800	
0600/-----	SIGWX FL250	120/576	1800	
0630/-----	DMC-CHART	120/576	0000	
0645/-----	DMC-CHART	120/576	0600	
0800/-----	SIGWX BELOW FL240 - FORM NO. 585A	120/576	1200	
0830/-----	TEST CHART	120/57		
0844/-----	FL180 PRONOSTIC	120/576	0000	
0903/-----	FL300 PRONOSTIC	120/576	0000	
0922/-----	FL340 PRONOSTIC	120/576	0000	
0941/-----	FL390 PRONOSTIC	120/576	0000	
1017/-----	SIG WX FL100-250	120/576	0000	
-----/1600	SIG WX FL250 (SEGMENT)	120/576	0600	
1037/-----	SIGWX FL250	120/576	0000	
1057/1638	SURFACE ANALYSIS	120/576	06/12	
1112/1653	850 HPA UPPER AIR ANALYSIS	120/576	06/12	
1127/-----	24-HOUR CHANGE OF PRESSURE	120/576	1200	
-----/1708	INDIAN OCEAN ANALYSIS	120/576	1200	
-----/1722	SIG WX FL100-250	120/576	0600	
1142/1802	H+24 SURFACE PROGNOISIS	120/576	06/12	
1210/1820	FL100 UPPER AIR ANALYSIS	120/576	00/12	
1229/1839	FL180 UPPER AIR ANALYSIS	120/576	00/12	
1248/1858	FL300 UPPER AIR ANALYSIS	120/576	00/12	
1307/1917	FL340 UPPER AIR ANALYSIS	120/576	00/12	
1326/1936	FL390 UPPER AIR ANALYSIS	120/576	00/12	
2055/-----	FL180 PRONOSTIC	120/576	0000	
2114/-----	FL300 PRONOSTIC	120/576	0000	
2133/-----	FL340 PRONOSTIC	120/576	0000	
2152/-----	FL390 PRONOSTIC	120/576	0000	
1345/-----	INDIAN OCEAN ANALYSIS	120/576	0600	
1430/-----	LOW LEVEL CONVERGENCE ZONE	120/576	1200	
1455/-----	24-HOUR CHANGE OF PRESSURE	120/576	1200	
-----/2350	SIGWX FL100-250	120/576	1200	

NOTE: CHANGES TO THE SCHEDULE WILL BE TRANSMITTED AT 0830 IN PLACE OF THE NORMAL TEST CHART.

(INFORMATION DATED 1 VIII 2001) <http://www.meteo.go.ke/comm/faxschedule.txt>  
 Update 03/2002 - Reported as having a RPM/IOC of 180/576 vs. 120/576

# CAPE NAVAL, SOUTH AFRICA

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
ZSJ	4014 kHz	16Z-06Z (when available)	F3C	10 KW
ZSJ	7508 kHz	ALL BROADCAST TIMES	F3C	10 KW
ZSJ	13538 kHz	ALL BROADCAST TIMES	F3C	10 KW
ZSJ	18238 kHz	06Z-16Z (when available)	F3C	10 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0430	SCHEDULE	120/576		
0500	SURFACE ANALYSIS(SHIPPING)	120/576	0000	ASXX
0630	UPPER AIR PROG	120/576	1200	FUXX
0730	SURFACE PROG	120/576	1200	FSXX
0800	ANTARTIC ICE LIMITS (OCT-MAR)	120/576		AIAA
0915	RTTY WEATHER BULLETINS FOR COASTAL WATERS AND HIGHSEAS	RTTY (170 Hz shift, 75 Baud)		
1030	SURFACE ANALYSIS(SHIPPING)	120/576	0600	ASXX
1100	SURFACE PROG	120/576	0000	FSXX
1530	SURFACE ANALYSIS(SHIPPING)	120/576	1200	ASXX
1700	RTTY WEATHER BULLETINS FOR COASTAL WATERS AND HIGHSEAS	RTTY (170 Hz shift, 75 baud)		
2230	SURFACE ANALYSIS(SHIPPING)	120/576	1800	ASXX

## MAP AREAS:

ASXX	1:20,000 Lambert	00S20W	00S70E	60S50W	60S90E
FUXX	1:20,000 Mercator	05S15W	05S60E	60S15W	60S60E
FSXX	1:20,000 Mercator	05S15W	05S60E	60S15W	60S60E
AIAA	30E to 30W Antarctic coast to edge of ice pack except NIC West				

(INFORMATION DATED May 2005) <http://www.weathersa.co.za/Marine/FrequencyShipFCBroadcast.jsp>

ASIA



# BEIJING (PEKING), CHINA

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
BAF6	5526.9 kHz		F3C	6-8 KW
BAF36	8121.9 kHz		F3C	6-8 KW
BAF4	10116.9 kHz		F3C	10 KW
BAF8	14366.9 kHz		F3C	15 KW
BAF9	16025.9 kHz		F3C	?? KW
BAF33	18236.9 kHz		F3C	6-8 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0008	24HR/36HR/48HR PRECIPITATION PROG (1 JUN-30 SEP)	120/576	1200	E
0132	36HR/48HR SURFACE PROG	120/576	1200	A1
0154	TYPHOON WARNING (IN ENGLISH & CHINESE)(1)	120/576	0000	
0216	36HR MINIMUM TEMP PROG(1 OCT-30 APR)	120/576		E
	48HR MAXIMUM TEMP PROG(1 MAY-30 SEP)	120/576		E
0238	24HR/48HR PRECIPITATION PROG (1 MAY-30 SEP)	120/576	0000	E
	60HR MINIMUM TEMP PROG (1 OCT-30 APR)	120/576		E
0300	SATELLITE PICTURE ANALYSIS (1 MAY-30 SEP)	120/576		
0406	500MB PLOTTED DATA	120/576	0000	E
0428	48HR SURFACE PROG	120/576	1800	F
0450	SURFACE ANAL	120/576	0000	H
0724	SATELLITE PICTURE ANALYSIS (1 MAY-30 SEP)	120/576		
0746	TYPHOON WARNING (IN ENGLISH & CHINESE)(1)	120/576	0600	
0830	SURFACE PRESSURE ANALYSIS	120/576	0000	C
0852	24HR PRECIPITATION PROG	120/576		J
1126	TYPHOON TRACK PROG (2)	120/576	0000	D
1148	TEST CHART (4)	120/576		
1158	PROGRAM AMENDMENTS (4)	120/576		
1340	TYPHOON WARNING (IN ENGLISH AND CHINESE)(1)	120/576	1200	
1904	500MB PLOTTED DATA	120/576	1200	E
1926	SURFACE PRESSURE ANALYSIS	120/576	1200	G
1948	TYPHOON WARNING (IN ENGLISH AND CHINESE)(1)	120/576	1800	
2134	24 HR SURFACE ANALYSIS	120/576	1200	A1
2218	36HR/48HR 500 MB VORICITY ANALYSIS	120/576	1200	I
2240	TYPHOON TRACK PROG (2)	120/576	1200	D

NOTES: (1) IN CASE OF TYPHOON  
(4) ON MONDAYS

MAP AREAS:

A1 -	1:30,000,000	NORTHERN HEMISPHERE							
C -	1:23,000,000	70S	040E,	70S	130W,	40N	040E,	40N	130W
D -	1:10,000,000	50N	105E,	50N	160E,	45N	105E,	45N	160E
E -	1:20,000,000	10N	085E,	10N	135E,	45N	066E,	45N	150E
F -	1:20,000,000	05S	033E,	04S	130E,	43N	041E,	20N	160E
G -	1:10,000,000	06N	085E,	03N	142E,	47N	063E,	41N	168E
H -	1:10,000,000	04S	070E,	02S	145E,	42N	023E,	48N	174E
I -	1:10,000,000	15N	075E,	15N	125E,	40N	040E,	45N	150E
J -	1:03,000,000	43N	108E,	43N	120E,	33N	108E	33N	120E

(INFORMATION DATED 11/1997, update 2005 – service probably ceased in 2002)

# BEIJING (PEKING), CHINA

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
3SD	8461.9 kHz		F3C	10 KW
3SD	12831.9 kHz		F3C	10 KW
3SD	16903.9 kHz		F3C	30 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0755/1130	Wave Analysis, 24h forecast 10 Day SST 10th, 20th and 31st (or last day of the month) 10 day ice forecast on 9th, 19th and 29th (or the last day of the month)	120/576		

(Date of Information Unknown)

# TOKYO, JAPAN

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
JMH	3622.5 KHz	ALL BROADCAST TIMES	F3C	5 KW
JMH2	7795 KHz	ALL BROADCAST TIMES	F3C	5 KW
JMH4	13988.5 KHz	ALL BROADCAST TIMES	F3C	5 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0000/1200	RETRANSMISSION OF 2200/0840	120/576		
0020/-----	96HR SURFACE PRESSURE, PRECIP PROGS	120/576	1200	C
0400/-----	120HR SURFACE PRESSURE, PRECIP PROGS	120/576	1200	C
-----/1220	12/24/48/72HR OCEAN WAVE PROG	120/576	0000	
-----/1240	24 HR 500HPA TEMPERATURE AND 700HPA DEWPOINT DEPRESSION PROG	120/576	0000	
-----/1251	24HR 850HPA TEMPERATURE WIND AND 700HPA VERTICAL P-VELOCITY PROG			
-----/1251	36 HR 500HPA TEMPERATURE AND 700HPA DEWPOINT DEPRESSION PROG	120/576	0000	
-----/1251	36HR 850HPA TEMPERATURE WIND AND 700HPA VERTICAL P-VELOCITY PROG			
0103/1303	TEST CHART	120/576		
0110/1310	METEOROLOGICAL SATELLITE PICTURE (MSAT)	120/576	00/12	C'
0130/1330	RETRANSMISSION OF 1019/0730	120/576		
0150/1350	TROPICAL CYCLONE FORECAST(1)	120/576	00/12	C'
0210/-----	SEA SURFACE CURRENT, WATER TEMPERATURE AT 100M DEPTH (2)	120/576		
0229/-----	RADIO PREDICTION (3)	120/576		
-----/1420	RETRANSMISSION OF 0210 (2)			
0240/1440	SURFACE ANALYSIS	120/576	00/12	C'
0300/-----	SEA SURFACE WATER TEMPERATURE (2)	120/576		
0320/1520	THE FIRST RETRANSMISSION OF 0240/1440	120/576		
0340/-----	BROADCAST SCHEDULE, MANUAL AMENDMENTS	120/576		
0400/1540	RETRANSMISSION OF 0150/1350 (1)	120/576		
-----/1620	RETRANSMISSION OF 0300 (2)	120/576		
0421/-----	OCEAN WAVE ANALYSIS (NORTH PACIFIC)	120/576	0000	C''
0440/-----	COASTAL WAVE ANALYSIS	120/576	0000	X
0459/1640	500HPA HEIGHT, TEMPERATURE	120/576	00/12	C
0518/1700	850HPA HEIGHT, TEMPERATURE, DEW POINT DEPRESSION	120/576	00/12	C
-----/1719	COASTAL WAVE ANALYSIS (1)	120/576	1200	X
0537/1739	24HR 500HPA HEIGHT, VORTICITY PROGNOSIS	120/576	00/12	
-----/1739	24 HR SURFACE PRESSURE, PRECIPITATION PROGNOSIS			
0548/-----	24HR SURFACE PRESSURE, WIND, FOG, ICING, SEA ICE PROG	120/576	0000	C'
0610/1750	THE SECOND RETRANSMISSION OF 0240/1440	120/576		
0630/-----	48/72 HR SURFACE PRESSURE, PRECIPITATION PROGNOSIS	120/576	00/00	
-----/1810	36HR 500HPA HEIGHT, VORTICITY PROGNOSIS	120/576	1200	
-----/1810	36HR SURFACE PRESSURE, PRECIPITATION PROGNOSIS			
-----/1821	24 HR 500HPA TEMPERATURE AND 700HPA DEWPOINT DEPRESSION PROG	120/576	1200	
-----/1821	24HR 850HPA TEMPERATURE WIND AND 700HPA VERTICAL P-VELOCITY PROG			
-----/1832	36 HR 500HPA TEMPERATURE AND 700HPA DEWPOINT DEPRESSION PROG	120/576	1200	
-----/1832	36HR 850HPA TEMPERATURE WIND AND 700HPA VERTICAL P-VELOCITY PROG			
-----/1850	12/24/48/72HR OCEAN WAVE PROG	120/576	1200	
0651/-----	24HR WAVE PROG (NORTH PACIFIC)	120/576	0000	C''
0710/1910	METEOROLOGICAL SATELLITE PICTURE (GOES-9)	120/576	06/18	C'
0730/-----	24HR COASTAL WAVE PROG	120/576	0000	X
-----/1930	24HR SURFACE PRESSURE, WIND, FOG, ICING, SEA ICE PROG	120/576	1200	C'
0750/1950	TROPICAL CYCLONE FORECAST (1)	120/576	06/18	C'
-----/2010	24HR COASTAL WAVE PROG (1)	120/576	1200	X
0809/-----	36HR 500HPA HEIGHT, VORTICITY PROGNOSIS	120/576	0000	
-----/2010	36HR SURFACE PRESSURE, PRECIPITATION PROGNOSIS			
0820/-----	48HR SURFACE PRESSURE, WIND, FOG, ICING, SEA ICE PROG	120/576	0000	C'
0840/2040	SURFACE ANALYSIS	120/576	06/18	C'
-----/2100	48HR SURFACE PRESSURE, WIND, FOG, ICING, SEA ICE PROG	120/576	1200	C
0900/-----	RETRANSMISSION OF 0750 (1)	120/576		
0920/2120	THE FIRST RETRANSMISSION OF 0840/2040	120/576		
0940/2140	RETRANSMISSION OF 0630/1950	120/576		
1000/-----	RETRANSMISSION OF 0820	120/576		
-----/2200	48/72HR SURFACE PRESSURE, PRECIPITATION PROGNOSIS	120/576	12/12	

# TOKYO, JAPAN

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID	MAP
1019/-----	SEA ICE CONDITION ANAL(4), 48HR & 168 HR PROGS(5)	120/576	LATEST	L/L'
-----/2220	RETRANSMISSION OF 1719	120/576		
1040/2240	RETRANSMISSION OF 0548/2040	120/576		
1100/2300	RETRANSMISSION OF 0421/1930	120/576		
1119/2320	RETRANSMISSION OF 0440/2010	120/576		
1140/2340	RETRANSMISSION OF 0651/2100	120/576		

- NOTES:(1) IN CASE OF TROPICAL CYCLONE  
 (2) EVERY TUESDAY AND FRIDAY  
 (3) ON THE 20TH AND 21ST.  
 (4) EVERY TUESDAY AND FRIDAY (SEASONAL) RETRANSMISSION: AT 0130 ON THE NEXT DAY  
 (5) EVERY WEDNESDAY AND SATURDAY (SEASONAL). RETRANSMISSION: AT 0130 ON THE NEXT DAY

MAP AREAS:

C - 1:20,000,000	27N 062E, 51N 152W, 05S 106E, 02N 160E
C' - 1:20,000,000	39N 066E, 39N 146W, 01S 113E, 01S 167E
C'' - 1:20,000,000	38N 067E, 39N 148W, 01S 112E, 01S 167E
L - 1:10,000,000	SEA OF OKHOTSK, NORTHERN SEA OF JAPAN, BO HAI, AND ADJACENT WATERS OF THE NORTH PACIFIC.
L' - 1:05,000,000	49N 140E 49N 151E, 41N 140E 40N 149E
X - 1: 6,000,000	46N 107E, 43N 160E, 18N 118E, 17N 147E

(INFORMATION DATED 01 MAR 2007) <http://www.jma.go.jp/jma/kishou/177jmh/JMH-ENG.pdf>

# PEVEK, CHUKOTKA PENINSULA

CALL SIGNS	FREQUENCIES 148 kHz	TIMES ALL BROADCAST TIMES	EMISSION F3C	POWER
0530-0730	ICE		90/576	
1130-1330	ICE		90/576	
1430-1630	ICE		90/576	

(INFORMATION DATED 11/97)

# TAIPEI, REPUBLIC OF CHINA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
BMF	4616	KHz	F3C	10 KW
	5250	KHz	F3C	10 KW
	8140	KHz	F3C	10 KW
	13900	KHz	F3C	10 KW
	18560	KHz	F3C	10 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0040/-----	BROADCAST SCHEDULE	120/576		
0110/1310	TYPHOON WARNINGS (ENGLISH & CHINESE)	120/576	00/12	
0130/1330	GMS SATELLITE IMAGE	120/576	00/12	
0250/1450	FISHERY WEATHER FORECAST (IN CHINESE)	120/576	00/12	
0330/1630	SURFACE ANALYSIS WITH PLOTTED DATA	120/576	00/12	
0350/-----	24HR SURFACE PROG	120/576	0000	
0410/1610	TYPHOON WARNING (ENGLISH & CHINESE)	120/576	03/15	
0430/1630	850HPA ANALYSIS WITH PLOTTED DATA	120/576	00/12	
0440/1640	700HPA ANALYSIS WITH PLOTTED DATA	120/576	00/12	
0450/1650	500HPA ANALYSIS WITH PLOTTED DATA	120/576	00/12	
0500/1700	300HPA ANALYSIS WITH PLOTTED DATA	120/756	00/12	
0510/1710	RFS SURFACE PRESSURE ANALY/RFS 500HPA HEIGHT ANALYSIS	120/576	00/12	
0520/1720	RFS 12HR SURFACE PROG/RFS 12HR 500HPA PROG	120/576	00/12	
0530/1730	RFS 24HR SURFACE PROG/RFS 24HR 500HPA PROG	120/576	00/12	
0540/1740	RFS 36HR SURFACE PROG/RFS 24HR 500HPA PROG	120/576	12/00	
0550/1750	RFS 48HR SURFACE PROG/RFS 48HR 500HPA PROG	120/576	00/12	
0600/1800	RFS 72HR SURFACE PROG/RFS 72HR 500HPA PROG	120/576	00/12	
0620/1820	GFS 850HPA EQUATORIAL BELT WIND ANALYSIS	120/576	00/12	
0630/1830	GFS 200HPA EQUATORIAL BELT WIND ANALYSIS	120/576	00/12	
0640/1840	GFS 24HR 850HPA EQUATORIAL BELT WIND PROG	120/576	00/12	
0650/1850	GFS 24HR 200HPA EQUATORIAL BELT WIND PROG	120/576	00/12	
0710/1910	TYPHOON WARNINGS (ENGLISH & CHINESE)	120/576	06/18	
0730/1930	GMS SATELLITE IMAGE	120/576	06/18	
0745/1945	GFS 48HR 850HPA EQUATORIAL BELT WIND PROG	120/576	00/12	
0755/1955	GFS 48HR 200HPA EQUATORIAL BELT WIND PROG	120/576	00/12	
0805/-----	WAVE ANALYSIS	120/576	0000	
0820/-----	36HR WAVE PROG	120/576	0000	
-----/2005	GFS 72HR 850HPA EQUATORIAL BELT WIND PROG	120/576	1200	
-----/2015	GFS 72HR 200HPA EQUATORIAL BELT WIND PROG	120/576	1200	
-----/2025	GFS 96HR SURFACE PROG	120/576	1200	
-----/2035	GFS 72HR SURFACE PROG	120/576	1200	
0850/2050	FISHERY WEATHER FORECAST (IN CHINESE)	120/576	06/18	
0930/2130	SURFACE ANALYSIS WITH PLOTTED DATA	120/576	06/18	
1010/-----	TYPHOON WARNINGS (ENGLISH & CHINESE)	120/576	0900	
-----/2150	GFS 120HR SURFACE PROG	120/576	1200	
-----/2200	GFS 120HR 500HPA PROG	120/576	1200	
-----/2210	TYPHOON WARNINGS (ENGLISH & CHINESE)	120/576	2100	

MAP AREA: 48N 060E, 48N 172W, EQ 099E, EQ 154E

(SCHEDULE EFFECTIVE APR 01, 2002)

(INFORMATION DATED 10/2002) <http://marine.cwb.gov.tw/qa/BMF%20BROADCAST%20SCHEDULE.htm>

# SEOUL, REPUBLIC OF KOREA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
HLL2	5385	KHz	ALL BROADCAST TIMES F3C	3 KW
HLL2	5857.5	KHz	ALL BROADCAST TIMES F3C	3 KW
HLL2	7433.5	KHz	ALL BROADCAST TIMES F3C	3 KW
HLL2	9165	KHz	ALL BROADCAST TIMES F3C	3 KW
HLL2	13570	KHz	ALL BROADCAST TIMES F3C	3 KW



# SEOUL, REPUBLIC OF KOREA

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0000/1200	LOCAL WEATHER ADVISORY/WARNING REPORT (KOREAN)	120/576		
0020/1220	LOCAL WEATHER ADVISORY/WARNING REPORT (KOREAN)	120/576	00/12	
0032/-----	LIGHTHOUSE WEATHER OBSERVATION REPORT (KOREAN)	120/576	0000	
0046/1246	WEATHER OBSERVATION REPORT FOR FISHERY (KOREAN)	120/576	00/12	
0120/-----	MANUAL AMENDMENTS	120/576		
0140/1340	SURFACE ANALYSIS	120/576	00/12	
0200/1400	TYPHOON WARNING AND FORECAST (1)(KOREAN)	120/576	00/12	
0300/-----	KOREAN PENINSULA MONTHLY WEATHER FORECAST (2)(KOREAN)	120/576		
-----/1500	LOCAL WEATHER ADVISORY/WARNING REPORT (KOREAN)	120/576		
0320/1520	SEA-SHORE WEATHER OBSERVATION REPORT (KOREAN)	120/576	03/15	
0332/-----	LIGHTHOUSE WEATHER OBSERVATION REPORT (KOREAN)	120/576	0300	
0346/1546	WEATHER OBSERVATION REPORT FOR FISHERY (KOREAN)	120/576	03/15	
0415/-----	KOREAN PENINSULA WEEKLY WEATHER FORECAST (KOREAN)	120/576		
0440/1640	SURFACE ANALYSIS	120/576	03/15	
0455/1655	850MB ANALYSIS	120/576	00/12	
0507/1707	700MB ANALYSIS	120/576	00/12	
0519/1719	500MB ANALYSIS	120/576	00/12	
0600/1800	LOCAL WEATHER ADVISORY/WARNING REPORT (KOREAN)	120/576		
0620/1820	SEA-SHORE WEATHER OBSERVATION REPORT (KOREAN)	120/576	0618	
0632/-----	LIGHTHOUSE WEATHER OBSERVATION REPORT (KOREAN)	120/576	0600	
0646/1846	WEATHER OBSERVATION REPORT FOR FISHERY (KOREAN)	120/576	06/18	
0700/1900	SATILLITE IMAGERY	120/576	0530/1730	
0712/-----	SST OBSERVATION CHART OF NEAR KOREAN PENINSULA AREA	120/576		
0740/1940	SURFACE ANALYSIS	120/576	06/18	
0800/2000	TYPHOON WARNING AND 12HR/24HR FORECASTS (1) (KOREAN)	120/576	06/18	
0821/2021	12HR SEA WAVE HT & WIND FORECAST OF NEAR KOREAN PENINSULA	120/576	00/12	
0834/2034	24HR SEA WAVE HT & WIND FORECAST OF NEAR KOREAN PENINSULA	120/576	00/12	
0847/2047	36HR SEA WAVE HT & WIND FORECAST OF NEAR KOREAN PENINSULA	120/576	00/12	
0900/2100	SEA WEATHER FORECAST OVER NEAR KOREAN PENINSULA (KOREAN)	120/576	0830/2030	
0920/2120	SEA-SHORE WEATHER OBSERVATION REPORT (KOREAN)	120/576	09/21	
0932/2132	LIGHTHOUSE WEATHER OBSERVATION REPORT (KOREAN)	120/576	09/21	
0946/2146	WEATHER OBSERVATION REPORT FOR FISHERY (KOREAN)	120/576	09/12	
1012/2212	WEATHER FORECAST FOR SHIP ROUTE (KOREAN)	120/576	0830/2030	
-----/2227	LIGHTHOUSE WEATHER OBSERVATION REPORT (3) (KOREAN)	120/576	2200	
1040/2240	SURFACE ANALYSIS	120/576	09/21	

- NOTES:
1. IN CASE OF TYPHOON.
  2. BROADCAST AT THE END OF THE MONTH.
  3. NOVEMBER TO APRIL.
  4. ALTERNATING BLACK AND WHITE SIGNALS WITH FREQUENCY OF 300 Hz WILL BE TRANSMITTED FOR 10 SECONDS PRIOR TO THE PHASING SIGNAL.
  5. PHASING SIGNALS WILL BE TRANSMITTED FOR 30 SECONDS PRIOR TO TRANSMISSION OF EACH CHART.
  6. STOP SIGNALS WILL BE TRANSMITTED FOR 15 SECONDS AFTER EACH TRANSMISSION.

(INFORMATION DATED 02/1999)

# BANGKOK, THAILAND

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
HSW64	7396.8 kHz		F3C	3 KW
HSW61	17520 kHz		F3C	10 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0100/0700	FORECAST FOR SHIPPING (IN ENGLISH)	120/576	00/06	A
0120/.....	SURFACE PROG	120/576	1200	A
0140/.....	SURFACE ANALYSIS	120/576	1800	A
0300/0720	24 HR SURFACE PROG	120/576	12/12	A
0320/0740	48 HR SURFACE PROG	120/576	12/12	A
0340/0800	72 HR SURFACE PROG	120/576	12/12	A
...../0820	24 HR 850 MB WIND/TEMP PROG	120/576	1200	A

# BANGKOK, THAILAND

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0400/1000	FORECAST FOR SHIPPING (IN ENGLISH)	120/576	03/09	A
0420/.....	24 HR 850 MB WIND/TEMP PROG	120/576	1200	A
0500/1020	SURFACE ANALYSIS	120/576	00/06	A
0500/.....	TEST CHART	120/576		
0520/.....	850 MB ANALYSIS	120/576	0000	A
0540/.....	700 MB ANALYSIS	120/576	0000	A
0600/.....	500 MB ANALYSIS	120/576	0000	A
...../1300	FORECAST FOR SHIPPING (IN ENGLISH)	120/576	1200	A
...../1700	FORECAST FOR SHIPPING (IN ENGLISH)	120/576	1700	A
...../1720	SURFACE ANALYSIS	120/576	1200	
...../2300	FORECAST FOR SHIPPING (IN ENGLISH)	120/576	1700	A
...../2320	SURFACE ANALYSIS	120/576	1800	A

MAP AREA: A - 1:20,000,000 50N 045E, 50N 160E, 30S 045E, 30S 160E  
(INFORMATION DATED 11/97)

# TASHKENT 1, UZBEKISTAN

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
RBV70	3690 KHz	1300-0130	F3C	
RPJ78	4365 KHz	ALL BROADCAST TIMES	F3C	
RBV78	5890 KHz	ALL BROADCAST TIMES	F3C	
RBX72	7570 KHz	0130-1300	F3C	
RCH72	9340 KHz	ALL BROADCAST TIMES	F3C	
RBV76	14982.5 KHz	ALL BROADCAST TIMES	F3C	

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
-----/1215	NEPHANALYSIS	90/576	-----	A*
0110/-----	RADAR DATA	90/576	0000	E
0130/1325	18HR SIGNIFICANT WEATHER PROG	60/576	06/18	D
0155/1355	SURFACE ANALYSIS	60/576	00/12	B
0255/1455	SURFACE ANALYSIS	60/576	00/12	A
0345/1540	700MB ANALYSIS	90/576	00/12	A
-----/1615	400MB ANALYSIS	90/576	1200	A
0420/-----	NEPHANALYSIS	90/576	-----	A
0450/-----	300MB ANALYSIS	120/576	0000	A
-----/1655	SURFACE ANALYSIS	60/576	1500	B
0515/-----	850MB ANALYSIS	90/576	0000	A
-----/1745	500/1000MB ANALYSIS	90/576	1200	A
0625/1850	36HR 500MB PROG	120/288	12/00	C
0633/-----	36HR 850MB/700MB/500MB VERTICAL MOTION PROGS	90/576	1200	C
0650/-----	RADAR DATA	90/576	0600	E
-----/1905	PRECIPITATION AND MAX TEMPS	60/576	1500	K
0720/-----	400MB ANALYSIS	90/576	0000	A
0755/1930	SURFACE ANALYSIS	60/576	06/18	B
-----/2020	SURFACE ANALYSIS	60/576	1800	A
0845/-----	50MB ANALYSIS	90/576	0600	A
-----/2105	36HR 850MB/700MB/500MB VERTICAL MOTION PROGS	90/576	0000	C
0930/2122	TROPOPAUSE ANALYSIS	90/576	00/12	A
-----/2200	RADAR DATA	90/576	2100	E
1005/-----	500/1000MB ANALYSIS	90/576	0000	A
1055/2255	SURFACE ANALYSIS	60/576	09/21	B
-----/2345	24HR 850MB/700MB/500MB VERTICAL MOTION PROGS	90/576	1200	C

NOTE: DESCRIPTIONS OF MAP AREAS ARE LISTED IN PROGRAM 2..

(INFORMATION DATED 09/1990, update 2005 – service probably ceased in 2003)

# TASHKENT 2, UZBEKISTAN

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
RBX70	3280 kHz	ALL BROADCAST TIMES	F3C	
RBX71	5285 kHz	ALL BROADCAST TIMES	F3C	
RIJ75	8083 kHz	1400-0200	F3C	
RCH73	9150 kHz	ALL BROADCAST TIMES	F3C	
ROM5	13947 kHz	0200-1400	F3C	

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0030/-----	BROADCAST SCHEDULE	90/576		
0050/1250	RADAR DATA	90/576	00/12	E
0130/-----	18HR SIGNIFICANT WEATHER PROG	60/576	06/18	H
-----/1330	PREBARIC CHART	60/576	1800	H
0258/-----	48HR 500MB PROG	90/576	0000	C
0315/1515	300MB ANALYSIS	90/576	00/12	A
0350/1550	RADAR DATA	90/576	03/15	E
0410/1605	500MB ANALYSIS	90/576	00/12	A
-----/1640	850MB ANALYSIS	90/576	1200	A
0500/-----	SURFACE ANALYSIS	60/576	0300	B
0550/1720	200MB ANALYSIS	90/576	00/12	A
-----/1755	100MB ANALYSIS	90/576	1200	A
0625/-----	PRECIPITATION/TEMPERATURE EXTREMES	90/576	1200	A
0640/-----	400MB ANALYSIS	90/576	0000	A
-----/1905	RADAR DATA	90/576	1800	E
0715/-----	100MB ANALYSIS	90/576	0000	A
0750/1930	15HR 300MB/SIGNIFICANT WEATHER PROG	90/576	15/03	H
-----/2 015	MAX WIND ANALYSIS	90/576	1200	D*
0830/-----	500MB ANALYSIS	60/576	0600	A
0915/2105	MAX WIND ANALYSIS	90/576	00/18	A/D*
-----/2122	700MB ANALYSIS	90 /576	1800	D*
-----/2139	500MB ANALYSIS	90/576	1800	D*
0950/-----	RADAR DATA	90/576	0900	E
-----/2155	400MB ANALYSIS	90/576	1800	D*
-----/2212	300MB ANALYSIS	90/576	1800	D*
1140/2320	12HR 300MB/SIGNIFICANT WEATHER PROGS	90/576	18/00	H

  

MAP AREAS: A - 1:15,000,000 45N 037W, 43N 125E, 16N 011E, 15N 078E  
 A\* - 1:15,000,000 57N 005W, 27N 123E, 14N 030E, 02N 088E  
 B - 1:05,000,000 45N 030E, 49N 081E, 26N 040E, 28N 077E  
 C - 1:15,000,000 53N 006W, 48N 095E, 25N 026E, 22N 072E  
 D - 1:15,000,000 56N 021W, 58N 108E, 30N 016E, 31N 072E  
 D\* - 1:15,000,000 70N 008W, 47N 118E, 34N 029E, 24N 082E  
 H - 1:15,000,000 56N 021E, 58N 108E, 30N 016E, 31N 072E  
 K - 1:07,500,000 47N 038E, 49N 079E, 30N 046E, 31N 174E

(INFORMATION DATED 07/1997, update 2005 – service probably ceased in 2003)

# KYODO NEWS AGENCY, JAPAN/SINGAPORE

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
JJC	4316 KHz	ALL BROADCAST TIMES	F3C	5 KW
JJC	8467.5 KHz	ALL BROADCAST TIMES	F3C	10 KW
JJC	12745.5 KHz	ALL BROADCAST TIMES	F3C	15 KW
JJC	16971 KHz	ALL BROADCAST TIMES	F3C	15 KW
JJC	17069.6 KHz	ALL BROADCAST TIMES	F3C	15 KW
JJC	22542 KHz	ALL BROADCAST TIMES	F3C	15 KW
9VF/252	16035 KHz	0740-1010, 1415-1815	F3C	10 KW
9VF/252	17430 KHz	0740-1010, 1415-1815	F3C	10 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0145	Sports Ed 2(R), (Seasonal during Sumo or High School baseball series)	60/576		
0200	MON: NX for 1 week	120/576		
0200	TUE-SUN: NX (R), Epidemic Information(R)(SUN only), Ocean Information(N)(4th, 14th, and 24th, 3rd, 13th, 23rd if a MON)	120/576		
0245	Morning Ed(R), Sports Ed 1(R), NX(R)	60/576		
0430	WX Chart	120/576	0000	
0430	Ocean Information(n)(4th, 14th, and 24th)	120/576		
0540	TUE&FRI: Satellite Fishery Information	60/576		
0540	SAT&SUN: Ocean Graphic Information	60/576		
0540	SUN&MON: Sea Surface Current Prog	60/576		
0610	TUE-SAT: English Ed (R)	120/576		
0635	MON-SAT: FAX DAYORI 4(N), (except 2nd & 4th MON and every WED and FRI)	60/576		
0650	SUN:WX Chart, Fishing Information (3 times per month)	60/576	0300	
0650	MON-SAT: WX Chart	60/576	0300	
0705	Background Stories(N), Life(N)(except MON)	60/576		
0745	SUN: Sunday Ed(N), FAX DAYORI 1,2,3 (N) Sumo match (begins 0930 SAT as well)	60/576 60/576		
0745	MON-SAT: Evening Ed(N), Kaiun-Suisan News(N) (Except SAT), Epidemic Information(N)(SAT only), FAX DAYORI 1(N), Sumo match (Seasonal)(N), FAX DAYORI 2(N)(except TUE&SAT)	60/576 60/576 60/576		
0745	NATIONAL HOLIDAYS: Morning Ed(R), Sports Ed 1 (R), FAX DAYORI 1(N), Sumo match (Seasonal)(N)FAX DAYORI 2(N)	60/576 60/576		
1100	NX (N), Sumo match (Seasonal)(R)	60/576		
1130	MON-FRI: English Ed (N)	60/576		
1335	Background Stories(R), Life(R)(except MON)	60/576		
1415	MON-FRI: Kaiun-Suisan News(R)	60/576		
1445	Sports Ed 2(N), (Seasonal during Sumo or High School baseball series)	60/576		
1500	Morning Ed(N), Sports Ed 1(N), NX(R)	60/576		
1645	MON: Sunday Ed(R)	60/576		
1645	TUE-SUN: Evening Ed(R)	60/576		
1810	TUE-SAT: English Ed (R)	60/576		
1930	MON: Evening Ed(R), NX(R), FAX DAYORI 2,1,3 (R)	60/576		
1930	TUE-SUN: Evening Ed(R), NX(R), FAX DAYORI 2,1,4 (no 4 on THU,SAT and TUE following 2nd & 4th MON Also no 2 on WED and SUN)(R)	60/576		
2030	DAY AFTER NATIONAL HOLIDAYS: NX(R), FAX DAYORI 2,1,4 (R)	60/576		
2215	MON and DAY AFTER NATIONAL HOLIDAYS: Morning Ed(R),Sports Ed 1,2(R),NX(R),FAX DAYORI 1-3(R)(3 Mon only)	60/576		
2215	WX Chart	60/576	2100	
2215	TUE-SUN: Morning Ed(R), Sports Ed 1,2(R), NX(R), Kaiun-Suisan News(R) (Except SUN), Epidemic Info (SUN only) FAX DAYORI 1,2 (R)(no 2 on SUN and WED) WX Chart	60/576 60/576 60/576 60/576	2100	

NX: Navigational Warning, N: New, R: Repeat

Some of these transmissions may be encrypted

(INFORMATION DATED March 1, 1999 provided by Kyodo News April 2001)

# NORTHWOOD, UNITED KINGDOM (PERSIAN GULF)

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
GYA	3289.5 kHz	ALTERNATE	F3C	10 KW
GYA	6834 kHz	ALL BROADCAST TIMES	F3C	10 KW
GYA	14436 kHz	ALTERNATE	F3C	10 KW
GYA	18261 kHz	ALL BROADCAST TIMES	F3C	10 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0106/1306	SCHEDULE	120/576		
0118/1318	QSL REPORT			
0306/1506	SURFACE ANALYSIS	120/576	00/12	
0354/1554	STREAMLINE ANALYSIS	120/576	00/12	
0406/1606	SURFACE ANALYSIS	120/576	00/12	
0418/1618	700 hPA WBPT/PPTN +24	120/576	00/12	
0430/1630	AIR TEMP/DEW POINT +24	120/576	00/12	
0442/1642	SURFACE PROG T+24	120/576	00/12	
0454/1654	GULF TAFS	120/576	03/15	
0506/1706	SURFACE ANALYSIS	120/576	00/12	
0518/1718	SURFACE PROG T+24	120/576	00/12	
0530/1730	SURFACE PROG T+48	120/576	00/12	
0542/1742	GULF TAFS	120/576	06/18	
0606/1806	SURFACE ANALYSIS	120/576	00/12	
0618/1818	SURFACE PROG T+24	120/576	00/12	
0654/1854	GULF TAFS	120/576	06/18	
0706/1906	SPARE TAFS	120/576		
0718/1918	SIGNIFICANT WINDS PROG T+24	120/576	00/12	
0730/1930	SURFACE PROG T+48	120/576	00/12	
0742/1942	SURFACE PROG T+72	120/576	00/12	
0754/1954	SURFACE PROG T+96	120/576	00/12	
0806/2006	SURFACE PROG T+120	120/576	00/12	
0818/2018	THICKNESS/GEOPONTENTIAL HEIGHT ANALYSIS	120/576	00/12	
0830/2030	SURFACE SIGNIFINT WINDS T+48	120/576	00/12	
0842/2042	SURFACE SIGNIFINT WINDS T+72	120/576	00/12	
0854/2054	SURFACE SIGNIFINT WINDS T+96	120/576	00/12	
0918/2118	THICKNESS/GEOPONTENTIAL HEIGHT ANALYSIS	120/576	00/12	
0930/2130	THICKNESS/GEOPONTENTIAL HEIGHT T+24	120/576	00/12	
0942/2142	850 hPA WINDS T+24	120/576	00/12	
0954/2154	700 hPA WINDS T+24	120/576	00/12	
1006/2206	SEA SURFACE TEMP	120/576	0000	
1042/2242	700 hPA WBPT/PPTN T+24	120/576	06/18	
1054/2254	AIR TEMP/DEW POINT +24	120/576	06/18	
1130/2330	SEA AND SWELL PROGNOSIS T+24	120/576	06/18	

ALL MAPS 40°30'N.15°30'E 40°30'N.80°E 03°N.15°30'E 3°N.80°E  
 WBPT WET BULB POTENTIAL TEMPERATURE  
 PPTN PRECIPITATION

INFORMATION DATED 03 JUNE 2005



SOUTH  
AMERICA





# RIO DE JANEIRO, BRAZIL

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
PWZ-33	12665 kHz	ALL BROADCAST TIMES	F3C	1 KW
PWZ-33	16978 kHz	ALL BROADCAST TIMES	F3C	1 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0745/1630	TEST CHART	120/576		
0750/1635	SURFACE ANALYSIS (Hpa)	120/576	00/12	A
0810/1655	WAVES SIG HEIGHT (m) AND DIR PROG 12/00Z+36HR	120/576	00/12	B
0830/1715	WIND AT 10 m (KTS) PROG 12/00Z +36 HR	120/576	00/12	C
0850/1735	SEA SURFACE TEMPERATURE	120/576	12/00	D

MAP AREA: A: 1:53,000,000 20N 090W, 20N 020E, 70S 090W, 70S 020E  
 B: 1:58,000,000 20N 090W, 20N 020E, 70S 090W, 70S 020E  
 C: 1:58,500,000 20N 090W, 20N 020E, 70S 090W, 70S 020E  
 D: 1:32,700,000 15N 072W, 15N 018W, 50S 072W, 50S 018E

(INFORMATION DATED 18 Apr 2004) <http://www.mar.mil.br/dhn/chm/meteo/info/transmissoes/apend3ing.htm>

# VALPARAISO PLAYA ANCHA, CHILE

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
CBV	4228.0 kHz	ALL BROADCAST TIMES	F3C	1 KW
CBV	8677.0 kHz	ALL BROADCAST TIMES	F3C	1 KW
CBV	17146.4 kHz	ALL BROADCAST TIMES	F3C	1 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
1115	SURFACE ANALYSIS	120/576	0600	A
1130	SATELLITE IMAGE	120/576	0900	A
1630	SURFACE ANALYSIS	120/576	1200	A
1645	SATELLITE IMAGE	120/576	1500	A
1915	SIGNIFICANT WAVE MAP (MTS)	120/576	1200	A
1930	SATELLITE IMAGE	120/576	1800	A
2200	SURFACE ANALYSIS	120/576	1800	A
2215	ICE REPORT	120/576		A
2230	12HR WINDS BARB ISOTACHS FORECAST	120/576	1200	A
2310	12HR SURFACE FORECAST	120/576		A
2325	SATELLITE IMAGE	120/576	2100	A

MAP AREA: A: 10S-120W, 10S-050W, 80S-130W, 80S-030W

(INFORMATION DATED Sep 10, 2003) <http://www.directemar.cl/meteo/operador/horarios.htm>



NORTH  
AMERICA



# HALIFAX, NOVA SCOTIA, CANADA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
CFH	122.5 KHz	ALL BROADCAST TIMES	F3C	10 KW
	4271 KHz	ALL BROADCAST TIMES	F3C	6 KW
	6496.4 KHz	ALL BROADCAST TIMES	F3C	6 KW
	10536 KHz	ALL BROADCAST TIMES	F3C	6 KW
	13510 KHz	ALL BROADCAST TIMES	F3C	6 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC TIME	VALID AREA	MAP
0001/-----	Ice Chart #1 (see note): Latest)	120/576	LATEST	
-----/1201	3-DAY PROG	120/576	1200	G
0101/-----	SATELLITE PHOTO INFRARED	120/576	0000	
-----/1222	4-DAY PROG	120/576	1200	G
-----/1301	5-DAY PROG	120/576	1200	G
0201/1401	12/00Z SIGNIFICANT WEATHER DEPICTION	120/576	12/00	A
0301/1501	500MB ANALYSIS	120/576	00/12	B
0322/1522	SURFACE ANALYSIS	120/576	00/12	F
-----/1601	850MB ANALYSIS	120/576	1200	B
0401/1622	36HR 500MB FORECAST	120/576	12/00	H
0422/1701	24HR SURFACE PROG	120/576	00/12	A
0501/-----	850 MB FORECAST WINDS	120/576	18&00	C
0601/1801	36HR SURFACE PROG	120/576	12/00	A
-----/1822	850MB FORECAST WINDS	120/576	06&12	C
0701/1901	18/06Z SIGNIFICANT WEATHER DEPICTION	120/576	18/06	A
0801/2001	24/36HR SIGNIFICANT WAVE PROGNOSIS	120/576	0&12/12&0	F
0901/2101	SURFACE ANALYSIS	120/576	06/18	F
1001/-----	SST: NOVA SCOTIA - MON NEWFOUNDLAND - TUE/FRI	120/576	LATEST	E/D
1001/-----	OFA: NOVA SCOTIA - WED/SAT NEWFOUNDLAND - SUN/THU	120/576	LATEST	E/D
-----/2201	SST: NOVA SCOTIA - TUE/THU/FRI NEWFOUNDLAND - WED/SAT	120/576	LATEST	E/D
-----/2201	OFA: NOVA SCOTIA - SUN NEWFOUNDLAND - MON	120/576	LATEST	E/D
1022/-----	SATELLITE PHOTO INFRARED	120/576	0900	
-----/2222	NEWFOUNDLAND ICE CHART	120/576	LATEST	
1101/-----	CFH BROADCAST SCHEDULE	120/576		
-----/2301	GULF OF ST LAWRENCE ICE CHART (SEASONAL)	120/576	LATEST	

## NOTES:

This schedule of chart and text transmission is subject to short notice change according to the requirements of the Canadian Forces.

The geographical area of coverage for the ice charts varies according to season. The typical areas are: Gulf of St. Lawrence, East Newfoundland waters, Labrador Coast, Hudson Strait, Davis Strait and Baffin Bay. The Canadian Ice Service prepares all ice charts.

MAP AREAS:	A. 56N 87W, 56N 24W, 34N 38W, 34N 73W	E. 50N 75W, 50N 48W, 34N 48W, 34N 75W
	B. 76N 16W, 30N 20W, 23N 11W, 08N 69W	F. 52N 98W, 58N 24W, 30N 39W, 28N 78W
	C. 52N 80W, 65N 15W, 30N 60W, 34N 17W	G. 52N 98W, 56N 24W, 30N 39W, 28N 78W
	D. 60N 68W, 60N 33W, 43N 33W, 43N 68W	H. 30N 107W, 15N 67W, 34N 24W, 79N 60W
		I. 54N 100W, 58N 22W, 30N 39W, 28N 78W

(INFORMATION DATED 2007) <http://www.ccg-gcc.gc.ca/mcts-sctm/ramn/docs/aa.ae/Part-5ae-2007Final.pdf>

## IQALUIT, N.W.T., CANADA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
VFF	3253.0 kHz	25 JUN – 30 NOV	J3C	5 KW
VFF	7710.0 kHz	25 JUN – 30 NOV	J3C	5 KW
TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0500/-----	Ice Analysis Hudson Bay south, Hudson Bay north, Hudson Strait, Foxe Basin, Labrador Coast, Davis Strait, Baffin Bay.	120/576		
1000/2100	Marine Surface Analysis (Arctic) Marine wind prognosis (Arctic) ( experimental product) Regional Marine Wind Prognosis (on request)	120/576		
-----/2125	Ice Analysis Hudson Bay south, Hudson Bay north, Hudson Strait, Foxe Basin, Labrador Coast, Davis Strait, Baffin Bay.	120/576		

NOTE: THE AREAS INCLUDED IN THE BROADCASTS VARY WITH ICE CONDITIONS AND MARINE ACTIVITY. ALL CHARTS AVAILABLE CAN BE TRANSMITTED ON REQUEST.

(INFORMATION DATED 2007) <http://www.ccg-gcc.gc.ca/mcts-sctm/ramn/docs/aa.ae/Part-2ae-2007Final.pdf>

## RESOLUTE, N.W.T., CANADA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
VFR	3253.0 kHz	25 JUN – 30 NOV	J3C	5 KW
VFR	7710.0 kHz	25 JUN – 30 NOV	J3C	5 KW
TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0010/-----	Ice analysis Baffin Bay, Approaches to Resolute, Resolute-Byam, Eureka Sound, McClure Strait, Parry Channel and Queen Maude.	120/576		
0700/-----	Ice analysis Baffin Bay, Approaches to Resolute, Resolute-Byam, Eureka Sound, McClure Strait, Parry Channel and Queen Maude.	120/576		
1100/2330	Marine Surface Analysis (Arctic) Marine wind prognosis (Arctic) ( experimental product) Regional Marine Wind Prognosis (on request)	120/576		

(INFORMATION DATED 2007) <http://www.ccg-gcc.gc.ca/mcts-sctm/ramn/docs/aa.ae/Part-2ae-2007Final.pdf>

## SYDNEY - NOVA SCOTIA, CANADA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
VCO	4416 kHz	1121-1741	J3C	
VCO	6915.1 kHz	2200-2331	J3C	
TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
1121	ICE ANALYSIS GULF OF ST. LAWRENCE	120/576		
1142	ICE ANALYSIS EAST OR SOUTHEAST NEWFOUNDLAND WATERS	120/576		
1741	ICE ANALYSIS ICEBERG LIMIT	120/576		
2200	ICE ANALYSIS GULF OF ST. LAWRENCE	120/576		
2331	ICE ANALYSIS EAST OR SOUTHEAST NEWFOUNDLAND WATERS	120/576		

(INFORMATION DATED 2007) <http://www.ccg-gcc.gc.ca/mcts-sctm/ramn/docs/aa.ae/Part-2ae-2007Final.pdf>

# KODIAK, ALASKA, U.S.A.

CALL SIGN NOJ	FREQUENCIES	TIMES	EMISSION	POWER
	2054 kHz	ALL BROADCAST TIMES	F3C	7.5 KW
	4298 kHz	ALL BROADCAST TIMES	F3C	7.5 KW
	8459 kHz	ALL BROADCAST TIMES	F3C	7.5 KW
	12412.5 kHz	ALL BROADCAST TIMES	F3C	7.5 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0400/1600	TEST PATTERN	120/576		
0403/1603	SURFACE ANALYSIS	120/576	00/12	2
0427/1627	REBROADCAST 24HR SURFACE F'CAST 2227/1027	120/576	12/00	3
0437/1637	REBROADCAST 48HR SURFACE F'CAST 2237/1037	120/576	12/00	1
0447/1647	COASTAL MARINE FORECAST TABLES (ALASKA)	120/576	LATEST	
0456/1656	SEA STATE ANALYSIS/REBROADCAST	120/576	00/00	1
0506/1706	GOES IR SATELLITE IMAGE	120/576	00/12	5
0517/1717	500 MB ANALYSIS	120/576	00/12	1
0527/1727	SYMBOLS AND CONTRACTIONS/SCHEDULE	120/576		
0548/1748	REQUEST FOR COMMENTS/PRODUCT NOTICE	120/576		
0558/1758	24HR 500 MB FORECAST	120/576	00/12	1
0950/2150	TEST PATTERN	120/576		
0953/2153	SURFACE ANALYSIS	120/576	06/18	2
1017/2217	24HR WIND/WAVE FORECAST	120/576	00/12	3
1027/2227	24HR SURFACE FORECAST	120/576	00/12	3
1037/2237	48HR SURFACE FORECAST	120/576	00/12	1
1047/2247	48HR WIND/WAVE FORECAST	120/576	00/12	1
1057/2257	5-DAY SEA ICE FORECAST/SEA ICE ANALYSIS	120/576	LATEST	6
1117/2317	GOES IR SATELLITE IMAGE	120/576	00/12	5
1128/2328	48HR WAVE PERIOD, SWELL DIRECTION	120/576	00/12	1
1138/2338	48HR 500 MB FORECAST	120/576	00/12	1
1148/-----	SEA SURFACE TEMPERATURE ANALYSIS	120/576	LATEST	4
1159/-----	COOK INLET SEA ICE FORECAST	120/576	LATEST	7
-----/2348	96HR SURFACE FORECAST	120/576	1200	1
-----/2358	96HR WIND/WAVE FORECAST	120/576	1200	1
-----/0008	96HR WAVE PERIOD, SWELL DIRECTION	120/576	1200	1
-----/0018	96HR 500 MB FORECAST	120/576	1200	1

MAP AREAS:

1. 20N - 70N, 115W - 135E	2. 40N - 70N, 125W - 150E
3. 40N - 70N, 115W - 170E	4. 40N - 60N, 125W - 160E
5. 05N - 60N, 110W - 160W	6. ICE COVERED AK WATERS
7. COOK INLET	

NOTES: 1. CARRIER FREQUENCY IS 1.9 kHz BELOW THE ASSIGNED FREQUENCY  
 2. COMMENTS AND SUGGESTIONS SHOULD BE DIRECTED TO:

METEOROLOGIST-IN-CHARGE  
 NATIONAL WEATHER SERVICE/NOAA  
 6930 SAND LAKE ROAD  
 ANCHORAGE, AK 99502-1845  
 PH: (907) 266-5105/FAX: (907) 266-5188  
 E-MAIL: nws.ar.pafc.webauthors@noaa.gov

Many of these charts also broadcast from Pt. Reyes, CA

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

(SCHEDULE EFFECTIVE JUN 15, 2005)

(INFORMATION DATED FEB 21, 2007) <http://weather.noaa.gov/pub/fax/hfak.txt>

# PT. REYES, CALIFORNIA, U.S.A. (Subject to change on or about Aug 01, 2007)

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
NMC	4346 kHz	NIGHT	F3C	4 KW
	8682 kHz	ALL BROADCAST TIMES	F3C	4 KW
	12786 kHz	ALL BROADCAST TIMES	F3C	4 KW
	17151.2 kHz	ALL BROADCAST TIMES	F3C	4 KW
	22527 kHz	DAY	F3C	4 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0140/1400	TEST PATTERN	120/576		
0143/1403	NE PACIFIC GOES IR SATELLITE IMAGE	120/576	00/12	6
0154/1414	PACIFIC GOES IR SATELLITE IMAGE	120/576	00/12	5
0205/1425	TROPICAL SEA STATE ANALYSIS	120/576	00/12	4
0215/1435	TROPICAL 24HR WIND/WAVE FORECAST	120/576	00/12	4
0225/-----	TROPICAL 48HR WIND/WAVE FORECAST	120/576	0000	4
0235/-----	TROPICAL 72HR WIND/WAVE FORECAST	120/576	0000	4
0245/1445	500MB ANALYSIS	120/576	00/12	1
0255/1455	SEA STATE ANALYSIS, WIND/WAVE ANALYSIS	120/576	00/12	1/8
0305/1505	PRELIM SURFACE ANALYSIS (PART 1 NE PAC)	120/576	00/12	2
0318/1518	PRELIM SURFACE ANALYSIS (PART 2 NW PAC)	120/576	00/12	3
0331/1531	FINAL SURFACE ANALYSIS(PART 1 NE PAC)	120/576	00/12	2
0344/1544	FINAL SURFACE ANALYSIS(PART 2 NW PAC)	120/576	00/12	3
0357/1557	CYCLONE DANGER AREA* or HIGH WIND/WAVES	120/576	03/15	10
0408/1608	TROPICAL SURFACE ANALYSIS	120/576	00/12	4
0655/1840	TEST PATTERN			
0657/-----	2033Z REBROADCAST (96HR 500MB)	120/576	1200	1
0707/-----	2043Z REBROADCAST (96HR SURFACE)	120/576	1200	1
0717/-----	2053Z REBROADCAST (96HR WIND/WAVE)	120/576	1200	1
0727/-----	2103Z REBROADCAST (96HR WAVE PERIOD)	120/576	1200	1
-----/1842	SST ANALYSIS	120/576	LATEST	9
-----/1852	SST ANALYSIS	120/576	LATEST	6
0737/1902	TROPICAL GOES IR SATELLITE IMAGE	120/576	06/18	7
0748/1913	WIND/WAVE ANALYSIS	120/576	06/18	8
0758/1923	24HR 500MB FORECAST	120/576	00/12	1
0808/1933	24HR SURFACE FORECAST	120/576	00/12	8
0818/1943	24HR WIND/WAVE FORECAST	120/576	00/12	8
0828/1953	48HR 500MB FORECAST	120/576	00/12	1
0838/2003	48HR SURFACE FORECAST	120/576	00/12	1
0848/2013	48HR WIND/WAVE FORECAST	120/576	00/12	1
0858/2023	48HR WAVE PERIOD/SWELL DIRECTION	120/576	00/12	1
-----/2033	96HR 500MB FORECAST	120/576	1200	1
-----/2043	96HR SURFACE FORECAST	120/576	1200	1
-----/2053	96HR WIND/WAVE FORECAST	120/576	1200	1
-----/2103	96HR WAVE PERIOD/SWELL DIRECTION	120/576	1200	1
0908/2113	PACIFIC GOES IR SATELLITE IMAGE	120/576	06/18	5
0919/2124	SURFACE ANALYSIS (PART 1 NE PACIFIC)	120/576	06/18	2
0932/2137	SURFACE ANALYSIS (PART 2 NW PACIFIC)	120/576	06/18	3
0945/2150	TROPICAL SURFACE ANALYSIS	120/576	06/18	4
0959/2204	TROPICAL 24HR WIND/WAVE FORECAST	120/576	06/18	4
1009/2214	CYCLONE DANGER AREA* or HIGH WIND/WAVES	120/576	09/21	10
1120/2320	TEST PATTERN	120/576		
1124/2324	BROADCAST SCHEDULE (PART 1)	120/576		
1135/2335	BROADCAST SCHEDULE (PART 2)	120/576		
1146/-----	REQUEST FOR COMMENTS	120/576		
1157/-----	PRODUCT NOTICE BULLETIN	120/576		
1208-----	TROPICAL 48HR WIND/WAVE FORECAST	120/576	1200	4
1218/-----	TROPICAL 72HR WIND/WAVE FORECAST	120/576	1200	4
1228/2346	TROPICAL 48HR WAVE PERIOD/SWELL DIR	120/576	12/00	4
-----/2356	TROPICAL 72HR WAVE PERIOD/SWELL DIR	120/576	0000	4

\* Tropical Cyclone Danger Area chart replaced by High Wind/Wave Warning chart  
Dec 01 - May 14



# PT. REYES, CALIFORNIA, U.S.A. (Subject to change on or about Aug 01, 2007)

MAP AREAS: 1. 20N - 70N, 115W - 135E                      2. 20N - 70N, 115W - 175W  
3. 20N - 70N, 175W - 135E                      4. 20S - 30N, EAST OF 145W  
5. 05N - 55N, EAST OF 180W                      6. 23N - 60N, EAST OF 150W  
7. 05N - 32N, EAST OF 130W                      8. 18N - 62N, EAST OF 157W  
9. 40N - 53N, EAST OF 136W                      10. 0N - 40N, 80W - 180W

NOTES: 1. CARRIER FREQUENCY IS 1.9 kHz BELOW THE ASSIGNED FREQUENCY  
2. COMMENTS AND SUGGESTIONS SHOULD BE DIRECTED TO:

NATIONAL WEATHER SERVICE/NOAA  
NATIONAL CENTER FOR ENVIRONMENTAL PREDICTION  
MARINE FORECAST BRANCH W/NMC31  
5200 AUTH ROAD  
CAMP SPRINGS, MD 20746-4304  
PHONE: (301) 763-8294x7401/FAX: (301) 763-8085  
EMAIL: David.Feit@noaa.gov

Many of these charts also broadcast from Kodiak, AK and Honolulu, HI

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

(SCHEDULE EFFECTIVE MAY 16, 2006)

(INFORMATION DATED JUN 20, 2006)      <http://weather.noaa.gov/pub/fax/hfreyes.txt>

# NEW ORLEANS, LOUISIANA, U.S.A. (Subject to change on or about Aug 01, 2007)

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
NMG	4317.9 kHz	ALL BROADCAST TIMES	F3C	5 KW
	8503.9 kHz	ALL BROADCAST TIMES	F3C	5 KW
	12789.9 kHz	ALL BROADCAST TIMES	F3C	5 KW
	17146.4 kHz	1200-2045	F3C	5 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0000/1200	TEST PATTERN	120/576		
0005/1205	U.S./TROPICAL SURFACE ANALYSIS (W HALF)	120/576	18/06	1
0020/1220	TROPICAL SURFACE ANALYSIS (E HALF)	120/576	18/06	2
0035/1235	24 HR WIND/WAVE FORECAST	120/576	00/12	3
0045/1245	48 HR WIND/WAVE FORECAST	120/576	00/12	3
0055/1255	72 HR WIND/WAVE FORECAST	120/576	00/12	3
0105/1305	24 HR SURFACE FORECAST	120/576	00/12	3
0115/1315	48 HR SURFACE FORECAST	120/576	00/12	3
0125/1325	72 HR SURFACE FORECAST	120/576	00/12	3
0135/1335	CYCLONE DANGER AREA* or HIGH WIND/WAVES	120/576	21/09	6
0150/-----	72 HR WAVE PERIOD/SWELL DIRECTION	120/576	0000	3
----- /1350	(REBROADCAST OF 0150)	120/576	0000	3
0200/1400	GOES IR TROPICAL SATELLITE IMAGE	120/576	00/12	4
0215/1415	00 HR SEA STATE ANALYSIS	120/576	00/12	3
----- /1425	PRODUCT NOTICE BULLETIN	120/576		
0225/1445	HIGH SEAS FORECAST (IN ENGLISH)	120/576	22/10	5
0600/1800	TEST PATTERN	120/576		
0605/1805	U.S./TROPICAL SURFACE ANALYSIS (W HALF)	120/576	00/12	1
0620/1820	TROPICAL SURFACE ANALYSIS (E HALF)	120/576	00/12	2
0635/1835	24 HR WIND/WAVE FORECAST	120/576	06/18	3
0645/1845	(REBROADCAST OF 0045/1245)	120/576	00/12	3
0655/1855	(REBROADCAST OF 0055/1255)	120/576	00/12	3
0705/1905	(REBROADCAST OF 0105/1305)	120/576	00/12	3
0715/1915	(REBROADCAST OF 0115/1315)	120/576	00/12	3
0725/1925	(REBROADCAST OF 0125/1325)	120/576	00/12	3
0735/1935	CYCLONE DANGER AREA* or HIGH WIND/WAVES	120/576	03/15	6
0750/1950	48 HR WAVE PERIOD/SWELL DIRECTION	120/576	00/12	3
0800/2000	GOES IR TROPICAL SATELLITE IMAGE	120/576	07/18	4
0815/2015	(REBROADCAST OF 0215/1415)	120/576	00/12	3
0825/2025	REQUEST FOR COMMENTS/BROADCAST SCHEDULE	120/576		
0845/2045	HIGH SEAS FORECAST (IN ENGLISH)	120/576	04/16	5

\* Tropical Cyclone Danger Area chart replaced by High Wind/Wave Warning chart  
Dec 01-May 14. Valid times 00z, 06z, 12z and 18z. Map area 05N-40N, 35W-100W

- MAP AREAS:
1. 5S - 50N, 55W - 125W
  2. 5S - 50N, 0W - 70W
  3. 0N - 31N, 35W - 100W
  4. 12S - 44N, 28W - 112W
  5. 7N - 31N, 35W - 98W (AREA COVERED BY TEXT FORECAST)
  6. 05N - 60N, 0W - 100W

NOTES: 1. CARRIER FREQUENCY IS 1.9 kHz BELOW THE ASSIGNED FREQUENCY  
2. THIS BROADCAST ORIGINATES FROM THE TROPICAL PREDICTION CENTER (FORMERLY THE NATIONAL HURRICANE CENTER) OF THE NATIONAL WEATHER SERVICE). COMMENTS AND SUGGESTIONS SHOULD BE DIRECTED TO:

TROPICAL PREDICTION CENTER  
ATTN: CHIEF TAFB  
11691 SOUTHWEST 17TH STREET  
MIAMI, FL 33165-2149  
PHONE: (305) 229-4430/FAX: (305) 553-1264  
EMAIL: tpc.mar@noaa.gov

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

(Schedule Effective Dec 05, 2003)

(Information dated Mar 19, 2007) <http://weather.noaa.gov/fax/gulf.shtml>

# BOSTON, MASSACHUSETTS, U.S.A. (Subject to change on or about Aug 01, 2007)

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
NMF	4235 KHz	0230z-1028z	F3C	5 KW
	6340.5 KHz	ALL BROADCAST TIMES	F3C	5 KW
	9110 KHz	ALL BROADCAST TIMES	F3C	5 KW
	12750 KHz	1400z-2228z	F3C	5 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0230/1400	TEST PATTERN	120/576		
-----/1405	BROADCAST SCHEDULE (PART 1)	120/576		
-----/1420	BROADCAST SCHEDULE (PART 2)	120/576		
-----/1433	REQUEST FOR COMMENTS	120/576		
-----/1443	PRODUCT NOTICE BULLETIN	120/576		
0233/1453	PRELIMINARY SURFACE ANALYSIS	120/576	00/12	1
0243/-----	BROADCAST SCHEDULE (PART 1)	120/576		
0254/-----	BROADCAST SCHEDULE (PART 2)	120/576		
0305/-----	REQUEST FOR COMMENTS	120/576		
-----/1503	SATELLITE IMAGE	120/576	1200	5
0315/1515	WIND/WAVE ANALYSIS	120/576	00/12	8
0325/1525	SURFACE ANALYSIS (PART 1 NE ATLANTIC)	120/576	00/12	2
0338/1538	SURFACE ANALYSIS (PART 2 NW ATLANTIC)	120/576	00/12	3
0351/-----	SATELLITE IMAGE	120/576	0000	5
-----/1600	ICE CHARTS	120/576	LATEST	
-----/1720	TEST PATTERN	120/576		
0402/1723	(REBROADCAST OF 0325/1525)	120/576	00/12	2
0415/1736	(REBROADCAST OF 0338/1538)	120/576	00/12	3
0428/1749	500MB ANALYSIS	120/576	00/12	4
-----/1759	SEA STATE ANALYSIS	120/576	1200	4
0438/1810	ICE CHARTS	120/576	LATEST	
0452/1824	CYCLONE DANGER AREA* or HIGH WIND/WAVES	120/576	03/15	7
0745/1900	TEST PATTERN	120/576		
0755/-----	PRELIMINARY SURFACE ANALYSIS	120/576	0600	1
0805/1905	24HR SURFACE FORECAST	120/576	00/12	8
0815/1915	24HR WIND/WAVE FORECAST	120/576	00/12	8
0825/1925	24HR 500MB FORECAST	120/576	00/12	4
0835/1935	36HR 500MB FORECAST	120/576	12/00	4
0845/1945	48HR 500MB FORECAST	120/576	00/12	4
0855/1955	48HR SURFACE FORECAST	120/576	00/12	4
0905/2005	48HR WIND/WAVE FORECAST	120/576	00/12	4
0915/2015	48HR WAVE PERIOD FORECAST	120/576	00/12	4
-----/2025	PRELIMINARY SURFACE ANALYSIS	120/576	1800	1
-----/2035	96 HR 500MB FORECAST	120/576	1200	4
-----/2045	96 HR SURFACE FORECAST	120/576	1200	4
-----/2055	96 HR WIND/WAVE FORECAST	120/576	1200	4
-----/2105	96 HR WAVE PERIOD FORECAST	120/576	1200	4
-----/2115	(REBROADCAST OF 2045)	120/576	1200	4
0925/2125	SURFACE ANALYSIS (PART 1 NE ATLANTIC)	120/576	06/18	2
0938/2138	SURFACE ANALYSIS (PART 2 NW ATLANTIC)	120/576	06/18	3
0951/2151	SATELLITE IMAGE	120/576	06/18	6
1002/2202	(REBROADCAST OF 0925/2125)	120/576	06/18	2
1015/2215	(REBROADCAST OF 0938/2138)	120/576	06/18	3
1028/2228	CYCLONE DANGER AREA* or HIGH WIND/WAVES	120/576	09/21	7

\* Tropical Cyclone Danger Area chart replaced by High Wind/Wave Warning chart Dec 01-May 14. Valid times 00z, 06z, 12z and 18z. Map area 05N-40N, 35W-100W

# BOSTON, MASSACHUSETTS, U.S.A. (Subject to change on or about Aug 01, 2007)

MAP AREAS 1. 28N-52N, 45W-85W 2. 18N-65N, 10E-45W  
3. 18N-65N, 40W-95W 4. 18N-65N, 10E-95W  
5. 20N-55N, 55W-95W 6. EQ-60N, 40W-130W  
7. 05N-60N, 0W-100W 8. 22N-51N, 40W-98W

NOTES: 1. CARRIER FREQUENCY IS 1.9 kHz BELOW THE ASSIGNED FREQUENCY  
2. COMMENTS AND SUGGESTIONS SHOULD BE DIRECTED TO:

NATIONAL WEATHER SERVICE/NOAA  
NATIONAL CENTER FOR ENVIRONMENTAL PREDICTION  
MARINE FORECAST BRANCH W/NMC31  
5200 AUTH ROAD  
CAMP SPRINGS, MD 20746-4304  
PHONE: (301) 763-8294x7401/FAX: (301) 763-8085  
EMAIL: David.Feit@noaa.gov

Tropical cyclone charts also broadcast from New Orleans, LA

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

(EFFECTIVE DATE: MAY 16, 2006)  
(INFORMATION DATED MAY 22, 2007) <http://weather.noaa.gov/pub/fax/hfmarsh.txt>

## INUVIK, CANADA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER	
VFA	8457.8 kHz		J3C	1 KW	
TIME	CONTENTS OF TRANSMISSION		RPM/IOC	VALID TIME	MAP AREA
0200	Marine Wind Prognosis (Availability of charts may vary depending on shipping Ice Analysis (mid July to October 15) Amundsen Gulf, Queen Maud and McClure Strait. Ice Analysis Beaufort Sea/Alaskan Coast		120/576	1200	
1630	Marine Surface Analysis (Availability of charts may vary depending on shipping Ice Analysis (mid July to October 15) Amundsen Gulf, Queen Maud and McClure Strait. Ice Analysis Beaufort Sea/Alaskan Coast		120/576	1200	

Note: Also available on request

(INFORMATION DATED 2007) <http://www.ccg-gcc.gc.ca/mcts-sctm/ramn/docs/ca.pe/Part-2pe-2007Final.pdf>

PACIFIC  
OCEAN  
BASIN



# CHARLEVILLE, AUSTRALIA

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
VMC	2628 kHz	0900-1900	F3C	1 KW
VMC	5100 kHz	All Broadcast Times	F3C	1 KW
VMC	11030 kHz	All Broadcast Times	F3C	1 KW
VMC	13920 kHz	All Broadcast Times	F3C	1 KW
VMC	20469 kHz	1900-0900	F3C	1 KW

# WILUNA, AUSTRALIA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
VMW	5755 kHz	1100-2100	F3C	1 KW
VMW	7535 kHz	All Broadcast Times	F3C	1 KW
VMW	10555 kHz	All Broadcast Times	F3C	1 KW
VMW	15615 kHz	All Broadcast Times	F3C	1 KW
VMW	18060 kHz	2100-1100	F3C	1 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
-----/1200	Australian MSLP Prog (H+36)	120/576	1200	AUST
0015/1215	VMC/VMW Schedule Page 1 of 2	120/576		
0030/1230	VMC/VMW Schedule Page 2 of 2	120/576		
0045/-----	VMC/VMW Information Notice	120/576		
0100/-----	IPS Recommended Frequencies for VMC (Charleville))	120/576		
0130/-----	IPS RECOMMENDED FREQUENCIES FOR VMW	120/576		
-----/1245	Indian Ocean MSLP Prog (H+36)	120/576	1200	IO
-----/1300	Australian Sigwx Prog Valid	120/576	0600	RSW
-----/1315	South Pacific Ocean Total Waves (H+48)	120/576	0000	SWP
-----/1330	Indian Ocean Total Waves (H+48)	120/576	0000	IO
-----/1345	Pacific Ocean Sea Surface Temps (Weekly)	120/576	LATEST	SWP
-----/1400	Indian Ocean Sea Surface Temps (Weekly)	120/576	LATEST	IO
0200/-----	Australian MSLP Prog (H+36)	120/576	0000	AUST
0215/-----	Australian Sigwx Prog	120/576	1800	RSW
0230/-----	Asian Current Warnings Summary	120/576	LATEST	H
-----/1415	Casey Eastern and Western High Seas (H+48)	120/576	0000	
0245/1430	Australian MSLP Anal (Manual)	120/576	00/12	AUST
-----/1445	Asian Current Warnings	120/576	LATEST	H
0300/1500	Australian 500 hPa Anal	120/576	00/12	AUST
0315/-----	Voice Broadcast Information for VMW (Wiluna)	120/576		
-----/1515	Australian MSLP Prog (H+36)	120/576	1200	AUST
0330/1530	Asian Sigwx Prog Valid	120/576	12/00	D
0400/1600	Australian 500 hPa (H+24) Prog	120/576	00/12	AUST
0430/-----	Australian MSLP 4-day forecast, Days 1 and 2	120/576		
0445/-----	Australian MSLP 4-day forecast, Days 3 and 4	120/576		
-----/1630	IPS Recommended Frequencies for VMC (Charleville)	120/576		
-----/1700	IPS Recommended Frequencies for VMW (Wiluna)	120/576		
0600/1800	Asian (Part A) Gradient Level Wind Anal (Manual)	120/576	00/12	A
0623/1823	Asian (Part B) Gradient Level Wind Anal (Manual)	120/576	00/12	B
0645/-----	Asian MSLP Anal (Manual)	120/576	0000	C
0715/1900	Australian Sigwx Prog	120/576	00/12	RSW
0730/1915	Indian Ocean MSLP Anal (Manual)	120/576	00/12	IO
0745/1930	Australian Wind Waves Ht(m) Prog	120/576	00/12	AUST
0800/1945	Australian Swell Waves Ht(m) Prog (H+24)	120/576	00/12	AUST
0815/-----	Asian Current Warnings Summary	120/576	LATEST	H
0830/-----	South Pacific Ocean MSLP Anal	120/576	0000	SWP
0845/-----	Australian MSLP Anal (Manual)	120/576	0600	AUST
-----/2000	South Pacific Ocean MSLP Anal (Manual)	120/576	1200	SWP
-----/2015	Casey Eastern and Western High Seas (H+24)	120/576	1200	
-----/2030	Australian MSLP Anal (Manual)	120/576	1800	AUST
-----/2045	Asian Current Warnings Summary	120/576	LATEST	H
0903/2100	Asian 200 hPa Streamline Anal	120/576	00/12	C
0923/2120	Asian 500 hPa Streamline Anal	120/576	00/12	C
0941/2140	Asian 700 hPa Streamline Anal	120/576	00/12	C
1000/2200	Asian Sigwx Prog	120/576	18/06	D
1015/-----	Casey Eastern and Western High Seas (H+24)	120/576	0000	
-----/2215	Casey Eastern and Western High Seas (H+36)	120/576	1200	
1030/2230	S.H. 500 hPa Prog (H+48)	120/576	00/12	SH
1045/2245	S.H. MSLP Prog (H+48)	120/576	00/12	SH
1100/-----	Casey Eastern and Western High Seas (H+36)	120/576	0000	
1115/2300	S.H. 500 hPa Anal	120/576	00/12	SH

# CHARLEVILLE & WILUNA, AUSTRALIA

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
-----/2315	Casey Eastern and Western High Seas (H+48)	120/576	1200	
1130/-----	Asian Sea Surface Temp Anal (Weekly)	120/576	LATEST	E
-----/2330	Australian MSLP Prog (H+36)	120/576	0000	AUST
-----/2345	Indian Ocean MSLP Prog (H+48)	120/576	1200	IO
1145/-----	VMC/VMW Information Notice	120/576		

The following charts are repeat broadcasts on 11030 kHz only via a directional aerial pointing from Charleville (VMC) towards Tasmania.

0345 Australian MSLP Anal (Manual) Valid 0000  
 0500 Australian MSLP 4-day Forecast, Days 1 and 2  
 0515 Australian MSLP 4-day Forecast, Days 3 and 4  
 0000 Indian Ocean MSLP Anal (Manual) Valid 1200

## FOR FURTHER INFORMATION CONTACT:

SYSTEM HELP DESK  
 PH: (03) 9669 4054  
 EMAIL: [webops@bom.gov.au](mailto:webops@bom.gov.au)

MAP AREAS: A: 30N - 35S, 120E - 180  
 B: 30N - 35S, 070E - 130E  
 C: 30N - 35S, 070E - 180  
 D: 43S 110E, 34S 155E, 34N 142E, 29N 096E  
 E: 23N - 23S, 100E - 170E  
 H: 25N - 25S, 080E - 180  
 AUST: LAMBERT 10S 090E, 50S 080E, 10S 170E, 50S 180  
 SEAUST- MERCATOR 31S - 40S, 148E - 156E  
 SWAUST MERCATOR 25S - 37S, 110E - 120E  
 RSW - MERCATOR 0S - 50S, 100E - 180  
 IO - POLAR 10S - 90S, EQ - 090E - 180  
 SWP - POLAR 20S - 90S, 150E - 180 - 90W  
 SH - POLAR 10S - 90S, ALL LONGITUDES

(Schedule Effective May 2005)  
 (INFORMATION DATED May 22, 2007)

[http://www.bom.gov.au/nmoc/rad\\_sch/](http://www.bom.gov.au/nmoc/rad_sch/)



# WELLINGTON, NEW ZEALAND

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
ZKLF	3247.4 kHz	0945-1700	F3C	5 KW
	5807 kHz	ALL BROADCAST TIMES	F3C	5 KW
	9459 kHz	ALL BROADCAST TIMES	F3C	5 KW
	13550.5 kHz	ALL BROADCAST TIMES	F3C	5 KW
	16340.1 kHz	2145-0500	F3C	5 KW

Single transmitter used. Times below reflect broadcast times at 5807 kHz  
 Add 15 minutes for 9459 kHz, 30 minutes for 13550.5 kHz and 45 minutes for 3247.4 and 16340.1 kHz

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0000/1200	SOUTHWEST PACIFIC 30HR SURFACE PROG (MSL)	120/576	00/12	SWP
0100/1300	SOUTHWEST PACIFIC 48HR SURFACE PROG (MSL)	120/576	00/12	SWP
0200/1400	SOUTHWEST PACIFIC 72HR SURFACE PROG (MSL)	120/576	00/12	SWP
0300/1600	TASMAN-NEW ZEALAND MSL ANALYSIS	120/576	00/12	TNZ
0400/1600	SOUTHWEST PACIFIC MSL ANALYSIS	120/576	00/12	SWP
0900/2100	TASMAN-NEW ZEALAND MSL ANALYSIS	120/576	06/18	TNZ
1000/2200	SOUTHWEST PACIFIC MSL ANALYSIS	120/576	06/18	SWP
1100/2300	TRANSMISSION SCHEDULE			

MAP AREAS: TNZ - TASMAN SEA - NEW ZEALAND  
 SWP - SOUTHWEST PACIFIC

(INFORMATION DATED MAY 2002) <http://www.metservice.com/default/index.php?alias=radiofaxscheduletxt>

# HONOLULU, HAWAII, U.S.A. (Subject to change on or about Aug 01, 2007)

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
KVM70	9982.5 kHz	0519-1556	F3C	4 KW
	11090 kHz	ALL BROADCAST TIMES	F3C	4 KW
	16135 kHz	1719-0356	F3C	4 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0519/1719	TEST PATTERN	120/576		
0524/1724	SIGNIFICANT CLOUD FEATURES	120/576	03/15	D
0535/1735	CYCLONE DANGER AREA	120/576	03/15	E
0555/1755	STREAMLINE ANALYSIS	120/576	00/12	B
0615/1815	SURFACE ANALYSIS	120/570	00/12	C
0635/1835	EAST PACIFIC GOES IR SATELLITE IMAGE	120/576	06/18	G
0649/1849	SW PACIFIC GOES IR SATELLITE IMAGE	120/576	06/18	H
0701/1901	24HR SURFACE FORECAST	120/576	00/12	A
0714/1914	48HR SURFACE FORECAST	120/576	00/12	A
0727/1927	72HR SURFACE FORECAST	120/576	00/12	A
0740/1940	WIND/WAVE ANALYSIS	120/576	00/12	B
0753/1953	24HR WIND/WAVE FORECAST	120/576	00/12	B
0806/2006	24HR WIND/WAVE FORECAST	120/576	00/12	4
0816/2016	48HR SURFACE FORECAST	120/576	00/12	1
0826/2026	48HR WIND/WAVE FORECAST	120/576	00/12	1
0836/2036	48/96HR WAVE PERIOD, SWELL DIRECTION	120/576	00/12	1
0846/2046	rebroadcast/ 96HR SURFACE FORECAST	120/576	1200	1
0856/2056	rebroadcast/ 96HR WIND/WAVE FORECAST	120/576	1200	1
0906/2106	PACIFIC GOES IR SATELLITE IMAGE	120/576	06/18	5
0917/2117	SURFACE ANALYSIS (PART 1 NE PACIFIC)	120/576	06/18	2
0930/2130	SURFACE ANALYSIS (PART 2 NW PACIFIC)	120/576	06/18	3
0943/2143	TROPICAL GOES IR SATELLITE IMAGE	120/576	06/18	Y
0954/2154	TROPICAL SURFACE ANALYSIS	120/576	06/18	Z
1008/2208	24HR TROPICAL WIND/WAVE FORECAST	120/576	06/18	Z
1042/2242	CYCLONE DANGER AREA	120/570	09/21	E
1102/2302	48HR WIND/WAVE FORECAST	120/576	00/12	B
1115/2315	72HR WIND/WAVE FORECAST	120/576	00/12	B
1128/2328	SEA SURFACE TEMPS	120/576	LATEST	F
1141/2341	rebroadcast 24HR WIND/WAVE FORECASTS	120/576	00/12	B
1154/2354	STREAMLINE ANALYSIS	120/576	06/18	B
1214/0014	SURFACE ANALYSIS	120/576	06/18	C
1234/0034	EAST PACIFIC GOES IR SATELLITE IMAGE	120/576	12/00	G
1248/0048	SW PACIFIC GOES IR SATELLITE IMAGE	120/576	12/00	H
1300/0100	SCHEDULE PART I	120/576		
1320/0120	SCHEDULE PART II	120/576		
1340/0140	SYMBOLS OR PRODUCT NOTICE BULLETIN	120/576		
1400/0200	24HR TROPICAL SURFACE FORECAST	120/576	12/00	Z
1410/0210	48HR TROPICAL SURFACE FORECAST	120/576	12/00	Z
1420/0220	72HR TROPICAL SURFACE FORECAST	120/576	12/00	Z
1430/0230	48/72HR TROPICAL WAVE PERIOD, SWELL DIR	120/576	12/00	Z
1440/0240	TROPICAL SEA STATE ANALYSIS	120/576	12/00	Z
1450/0250	24HR TROPICAL WIND/WAVE FORECAST	120/576	12/00	Z
1500/0300	48HR TROPICAL WIND/WAVE FORECAST	120/576	12/00	Z
1510/0310	72HR TROPICAL WIND/WAVE FORECAST	120/576	12/00	Z
1520/0320	rebroadcast/SEA STATE ANALYSIS	120/576	0000	1
1530/0330	SURFACE ANALYSIS(PART 1 NE PAC)	120/576	12/00	2
1543/0343	SURFACE ANALYSIS(PART 2 NW PAC)	120/576	12/00	3
1556/0356	TROPICAL SURFACE ANALYSIS	120/576	12/00	Z

## MAP AREAS:

A. 30S - 50N, 110W - 130E	B. 30S - 30N, 110W - 130E	Honolulu Forecast Office
C. EQ - 50N, 110W - 130E	D. 30S - 50N, 110W - 160E	Honolulu Forecast Office
E. EQ - 40N, 80W - 170E	F. EQ - 55N, 110W - 160E	Honolulu Forecast Office
G. 05S - 55N, 110W - 155E	H. 40S - 05N, 130W - 165E	Honolulu Forecast Office
1. 20N - 70N, 115W - 135E	2. 20N - 70N, 115W - 175W	Ocean Prediction Center
3. 20N - 70N, 175W - 135E	4. 18N - 62N, EAST OF 157W	Ocean Prediction Center
5. 05N - 55N, EAST OF 180W		Ocean Prediction Center
Y. 05N - 32N, EAST OF 130W	Z. 20S - 30N, EAST OF 145W	Tropical Prediction Center

# HONOLULU, HAWAII, U.S.A. (Subject to change on or about Aug 01, 2007)

STREAMLINES ARE LINES OF CONSTANT WIND DIRECTION.  
WIND SPEEDS ARE GIVEN BY WIND BARBS INDEPENDENT OF STREAMLINES.

THE SIGNIFICANT CLOUD FEATURES CHARTS DEPICT CLOUD FEATURES BASED UPON IMAGES FROM THE VARIOUS GEOSTATIONARY AND POLAR ORBITING SATELLITES OVER THE PACIFIC. ABBREVIATIONS ON THESE CHARTS INCLUDE: AC - ALTOCUMULUS; AS - ALTOSTRATUS; BKN - BROKEN; CB - CUMULONIMBUS; CC - CIRROCUMULUS; CI - CIRRUS; CS - CIRROSTRATUS; CU - CUMULUS; FEW - FEW; ISOL - ISOLATED; LYRS - LAYERS; NS - NIMBOSTRATUS; OVC - OVERCAST; SC - STRATO-CUMULUS; SCT - SCATTERED; TCU - TOWERING CUMULUS; TSTM - THUNDERSTORM

RADIOFAX FREQUENCIES ARE ASSIGNED FREQUENCIES. TO CONVERT TO CARRIER FREQUENCIES, SUBTRACT 1.9 KHZ FROM THE ASSIGNED FREQUENCIES.

YOU MAY ADDRESS COMMENTS ABOUT THIS BROADCAST TO:

Meteorologist In Charge  
National Weather Service  
2525 Correa Rd.  
Honolulu, HI 96822  
PHONE: (808) 973-5275/FAX: (808) 973-5281  
E-Mail [Nezette.Rydell@noaa.gov](mailto:Nezette.Rydell@noaa.gov)

(SCHEDULE EFFECTIVE Jun 20, 2006)

(INFORMATION DATED Jun 20, 2006)

<http://weather.noaa.gov/fax/hawaii.shtml>



EUROPE



# SKAMLEBAEK, DENMARK

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
OXT (1)	5850 kHz	0028-1005	F3C	20 KW
	9360 kHz	0003-0025		
		1008-1215	F3C	20 KW
		1243-1305		
		1828-1850		
	13855 kHz	1218-1240		
		1308-1330	F3C	20 KW
		1803-1825		
	17510 kHz	1333-1355	F3C	20 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0003(2)	ICE CHART #2 (OR #1)	120/576		
0028	ICE CHART #2 (OR #1)	120/576		
0943	ICE CHART #1	120/576		
1008	ICE CHART #1	120/576		
1153	ICE CHART #1	120/576		
1218	ICE CHART #1	120/576		
1243	ICE CHART #2 (OR#1)	120/576		
1308	ICE CHART #2 (OR #1)	120/576		
1333	ICE CHART #2 (OR #1)	120/576		
1803	ICE CHART #1	120/576		
1828	ICE CHART #1	120/576		

Chart1: Cape Farewell area (South Greenland) (normally updated 2-5 weekly but infrequently)

Chart2: East or West Greenland (normally updated 3-5 times weekly infrequently)

NOTES :(1) CALL SIGN IS TRANSMITTED FOR A PERIOD OF 2 MINUTES IMMEDIATELY PRIOR TO CHART TRANSMISSION.

(INFORMATION DATED Mar 16, 07) <http://www.dmi.dk/dmi/index/viden/sendepplan.htm>

Report received that this service will continue through 2007 when a decision will then be made.

# ATHENS, GREECE

CALL SIGN	FREQUENCY	TIMES	EMISSION	POWER
SVJ4	4481 kHz		F3C	8 KW
SVJ4	8105 kHz		F3C	8 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0845	SURFACE ANALYSIS	120/576	0600	A
0857	SURFACE PROG (H+24)	120/576	0600	A
0909	SURFACE PROG (H+48)	120/576	0600	A
0921	WAVE HEIGHT PROG (H+30)	120/576	1800	B
0933	WAVE HEIGHT PROG (H+36)	120/576	0000	B
0945	WAVE HEIGHT PROG (H+42)	120/576	0600	B
0957	WAVE HEIGHT PROG (H+48)	120/576	1200	B
1009	WAVE HEIGHT PROG (H+30)	120/576	1800	C
1021	WAVE HEIGHT PROG (H+36)	120/576	0000	C
1033	WAVE HEIGHT PROG (H+42)	120/576	0600	C
1044	WAVE HEIGHT PROG (H+48)	120/576	1200	C

MAP AREA: A - SOUTH EUROPE , MEDITERRANEAN SEA, BLACK SEA  
 B - MEDITERRANEAN  
 C - AEGEAN

(INFORMATION DATED (03/2007)

# HAMBURG/PINNEBERG, GERMANY

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
DDH3	3855 kHz	ALL BROADCAST TIMES	F3C	10 KW
DDK3	7880 kHz	ALL BROADCAST TIMES	F3C	20 KW
DDK6	13882.5 kHz	ALL BROADCAST TIMES	F3C	20 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
-----/1520	Ice conditions chart West Baltic Sea or special area	120/576	0900	
-----/1540	Ice conditions chart West Baltic Sea or special area	120/576	0900	
0430/1600	Surface weather chart	120/576	00/12	
0512/-----	h + 30 (GME ) surface pressure	120/576	1800	
0525/1800	surface pressure analysis, arrows showing the movement of pressure systems, significant weather, ice	120/576	00/12	
0546/1821	Information of tropical storms, North Atlantic (during the season )	120/576	03/15	
-----/1834	H+24 (GME) surface pressure	120/576	1200	
0559/-----	H + 12, H + 24 (GME) 500 hPa H + T, surface P	120/576	0000	
0612/-----	H + 12, H + 24 (GME) 850 hPa H + T, 700 hPa U	120/576	0000	
0625/-----	H + 36, H + 48 (GME) 500 hPa H + T, surface P	120/576	0000	
0638/-----	H + 36, H + 48 (GME) 850 hPa H + T, 700 hPa U	120/576	0000	
0651/-----	H + 60, H + 72 (GME) 500 hPa H + T, surface P	120/576	0000	
0704/-----	H + 60, H + 72 (GME) 850 hPa H + T, 700 hPa U	120/576	0000	
0717/-----	Repetition chart 0512 UTC	120/576	1800	
0730/1847	H+48 (GME) surface pressure	120/576	00/12	
0743/-----	Repetition chart 0525 UTC	120/576	0000	
0804/1900	H+84 (GME) surface pressure	120/576	00/12	
0817/-----	H+108 (GME) surface pressure	120/576	0000	
0830/1913	H+24 (GSM) Sea and swell, wind direction, direction of swell	120/576	00/12	
0842/1926	H+48 (GSM) Sea and swell, wind direction, direction of swell	120/576	00/12	
0854/1939	H+72 (GSM) Sea and swell, wind direction, direction of swell	120/576	00/12	
0906/-----	H+96 (GSM) Sea and swell, wind direction, direction of swell	120/576	0000	
0930/2100	Ice conditions chart Northwest Atlantic	120/576	00/12	
0945/-----	Sea surface temperature North Sea	120/576	0000	
1007/2115	Ice conditions chart West Baltic Sea	120/576	00/15	
1029/2137	H+48 wave prediction	120/576	00/12	
1050/2200	Surface weather chart	120/576	06/18	
1111/-----	Transmission schedule	120/576		
1132/-----	Test chart	120/576		
1145/-----	Repetition chart 1050 UTC	120/576	0600	

Notes: Abbreviations have the following meaning: GME Global model (31 layers, 60 km)  
H Contour lines (gpdam) MSL Mean sea level T Isotherms (° C) U Relative humidity (%)

(INFORMATION DATED (Jan 11, 2007)

[http://www.dwd.de/de/wir/Geschaeftsfelder/Seeschiffahrt/Sendeplaene/broadcast\\_fax\\_012007.pdf](http://www.dwd.de/de/wir/Geschaeftsfelder/Seeschiffahrt/Sendeplaene/broadcast_fax_012007.pdf)



# ROME, ITALY

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
IMB51	4777.5	kHz	F3C	5 KW
IMB55	8146.6	kHz	F3C	5 KW
IMB56	13597.4	kHz	F3C	5 KW

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0048/-----	FL 390, 340, 300, 240, 180, 100, 50 SW for 12/Z di BRACKNELL	120/576		
0248/-----	SW TMW FL 100.450 for 12/Z di BRACKNELL	120/576		
0345/-----	SW TMW FL 100.450 FOR 12/Z (in mancanza della SW delle 02:48)	120/576		
0400/-----	DP 3H 00/Z; AU 500/00Z	120/576		
0415/-----	AS (ORA LEGALE) 00/Z	120/576		
0425/-----	FRZL 00/Z; AU850 00/Z	120/576		
0437/-----	ITALIA 03/Z	120/576		
0457/-----	AS (ORA SOLARE) 00/Z	120/576		
0510/-----	AU 700 00/Z; AU 300 00/Z	120/576		
0522/-----	AU 200 00/Z;TMW 00/Z	120/576		
0535/-----	SWL for 12/Z	120/576		
0654/-----	FL 390, 340, 300, 240, 180, 100, 50 SW for 18/Z di BRACKNELL	120/576		
0848/-----	SW TMW FL 100-450 for 18/Z di BRACKNEL	120/576		
0859/-----	FU 500 H + 36	120/576		
0906/-----	FU 500 H + 48	120/576		
0913/-----	FU 500 H + 72	120/576		
0920/-----	FU 500 H + 96	120/576		
0927/-----	FU 500 H + 120	120/576		
1000/-----	SW TMW FL 100-450 18/Z (in mancanza della SW delle 08:48)	120/576		
1030/-----	FS H + 24; DP 3 HR 06/Z	120/576		
1045/-----	AS 06/Z	120/576		
1140/-----	SWL for 18/Z	120/576		
1153/-----	STATO DEL MEDITERRANEO for 12/Z	120/576		
1200/-----	ITALIA 09/Z	120/576		
1248/-----	FL 390, 340, 300, 240, 180, 100, 50 SW for 18/Z di BRACKNELL	120/576		
1448/-----	SW TMW FL 100-450 for 00/Z di BRACKNELL	120/576		
1555/-----	SW TMW FL 100-450 for 00/Z (in mancanza della SW delle 14:48)	120/576		
1610/-----	ITALIA 15/Z	120/576		
1630/-----	SWL for 00/Z	120/576		
1645/-----	AS 12/Z	120/576		
1700/-----	DP 3HR 12/Z; AU 500/12Z	120/576		
1715/-----	AU 700 12/Z; AU 300 12/Z	120/576		
1730/-----	AU 200 12/Z;TMW 12/Z	120/576		
1810/-----	FRZL 12/Z; AU850 12/Z	120/576		
1900/-----	FL 390, 340, 300, 240, 180, 100, 50 SW for 06/Z di BRACKNELL	120/576		
2048/-----	SW TMW FL 100-450 for 06/Z di BRACKNELL	120/576		
2230/-----	STATO DEL MEDITERRANEO for 00/Z	120/576		
2240/-----	SWL for 06/Z	120/576		
2252/-----	ITALIA 21/Z	120/576		
2312/-----	AS 18/Z	120/576		
2322/-----	FS H + 24; DP 3 HR 18/Z	120/576		
2335/-----	SW TMW FL 100-40 for 06/Z (in mancanza della SW delle 20:48)	120/576		

SW TMW: Tempo significativo + tropopausa e vento massimo;  
 FZRL: freezing level; SWL: tempo significativo bassi livelli;  
 AU: analisi in quota; FU: prevista in quota;  
 AS: analisi al suolo; FS: prevista al suolo,  
 DP: tendenza barometrica.

(Information dated 2002) [http://www.marina.difesa.it/idro/documenti/avvisi/2002/15\\_02.zip](http://www.marina.difesa.it/idro/documenti/avvisi/2002/15_02.zip)

# MOSCOW, RUSSIA

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
	3830 kHz		F3C	
	5008 kHz		F3C	
	6987 kHz		F3C	
	7695 kHz		F3C	
RCC76	10980 kHz		F3C	
	12961 kHz		F3C	
RDD78	11617 kHz		F3C	

  

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0003/-----	18HR SIGNIFICANT WEATHER PROG BELOW 400MB	120/576	1200	Q
-----/1210	24HR 300MB PROG	120/576	0000	R
0016/-----	18HR 400MB PROG	120/576	1200	M
-----/1225	24HR SIGNIFICANT WEATHER PROG	120/576	0000	R
0029/-----	30HR 200MB PROG	120/576	1200	R
-----/1240	18HR SIGNIFICANT WEATHER PROG ABOVE 400MB	120/576	0000	M
0044/-----	30HR 250MB PROG	120/576	1200	R
-----/1253	18HR 300MB PROG	120/576	1800	R
0059/-----	30HR 300MB PROG	120/576	1200	R
-----/1306	18HR SIGNIFICANT WEATHER PROG BELOW 400MB	120/576	0000	Q
0114/-----	30HR SIGNIFICANT WEATHER PROG	120/576	1200	R
-----/1320	18HR 400MB PROG	120/576	1800	M
0129/-----	500MB ANALYSIS	120/576	1200	N
0151/1333	300MB ANALYSIS	120/576	12/00	N
-----/1355	500MB ANALYSIS	120/576	0000	N
0215/1417	SURFACE ANALYSIS	90/576	00/12	U
0245/1447	TROPOPAUSE ANALYSIS	120/576	00/12	U
0307/1509	850MB ANALYSIS	90/576	00/12	U
0337/1539	500MB ANALYSIS	90/576	00/12	U
0407/1609	1000/500MB THICKNESS ANALYSIS	90/576	00/12	U
0437/1639	SURFACE ANALYSIS	90/576	03/15	P
0513/1715	400MB ANALYSIS	90/576	00/12	U
0543/-----	24HR SURFACE PROG	120/288	0000	U
-----/1745	NEPHANAL & 24HR PROG	120/576	1200	M
0555/-----	24HR/36HR 700MB PROG	120/288	00/12	U
-----/1805	24HR SURFACE PROG	120/288	0000	U
0607/-----	24HR/36HR 500MB PROG	120/288	00/12	U
-----/1817	30HR 200MB PROG	120/576	0600	R
0619/-----	12HR SIGNIFICANT WEATHER PROG ABOVE 400MB	120/576	1200	M
0631/-----	12HR 300MB PROG	120/576	1200	M
-----/1832	30HR 250MB PROG	120/576	0600	R
0644/-----	NEPHANAL & 24HR CLOUD PROG	120/576	0000	M
-----/1847	30HR 300MB PROG	120/576	0600	R
-----/1902	30HR SIGNIFICANT WEATHER PROG	120/576	0600	R
0704/-----	MAX WIND ANALYSIS	120/576	0000	U
0726/1917	12HR SIGNIFICANT WEATHER PROG ABOVE 400MB	120/576	00/12	Q/M
-----/1930	12HR 300MB PROG	120/576	0000	M
0739/-----	12HR 400MB PROG	120/576	1200	M
-----/1943	12HR SIGNIFICANT WEATHER PROG BELOW 400MB	120/576	1200	Q
0752/-----	SURFACE ANALYSIS	90/576	0000	N
-----/1956	12HR 400MB PROG	120/576	1200	M
-----/2009	MAX WIND ANALYSIS	120/576	1200	U
0822/-----	SURFACE ANALYSIS	90/576	0600	U
-----/2031	SURFACE ANALYSIS	90/576	1800	U
0852/-----	200MB ANALYSIS	90/576	0000	U
-----/2101	SURFACE ANALYSIS	90/576	1200	N
0922/-----	24HR/36HR 850MB PROG	120/576	00/12	U
-----/2131	200MB ANALYSIS	90/576	1200	U
0934/-----	36HR SURFACE PROG	120/288	0000	U
0946/-----	1000MB & 500MB ANALYSIS	90/576	1200	X
-----/2201	24HR 200MB PROG	120/576	1200	R
1013/-----	48HR/72HR/96HR/120HR/144HR SURFACE GRID DATA	90/576	1200	X
-----/2216	24HR 250MB PROG	120/576	1200	R

# MOSCOW, RUSSIA

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
-----/2231	24HR 300MB PROG	120/576	1200	R
1040/2246	SURFACE ANALYSIS	90/576	09/21	P
1116/-----	TECHNICAL STOP			
-----/2322	24HR SIGNIFICANT WEATHER PROG	120/576	1200	R
-----/2337	18HR SIGNIFICANT WEATHER PROIG ABOVE 400MB	120/576	1200	M
1140/-----	24HR 200MB PROG	120/576	0000	R
-----/2350	18HR 300MB PROG	120/576	0600	M
1155/-----	24HR 250MB PROG	120/576	0000	R

## MAP AREAS:

M	-	1:15,000,000	56N	018W,	58N	108E,	30N	016W,	32N	072E
N	-	1:30,000,000	03N	097W,	03S	027W,	EQ	142E,	05S	077E
P	-	1:05,000,000	67N	002E,	42N	028E,	74N	061E,	44N	055E
Q	-	1:07,500,000	61N	010E,	43N	022E,	61N	071E,	43N	059E
R	-	1:30,000,000	39N	066W,	08N	014E,	18N	149E,	02S	088E
U	-	1:20,000,000	32N	051W,	15N	014E,	32N	167E,	16N	103E
X	-	1:30,000,000	NORTHERN HEMISPHERE 90N - 20N							

(INFORMATION DATED 11/1996)

(Update 3/2001) - Frequencies reported as 53.8, 10611 and 13886 kHz and also 5108 and 6890 kHz at irregular times.

(Update 3/2002) - Frequencies reported as 4318, 5108, 6890(night), 10611 and 13886 (night)

(Update 3/2002) - All broadcasts reported as 120/576 or 120/288 mode. 60 or 90 rpm is no longer used.

# MURMANSK, RUSSIA

CALL SIGN	FREQUENCIES	TIMES	EMISSION	POWER
RBW 41	5336 kHz		F3C	
	6445.5 kHz	ALL BROADCAST TIMES	F3C	
	7908.8 kHz	1900-0600	F3C	
RBW48	10130 kHz	0600-1900	F3C	

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0700	36HR SURFACE PROG	120/576	0000	A
0800	SEA STATE ANALYSIS	120/576	0600	C
1400	SURFACE TEMP ANALYSIS/ICEBERG POSITIONS	120/576	1200	B
1400	ANAL OF ICEBERG POSITIONS FOR PAST+24HR	120/576	1200	C
1430	24HR SEA STATE PROG	120/576	1200	C
1850	BROADCAST SCHEDULE	90/576		
2000	ICEBERG PROGNOSIS	120/576		

NOTES: (1) BASIC COVERAGE AREA IS FOR BARENTS SEA. MAP AREAS:

A	-1:05,000,000	67N	032W,	53N	047E,	72N	074E,	51N	004W
B	-1:03,000,000	79N	010E,	74N	010E,	79N	040E,	74N	040E
C	-1:05,000,000	78N	010E,	66N	010E,	78N	070E,	66N	070E

(INFORMATION DATED 11/97)

Update 03/2000 - Current operational frequencies report as being 6446 and 8444 kHz (nights) and 7907 kHz (days).

Update 03/2000 - Broadcast schedule may no longer be transmitted on-air.

Update 03/2002 - May only be transmitting on 6446 kHz.

# NORTHWOOD, UNITED KINGDOM

CALL SIGNS	FREQUENCIES	TIMES	EMISSION	POWER
GYA	2618.5 kHz	At least 2 freq in use at any time	F3C	10 KW
GYA	4610 kHz	At least 2 freq in use at any time	F3C	10 KW
GYA	8040 kHz	At least 2 freq in use at any time	F3C	10 KW
GYA	11086.5 kHz	At least 2 freq in use at any time	F3C	10 KW

TIME	CONTENTS OF TRANSMISSION	RPM/IOC	VALID TIME	MAP AREA
0000/1200	SFC ANALYSIS	120/576	18/06	
0012/1212	SFC PRONOSIS T+24	120/576	18/06	
0024/1224	850MB WEBT/PPTN T+24	120/576	18/06	
0036/1236	OAT AND TD CONTOUR T+24	120/576	18/06	
0048/1248	SHIP ICE ACCRETION	120/576	12/00	
0100/1300	MAIN SCHEDULE	120/576		
0124/1324	QSL REPORT	120/576		
0136/1336	OCEAN FRONTS	120/576		
0148/1348	300MB GPH	120/576	18/06	
0212/-----	SYMBOLGY	120/576		
-----/1400	SEA SURFACE TEMP T+12	120/576	0000	
0236/1436	SFC ANALYSIS	120/576	00/12	
0300/1500	SFC ANALYSIS	120/576	00/12	
0348/1548	GALE WARNING SUMMARY	120/576	04/16	
0400/1600	SFC ANALYSIS	120/576	00/12	
0412/1612	OAT AND TD CONTOUR T+24	120/576	00/12	
0424/1624	850MB WEBT/PPTN T+24	120/576	00/12	
0436/1636	SURFACE PROGNOIS T+24	120/576	00/12	
0448/1648	SCEXA TAFS	120/576	06/18	
0500/1700	SFC ANALYSIS	120/576	00/12	
0512/1712	SURFACE PROGNOIS T+24	120/576	00/12	
0524/1724	SURFACE PROGNOIS T+48	120/576	00/12	
0536/1736	SCEXA TAFS	120/576	06/18	
0548/1748	GALE WARNING SUMMARY	120/576	06/18	
0600/1800	SFC ANALYSIS	120/576	00/12	
0612/1812	SURFACE PROGNOIS T+24	120/576	00/12	
0624/1824	JMC T+12	120/576	00/12	
0636/1836	JMC T+24	120/576	00/12	
0648/1848	SCEXA TAFS	120/576	07/19	
0700/1900	SPARE SCEXA TAFS	120/576	07/19	
0712/1912	SIG WINDS T+24	120/576	00/12	
0724/1924	SFC PROGNOIS T+48	120/576	00/12	
0736/1936	SFC PROGNOIS T+72	120/576	00/12	
0748/1948	SFC PROGNOIS T+96	120/576	00/12	
0800/2000	SFC PROGNOIS T+120	120/576	00/12	
0812/2012	THICKNESS/GPH ANALYSIS	120/576	00/12	
0824/2024	SIG WINDS T+48	120/576	00/12	
0836/2036	SIG WINDS T+72	120/576	00/12	
0848/2048	SIG WINDS T+96	120/576	00/12	
0900/2100	SFC ANALYSIS	120/576	06/18	
0912/2112	THICKNESS/GPH ANALYSIS	120/576	00/12	
0924/2124	THICKNESS/GPH T+24	120/576	00/12	
0936/2136	850MB SPOT WINDS T+24	120/576	00/12	
0948/2148	700MB SPOT WINDS T+24	120/576	00/12	
1000/2200	SFC ANALYSIS	120/576	06/18	
1012/2212	SURFACE PROGNOIS T+24	120/576	06/18	
1024/2224	REDUCED VIS T+24	120/576	06/18	
1036/2236	850MB WEBT/PPTN T+24	120/576	06/18	
1048/2248	OAT AND TD CONTOUR T+24	120/576	06/18	
1100/2300	SFC ANALYSIS	120/576	06/18	
1112/2312	SURFACE PROGNOIS T+24	120/576	06/18	
1124/2324	SEA AND SWELL T+24	120/576	00/12	
1136/2336	THICKNESS/GPH T+24	120/576	00/12	
1148/2348	GALE WARNING SUMMARY			

All MAPS 54°N.82°W 26°N.45°W 54°N.51°E 28°N.12°E

(SCHEDULE EFFECTIVE 19 JAN 2005)

# APPENDICIES



# NATIONAL WEATHER SERVICE MARINE PRODUCTS VIA INTERNET INCLUDING RADIOFAX

The Internet is **not** part of the National Weather Service's operational data stream and should never be relied upon as a means to obtain the latest forecast and warning data. Become familiar with and use other means such as NOAA Weather Radio to obtain the latest forecasts and warnings.

*Note: Any reference to a commercial product or service does not imply any endorsement by the National Weather Service as to function or suitability for your purpose or environment.*

The **Marine Forecasts** webpage contains information on the dissemination of U.S. National Weather Service marine products including radiofax such as frequency and scheduling information as well as links to products. The webpage may be found at:

<http://www.nws.noaa.gov/om/marine/home.htm>

## ***Marine Text Forecasts and Products***

The majority of National Weather Service (NWS) forecasts and warnings may be found under the **NWS webpage** (<http://www.nws.noaa.gov>). Of specific interest to mariners are **NWS Marine Text Forecasts and Products** (<http://www.nws.noaa.gov/om/marine//home.htm#text>). For convenience, High Seas, Offshore and Coastal marine forecasts are subdivided by sea area or zone and available via the Internet using our text interface or graphic interface. **Individual NWS Forecast Offices and Centers** producing marine forecasts provide links to their products as well as additional regionally focused information ([http://www.nws.noaa.gov/om/marine/marine\\_map.htm](http://www.nws.noaa.gov/om/marine/marine_map.htm)).

## ***Marine Graphic Forecasts and Products***

Graphic marine forecasts are produced by NWS for broadcast via radiofax and also made available via the Internet at Marine Radiofax Charts (<http://weather.noaa.gov/fax/marine.shtml>)

The National Weather Service also plans to make available marine forecast data in gridded and vector formats for display on electronic charts and use by other value-added applications. Graphics using these data are available via the Internet on an experimental basis for most U.S. coastal areas. See <http://www.nws.noaa.gov/om/marine/newsgridded.htm>

Also see **Computer Generated Model Guidance** below.

## ***Satellite and RADAR Imagery***

Satellite imagery may be found on the **GOES webpage** (<http://www.goes.noaa.gov/>) and is also available from **NASA** (<http://rsd.gsfc.nasa.gov/goes/>). Ocean surface winds and other data derived from polar orbiting and geostationary satellites may be found on **NOAA's Marine Observing Systems Team Homepage** (<http://manati.orbit.nesdis.noaa.gov/doc/oppt.html>) and **NOAA's Coastwatch Homepage**. (<http://coastwatch.noaa.gov/>). Information and links to Sea Surface Temperature Charts and Gulf Stream charts may be found on our **FAQ webpage** (<http://www.nws.noaa.gov/om/marine/faq.htm>). **NEXRAD Doppler Radar images** ([http://radar.weather.gov/Conus/index\\_lite.php](http://radar.weather.gov/Conus/index_lite.php)) are available on the Internet on the **NWS Homepage** (<http://www.nws.noaa.gov>) and **local NWS Forecast Offices homepages** ([http://www.nws.noaa.gov/om/marine/marine\\_map.htm](http://www.nws.noaa.gov/om/marine/marine_map.htm)). NEXRAD Doppler Radar images may also be found on local cable channels and the Internet webpages of local media including TV stations, radio stations and newspapers as well as others

## ***Ice Analyses, Forecasts and Iceberg Reports***

Ice analyses, forecasts and iceberg reports are available from the **National Ice Center** (<http://www.natice.noaa.gov/>) and the U.S. Coast Guard's **International Ice Patrol** (<http://www.uscg.mil/lantarea/iip/home.html>), and local NWS marine forecast offices in areas such as Alaska where ice is a concern. Ice forecasts and observations are also made available as radiofax, text products and computer generated model guidance.

## **Computer Generated Model Guidance**

Computer generated model guidance products used by marine forecasters are available from the **Ocean Modeling Branch** (<http://polar.wwb.noaa.gov/>), and the the **Environmental Modeling Center** (<http://www.emc.ncep.noaa.gov/>).

The **Weather Charts webpage** (<http://weather.noaa.gov/fax/graph.shtml>) contains charts, intended as guidance to forecasters, which can prove of value to mariners.

Note: Several charts listed under "Weather Charts", which are no longer required to support NWS operations, may be terminated or made available at alternate sites. This should not include those which are broadcast by marine radiofacsimile.

Caution...these data have not been validated by marine forecasters and may be misleading. Mariners should use these data in conjunction with forecaster generated forecasts.

## **Marine Climatological Information**

User-friendly climatological information for marine coastal areas may be found in **Appendix T of the National Ocean Service's Coast Pilot's, volumes 1-9** (<http://chartmaker.ncd.noaa.gov:80/nsd/cpdownload.htm>). These appendices, which were prepared by the **National Climatic Data Center** (<http://lwf.ncdc.noaa.gov/oa/ncdc.html>), also contain other useful meteorological information such as conversion tables. Visit their webpage for further information.

The National Geospatial-Intelligence Agency now makes available some of its Pilot Charts on-line (<http://www.nga.mil/portal/site/maritime/>).

## **Foreign Marine Forecasts**

Links to **foreign meteorological services** (<http://www.wmo.ch/web-en/member.html>) are available courtesy of the **World Meteorological Organization (WMO)** (<http://www.wmo.ch>).

The WMO also introduced a GMDSS Webpage which provides links to worldwide meteorological bulletins and warnings issued for high seas via SafetyNet (as a first step). See: <http://weather.gmdss.org/>

## **Buoy and Other Real-Time Observations**

The latest coastal and offshore weather observations from NOAA fixed and drifting data buoys and Coastal-Marine Automated Network (C-MAN) stations may be found at the **National Data Buoy Center webpage** (<http://www.ndbc.noaa.gov>). Real time meteorological and oceanographic observations for several sites are also available from **the Physical Oceanographic Real-Time System (Ports)** (<http://tidesandcurrents.noaa.gov/ports.html>). PORTS is a program of the U.S. **National Ocean Service** (<http://www.nos.noaa.gov>) that supports safe and cost-efficient navigation by providing ship masters and pilots with accurate real-time information required to avoid groundings and collisions. **Several National Ocean Service tide gages are also equipped with ancillary meteorological sensors** (<http://tidesonline.nos.noaa.gov/geographic.html>). Regionally focused observation data may also be found on the webages of local NWS Forecast Offices. Some marine observations may also be found on our **NWS Marine Product Listing and Schedule** (<http://www.nws.noaa.gov/om/marine/forecast.htm>). Historical and real-time beach temperature data is available from the **NODC Coastal Water Temperature Guide** (<http://www.nodc.noaa.gov/dsdt/cwtg/>). A variety of marine observations may be viewed on the **National Ocean Service's nowCOAST WEB Portal(BETA)**, (<http://chartmaker.ncd.noaa.gov/csdl/op/nowcoast.htm>).



**NOAA's Forecast Systems Laboratory (FSL) offers a Display of Surface Data** (<http://www-frd.fsl.noaa.gov/mesonet/>) from several government, commercial and voluntarily operated mesonets as well as observations of those of the Voluntary Observing Ship (VOS) Program and data buoys. A variety of marine observations may also be viewed on the **National Ocean Service's BETA nowCOAST Web Portal** (<http://chartmaker.ncd.noaa.gov/csdl/op/nowcoast.htm>). For mariners with a low speed Internet connection the latest buoy or C-MAN data may be retrieved via the Internet as in the following example where 44017 refers to buoy #44017.

[http://www.ndbc.noaa.gov/mini\\_station\\_page.phtml?station=44017](http://www.ndbc.noaa.gov/mini_station_page.phtml?station=44017)

### ***Tide Predictions, Observations and Storm Surge Forecasts***

Near real-time **Water Level Observations, and Predicted Tide Information** (<http://tidesandcurrents.noaa.gov/>) for the calendar year are available from the **National Ocean Service** (<http://www.nos.noaa.gov>). Read the **NOS Tides FAQ** (<http://tidesandcurrents.noaa.gov/faq1.html>) for further information on obtaining NOS tides and tidal current data. *Caution is urged in using tide data made available at University and other webpages. This information may not be based on current government data and be of unknown quality.*

The National Weather Service's Cleveland Forecast Office makes available a series of **experimental Great Lakes Water Levels Graphs** (<http://marine.wcle.noaa.gov/levels.html>), using National Ocean Service data, intended to be low-speed-connection-friendly for Internet access by vessels afloat.

Experimental, computer generated, **Extratropical Water Level Forecasts** ([www.nws.noaa.gov/tdl/etsurge](http://www.nws.noaa.gov/tdl/etsurge)) are available from the National Weather Service's **Meteorological Development Laboratory** ([www.nws.noaa.gov/tdl/](http://www.nws.noaa.gov/tdl/)). Status maps are provided to give the user a quick overview of a region. Forecasts of storm surge produced as a result of a tropical storm or hurricane are available from **your local NWS Forecast Office** ([www.nws.noaa.gov/om/marine/marine\\_map.htm](http://www.nws.noaa.gov/om/marine/marine_map.htm)).

### **The National Ocean Services's Operational Forecast Systems**

(<http://www.tidesandcurrents.noaa.gov/models.html>) provide the maritime community with improved short-term predictions of water levels and currents.

### ***Historic Weather Forecasts, Satellite Images and Oceanographic Data***

For historic weather forecasts, satellite images and oceanographic data, contact the National Climatic Data Center and National Oceanographic Data Center, found on **our listing of Phone Numbers and Addresses** (<http://www.nws.noaa.gov/om/marine/phone.htm>).

### **Voluntary Observations from Mariners**

All NWS marine forecasts rely heavily on the **Voluntary Observing Ship (VOS)** program (<http://www.vos.noaa.gov/>) for obtaining meteorological observations. Ship observations may also be found on the **National Data Buoy Center - Observations Search** ([http://www.ndbc.noaa.gov/obs\\_search.shtml](http://www.ndbc.noaa.gov/obs_search.shtml)), **National Data Buoy Center - Ships Observation Report** ([http://www.ndbc.noaa.gov/ship\\_obs.phtml](http://www.ndbc.noaa.gov/ship_obs.phtml)), **NOAA's Forecast Systems Laboratory (choose maritime)** (<http://www-frd.fsl.noaa.gov/mesonet/>), **CoolWX** (<http://www.coolwx.com/buoydata/>), **SAILWX** (<http://www.sailwx.info/>), and **Oceanweather** (<http://www.oceanweather.com/data/index.html>) webpages

The National Weather Service has a number of other volunteer observation programs including the SKYWARN, MAREP, MAROB, MARS, APRSWXNET/Citizen Weather Observer Program (CWOP) and the Cooperative Observer Program (COOP) which are of benefit to the marine community. See: <http://www.nws.noaa.gov/om/marine/voluntary.htm>

### ***Marine Webpages***

The Internet contains a great number of webpages of interest to the mariner. Visit our **Links webpage** (<http://www.nws.noaa.gov/om/marine/mlinks.htm>) for a listing of recommended webpages pertaining to Marine Weather. The **U.S. Coast Guard Maritime Telecommunications Information webpage** (<http://www.navcen.uscg.gov/marcomms>) contains an excellent description of marine communication systems. There are also many other Internet sites of interest to the mariner. Use one the Internet search engines to search on topics such as "marine weather", "radiofax", "radiofacsimile", "weather buoys", "tides", etc. The NOAA Library (<http://www.lib.noaa.gov>) provides an excellent listing of links to marine related webpages within NOAA and elsewhere

### ***Marine Weather Publications On the Web***

Many marine weather related government publications are available on the Web. Visit our **publications webpage** (<http://www.nws.noaa.gov/om/marine/pub.htm>) for several we recommend including our popular Marine Service Charts, the Mariners Weather Log Magazine, and our listing of Worldwide Marine Radiofacsimile Broadcast Schedules (this publication).

### ***Internet Access for Mariners***

Internet at sea can be problematic unless you stay within cellular telephone range of shore. Internet access using cellular technology is technically challenging and potentially frustrating as well. Terrestrial wireless Internet services such as those provided by **GoAmerica** ([www.goamerica.net](http://www.goamerica.net)), **TeleSea** (<http://www.teleseawireless.net/>) and **Motient** (<http://www.motient.com/>), are beginning to become available, however, these provide limited maritime coverage. These companies may employ "Marine WIFI" technology which is rapidly becoming popular at marinas and in favorite harbor areas. Satellite services including **Inmarsat** ([www.inmarsat.org](http://www.inmarsat.org)), **Iridium** ([www.iridium.com/](http://www.iridium.com/)), **Globalstar** ([www.globalstarusa.com](http://www.globalstarusa.com)), **Thuraya** ([www.thuraya.com](http://www.thuraya.com)), **Emsat** ([www.eutelsat.com/products/2\\_4\\_2.html](http://www.eutelsat.com/products/2_4_2.html)), **AceS** ([www.acesinternational.com/](http://www.acesinternational.com/)), **tracNet/DirecPC** ([www.kvh.com/MarineSat/index.asp?flash=yes](http://www.kvh.com/MarineSat/index.asp?flash=yes)), **Mobile Satellite Ventures** ([www.tmi.ca](http://www.tmi.ca)), **Boatracs** ([www.boatracs.com](http://www.boatracs.com)), **Orbcomm** ([www.orbcomm.com](http://www.orbcomm.com)), **Digital Seas International** (<http://www.mtnsat.com/digitalseas.htm>), and **MTN** ([www.mtnsat.com](http://www.mtnsat.com)) are available, however, costs are generally greater.

Several companies offer e-mail services designed to optimize satellite connectivity including **MAILASAIL** (<http://www.mailasail.com/>), **MarineNet** (<http://www.marinenet.net/>), **OCENS** ([http://www.ocens.com/cgi-bin/ocens\\_mail.pl?p=info](http://www.ocens.com/cgi-bin/ocens_mail.pl?p=info)), **Telaurus** (<http://www.telaurus.net/>) and **UUPLUS** (<http://www.uuplus.com/>). Full Internet access is often available if you have a satellite terminal onboard, but presently unless you restrict your use to e-mail messages, costs can be high. A number of satellite services such as Inmarsat-C offer e-mail messaging services only and provide no direct access to the World Wide Web. Several transmission and data compression schemes are available and in development to make the Web more accessible to the mariner. There are also several public FTP-to-EMAIL and WWW-to-EMAIL servers available to allow Internet access for users who do not have direct or cost effective access to the World Wide Web but who are equipped with an e-mail system. Visit <http://www.faqs.org/faqs/internet-services/access-via-email/> for information. Low cost, worldwide, access to the World Wide Web via satellite should be available to the mariner in the next five to ten years.

E-mail access is available offshore if you have an HF marine radio from companies such as **Sailmail** ([www.sailmail.com](http://www.sailmail.com)), **SeaMail** ([www.seamail.org](http://www.seamail.org)), **CruiseEmail** ([www.cruiseemail.com/index.html](http://www.cruiseemail.com/index.html)), **MarineNet** ([www.marinenet.net](http://www.marinenet.net)), Kielradio ([www.kielradio.de/GB/Start\\_GB.htm](http://www.kielradio.de/GB/Start_GB.htm)), **Globe Wireless** ([www.globewireless.com](http://www.globewireless.com)), **Mobile Marine Radio Network-WLO** ([www.wloradio.com](http://www.wloradio.com)), and **The Message Center** (<http://world.std.com/~msgctr/>). E-mail can be accomplished at no cost using amateur radio (<http://www.nws.noaa.gov/om/marine/ham.htm>).

The domain of the Internet is rapidly expanding to now include wireless devices such as so-called "Internet-Ready" digital cellular phones and Personal Data Assistants (PDAs). These offer great potential for making marine forecasts available to coastal mariners, who have limited other options available. The majority of these other options are by voice where there is always the possibility of misunderstanding. A PDA-friendly webpage for the most popular marine text forecasts may be found at <http://www.nws.noaa.gov/om/marine/marinewxi.htm>. Visit <http://www.nhc.noaa.gov/aboutwap.shtml> where you will find NHC/TPC's wireless web page. There you can find the link to obtain NHC/TPC's most popular hurricane products, offshore forecasts, and high seas forecast, using your own Internet-ready phone, or use one of simulators for which a link is provided. Also visit the Miami Forecast Office's Wireless Access Page (<http://www.srh.noaa.gov/mfl/newpage/wireless.html>). A WAP webpage for offshore and coastal forecasts created by our Southern Region headquarters may be found at: [www.srh.noaa.gov/wml](http://www.srh.noaa.gov/wml) (includes a capability to view forecast for any zip/city). Note....WAP/WML webpages require a WAP-capable cellphone or other WAP-capable device.

A number of Cellular service providers are beginning to offer value-added Internet-like services which provide access to NOAA tide data, marine forecasts, and other items of interest to the wireless customer. These require a digital phone with some of the more advanced features. See your Cellular service provider for details. There may be a nominal fee required for using these services. Examples of specific interest to the mariner include Ekkosoft's "SaltWater Tides" and "MarineWeather with marine411" (<http://www.ekkosoft.com/>)

#### ***National Weather Service Products Available Via E-MAIL (FTPMAIL)***

National Weather Service marine text forecasts and radiofax charts are available via e-mail. Further, FTPMAIL may be used to acquire any file on a \*.noaa.gov FTP server. The FTPMAIL server is intended to allow Internet access for mariners and other users who do not have direct access to the World Wide Web but who are equipped with an e-mail system. Turnaround is generally in under one hour, however, performance may vary widely and receipt cannot be guaranteed. To get started in using the NWS FTPMAIL service, follow these simple directions to obtain the FTPMAIL "help" file (11 KBytes), or visit <http://weather.noaa.gov/pub/fax/ftpmail.txt>.

Send an e-mail to:                [ftpmail@weather.noaa.gov](mailto:ftpmail@weather.noaa.gov)  
Subject line:                      Put anything you like  
Body:                                help

The FTPMAIL help, command and product index files are included in Appendix B of this document for convenience. Be certain to occasionally download these files to make certain you have the latest versions available.

An FAQ webpage describing several public and commercial FTP-to-EMAIL and WWW-to-EMAIL servers may be found at:

<http://www.faqs.org/faqs/internet-services/access-via-email/>

A webpage describing several different e-mail "robots" similar in concept to FTPMAIL, including some with advanced features such as allowing retrieval of NWS marine GRIB files, simple webpages, and allowing products to be retrieved on a scheduled, recurring basis may be found at: <http://weather.noaa.gov/pub/fax/robots.txt>

### ***National Hurricane Center Listserver***

The National Hurricane Center operates an e-mail listserver which is special interest to mariners who do not have direct access to the World Wide Web but who are equipped with an e-mail system. This listserver provides an automated means to receive NWS hurricane forecast products via e-mail. However, performance may vary and receipt cannot be guaranteed. This is an experimental service. Interruptions or duplications in e-mail deliveries while we test the system are to be expected. Notices will be sent if any extended interruptions are encountered. See **instructions on using the NHC listserver** (<http://www.nhc.noaa.gov/signup.html>).

### **Internet Broadcasts**

Marine weather data may also be obtained via the Internet using **EMWIN** (<http://www.nws.noaa.gov/om/marine/emwin.htm>). As part of the **New NOAA Weather Wire Service** (<http://www.nws.noaa.gov/om/marine/wxwire.htm>). **Computer Sciences Corporation** (<http://dynis.fedcsc.com/contracts/other/nwws/options.htm>) broadcasts the entire Weather Wire product stream on the Internet as a commercial service.

### ***Change Notices***

For details on changes to NWS products, visit the Office of Climate, Water, and Weather Services Service Change Notifications (<http://www.nws.noaa.gov/om/notif.htm>), the **Data Product Change Management Database** (<http://www.nws.noaa.gov/oso/oso1/oso11/oso112/drg/drgrptc.htm>) and **Systems Operations Center Change Notices** (<http://www.nws.noaa.gov/oso/notices/notices.shtml>). A summary of recent changes of most interest to mariners and coastal residents may be found at <http://www.nws.noaa.gov/om/marine/recent.htm>

### ***Directories of NWS Marine Forecasts***

For Website developers or other "power" users, many NWS marine text forecast products are available at the following URL's, indexed by WMO header or zone.

<http://weather.noaa.gov/pub/data/forecasts/marine/>  
<ftp://tgftp.nws.noaa.gov/data/forecasts/marine/>  
<http://weather.noaa.gov/pub/data/raw/>  
<ftp://tgftp.nws.noaa.gov/data/raw/>  
<http://www.ndbc.noaa.gov/data/Forecasts/>  
<http://www.weather.gov/data/>  
<http://www.srh.noaa.gov/data>  
[http://www.crh.noaa.gov/product\\_types.php](http://www.crh.noaa.gov/product_types.php)

Many National Weather Service Weather Charts may be found in the following directories, indexed by WMO ID or other identifier.

<http://weather.noaa.gov/pub/fax/>  
<ftp://weather.noaa.gov/fax/>  
<http://www.opc.ncep.noaa.gov/shtml/>

# NATIONAL WEATHER SERVICE INTERNET SITES

NWS Homepage	<a href="http://www.nws.noaa.gov">http://www.nws.noaa.gov</a>
NWS Marine Forecasts	<a href="http://www.nws.noaa.gov/om/marine/home.htm">http://www.nws.noaa.gov/om/marine/home.htm</a>
NWS Marine Text Products	<a href="http://www.nws.noaa.gov/om/marine/home.htm#text">http://www.nws.noaa.gov/om/marine/home.htm#text</a>
NWS Marine Radiofax Products	<a href="http://www.nws.noaa.gov/fax/marine.shtml">http://www.nws.noaa.gov/fax/marine.shtml</a>
NWS Voluntary Observing Ship Program	<a href="http://www.vos.noaa.gov">http://www.vos.noaa.gov</a>
AMVER/SEAS Homepage	<a href="http://seas.amverseas.noaa.gov/seas/">http://seas.amverseas.noaa.gov/seas/</a>

# U.S. NAVY AND OTHER WEATHER INTERNET SITES

See these sites for further links

Naval Oceanographic Office	<a href="https://www.navo.navy.mil/">https://www.navo.navy.mil/</a>
Navy Fleet Numerical	<a href="https://www.fnmoc.navy.mil/">https://www.fnmoc.navy.mil/</a>
International Ice patrol	<a href="http://www.uscg.mil/lantarea/iip/home.html">http://www.uscg.mil/lantarea/iip/home.html</a>
National Ice Center	<a href="http://www.natice.noaa.gov">http://www.natice.noaa.gov</a>
WMO Homepage	<a href="http://www.wmo.ch">http://www.wmo.ch</a>
JCOMM GMDSS	<a href="http://weather.gmdss.org/">http://weather.gmdss.org/</a>
USCG Maritime Telecommunications	<a href="http://www.navcen.uscg.gov/marcomms">http://www.navcen.uscg.gov/marcomms</a>



FTPMAIL help file

\*\*\*\*\*

\*  
\* WARNING  
\*

\* This is a United States Government Computer. Use of  
\* this computer for purposes for which authorization  
\* has not been extended is a violation of federal law.

\* (Reference Public Law 99-474)

\* For Help contact:

\* timothy.rulon@noaa.gov 301-713-1677 x 128

\*\*\*\*\*

\*\*\*\* IMPORTANT NOTICE \*\*\*\*

Effective Jan 23, 07 if you restrict incoming e-mail as a means of preventing spam, you must program your e-mail system to allow messages from ftpmail@tmpfmail.nws.noaa.gov in addition to the original four email addresses below.

\*\*\*\* NEW USERS....Read these notes Carefully \*\*\*\*

CORRECT CAPITALIZATION and SYNTAX FOR COMMANDS, DIRECTORY AND FILE NAMES IS CRITICAL. FOLLOW THE EXAMPLES CLOSELY!

FTPMAIL e-mail requests must be sent in ASCII/Plain Text only. HTML formatting will likely result in no response from the FTPMAIL server.

tgftp.nws.noaa.gov is the only valid FTP site for this service.

This National Weather Service (NWS) FTPMAIL server is intended to allow Internet access for users who do not have direct access to the World Wide Web but who are equipped with an e-mail system. The service is free and no signup is required. Using FTPMAIL, users can request files from NWS and have them automatically e-mailed back to them. Turnaround is generally in under one hour, however, performance may vary widely and receipt cannot be guaranteed.

NOTICE - Check time and date of forecasts. Downloaded data may not represent the latest forecast. The Internet is not part of the National Weather Service's operational data stream and should never be relied upon as a means to obtain the latest forecast and warning data. Become familiar with and use other means such as NOAA Weather Radio to obtain the latest forecasts and warnings. Please read our disclaimer at <http://www.nws.noaa.gov/disclaimer.php>

Although these instructions are tailored for marine users to gain access to graphic(radiofax) and text products via e-mail, all publicly available data on the tgftp.nws.noaa.gov Internet FTP server is accessible using the FTPMAIL service.

To use FTPMAIL, the user sends a small script file via e-mail to NWS requesting the desired file(s).

Users should be familiar with sending and receiving messages and attachments with their particular e-mail system. Attachments are received in UUencoded form. The majority of modern e-mail systems handle the conversion automatically, other users will need to run the UUdecode program for their particular system. See your system administrator if you have any questions on this topic. The UUencoding process can add 0 to >100% overhead depending on your system and the type of file.

Files sizes for NWS radiofax graphic files average 35KB but can be much greater. Users should be aware of the costs for operating their particular e-mail system before attempting to use FTPMAIL, especially when using satellite communication systems. For marine users, using FTPMAIL via INMARSAT-C for obtaining current NWS radiofax graphic files is cost prohibitive. Using the FTPMAIL compression feature of FTPMAIL is not recommended as these files are already in a compressed T4(G4) format enveloped in TIFF for viewing. You will need a graphics program capable of displaying files in this format in order to view them. Suggestions for TIFF viewers may be found in file <http://weather.noaa.gov/fax/rfaxtif.txt>

NEW! Radiofax .TIF files now also available as (larger) .gif files

The following examples demonstrate the use of FTPMAIL. Indexes of currently available marine products, the list FTPMAIL commands, and suggestions for TIFF viewers may be obtained following these instructions.

To use FTPMAIL:

- o Send an e-mail via the Internet to: [ftpmail@weather.noaa.gov](mailto:ftpmail@weather.noaa.gov)
- o Put anything you like on the subject line
- o Enter a command script in the body of the message

NOTE: Correct capitalization for commands, directory and file names is critical

Example scripts are:

help

Connect to default\_site ([tgftp.nws.noaa.gov](http://tgftp.nws.noaa.gov)) and send back this help file to e-mail address of requestor

```
open
cd fax
get PWAE98.TIF
quit
```

Connect to default\_site ([tgftp.nws.noaa.gov](http://tgftp.nws.noaa.gov)) and send back the chart file PWAE98.TIF to e-mail address of requestor

```
open
cd data
cd forecasts
cd marine
cd coastal
cd an
get anz231.txt
quit
```



Connect to default\_site (tgftp.nws.noaa.gov) and send back coastal marine zone forecast ANZ231 to e-mail address of requestor

```
open
cd data
cd forecasts
cd zone
cd md
get mdz009.txt
quit
```

Connect to default\_site (tgftp.nws.noaa.gov) and send back public land zone forecast MDZ009 to e-mail address of requestor.  
(Contact your local forecast office to identify the public forecast zone number for your county, known as the UGC code)

```
reply-to captain.kidd@noaa.gov
open
dir
quit
```

Connect to default\_site (tgftp.nws.noaa.gov) and send back the contents of the top level directory to captain.kidd@noaa.gov

```
open
cd fax
get ftpcmd.txt      (List of FTPMAIL commands)
get rfaxtif.txt     (TIFF suggestions)
get rfaxatl.txt     (Atlantic radiofax file directory)
get rfaxpac.txt     (Pacific radiofax file directory)
get rfaxmex.txt     (Gulf of Mexico and Trop Atl radiofax file dir)
get rfaxak.txt      (Alaska radiofax and ice file directory)
get rfaxhi.txt      (Hawaii radiofax file directory)
get otherfax.txt    (Foreign charts file directory)
get marinel.txt     (Highseas,Offshore,Open Lakes,NAVTEX text file dir)
get marine2.txt     (Hurricane text file directory)
get marine3.txt     (Coastal forecasts text file directory)
get marine4.txt     (Offshore forecasts by zone directory)
get marine5.txt     (Atlantic coastal forecasts by zone directory)
get marine6.txt     (Pacific coastal forecasts by zone directory)
get marine7.txt     (Gulf of Mexico coastal forecasts by zone dir)
get marine8.txt     (Great Lakes coastal forecasts by zone directory)
get marine9.txt     (Alaska coastal forecasts by zone directory)
get marinel0.txt    (Hawaii&Trust coastal forecasts by zone directory)
get uk.txt          (UK marine forecasts from Bracknell directory)
get canada.txt      (Canadian marine text forecast directory)
get tsunami.txt     (Tsunami products directory)
get robots.txt      (Marine forecasts and info via e-mail systems)
quit
```

Connect to default\_site (tgftp.nws.noaa.gov) and send back the requested files to e-mail address of requestor.

Many, but not all National Weather Service forecast products may be obtained using FTPMAIL if the WMO/AWIPS Header is known as follows.

Example:

To obtain the Atlantic high seas Forecast, WMO header FZNT01 KWBC,  
AWIPS header HSFAT1

Send an e-mail to: ftpmail@weather.noaa.gov  
Subject Line: Put anything you like  
Body: open  
cd data  
cd raw  
cd fz  
get fznt01.kwbc.hsf.atl.txt  
quit

\*\*\*\*\*SPECIAL NOTES\*\*\*\*\*

CORRECT CAPITALIZATION and SYNTAX FOR COMMANDS, DIRECTORY AND  
FILE NAMES IS CRITICAL. FOLLOW THE EXAMPLES CLOSELY!

FTPMAIL e-mail requests must be sent in ASCII/Plain Text only.  
HTML formatting will likely result in no response from the FTPMAIL  
server.

Problems have recently been reported by users of Hotmail. If you are  
a Hotmail user and are using the system successfully, please notify  
us of and your experiences and any workarounds you may have developed.

If you restrict incoming e-mail as a means of preventing spam, you  
must program your e-mail system to allow messages from:  
ftpmail@tgs22.nws.noaa.gov, ftpmail@tgs23.nws.noaa.gov,  
ftpmail@tgs24.nws.noaa.gov, ftpmail@tgs25.nws.noaa.gov  
ftpmail@tmpfmail.nws.noaa.gov

The majority of error messages have been disabled. You may or may  
not receive an error message back from FTPMAIL if your script is in  
error.

FTPMAIL problems are occasionally encountered when embedded control  
characters are received within the e-mail message received by the  
FTPMAIL server. These control characters may be introduced by the  
user's e-mail system and may be unavoidable.

Also be certain that each of your commands is not followed by any trailing  
space(s) or you will see an error message with a number of statements  
saying "=20"

Problems may also be encountered in trying to go down several levels  
of directories simultaneously, e.g. "cd data/forecasts/marine/test".  
Use a series of commands "cd data", "cd forecasts", "cd marine" instead.

In both these instances, the likely error will be "Directory not Found"

If the FTPMAIL server is too busy, you will receive an e-mail with a  
subject line similar to: "ftpmail job queuing for retry queue/097095.69568"  
Your request will be resubmitted automatically and your requested  
file(s) should be received within several hours.

\*\*\*\*\*

If you have access to the World Wide Web be certain to check out  
the following webpages. See these pages for further links.

<http://www.nws.noaa.gov>

NWS Homepage

<http://www.nws.noaa.gov/om/marine/home.htm>

NWS Marine Page

An FAQ webpage describing several public and commercial FTP-to-EMAIL and WWW-to-EMAIL servers may be found at:  
[www.faqs.org/faqs/internet-services/access-via-email/](http://www.faqs.org/faqs/internet-services/access-via-email/)

Author: Timothy Rulon, Marine and Coastal Weather Services Branch W/OS21  
National Weather Service

Last Modified Feb 06, 2007

Document URL: <http://weather.noaa.gov/pub/fax/ftpmail.txt>

<ftp://tgftp.nws.noaa.gov/fax/ftpmail.txt>

\*\*\*FTPMAIL commands for ftpmail@weather.noaa.gov FTPMAIL server\*\*\*

FTP's files and sends them back via electronic mail

NOTE: \*.noaa.gov are the only valid FTP sites for this FTPMAIL server.

NOTE: Capitalization is critical for this server. Commands are un-capitalized, while some directory and file names are CAPITALIZED, while others are un-capitalized.

To use FTPMAIL:

- o Send an E-mail via the Internet to ftpmail@weather.noaa.gov
- o Put anything you like on the subject line
- o Enter a command script in the body of the message

Example scripts are:

```
reply-to lmjm@server.big.ac.uk
```

```
open
```

```
dir
```

```
quit
```

Connect to default\_site (weather.noaa.gov) and send back the contents of the top level directory to lmjm@server.big.ac.uk

```
open
```

```
cd fax
```

```
get PWAG01.TIF
```

```
quit
```

Connect to default\_site (weather.noaa.gov) and send back the chart file PWAG01.TIF to e-mail address of requestor

>>Valid commands to the ftpmail gateway are:

reply-to email-address Who to send the response to. This is optional and defaults to the users email address

>>Followed by one of:

help Just send back help

delete jobid Delete the given job  
(jobid is received from server)

open [site [user [pass]]]  
Site to ftp to. Default is:  
default\_site anonymous reply-to-address.

>>If there was an open then it can be followed by up to 100 of the  
>>following commands

cd pathname Change directory.

cd ..	Move up 1 directory.
cd /	Move to the root directory.
ls [pathname]	Short listing of pathname. Default pathname is current directory.
dir [pathname]	Long listing of pathname. Default pathname is current directory.
get pathname	Get a file and email it back.
compress	Compress files/dir-listings before emailing back
gzip	Gzip files/dir-listings before emailing back
uuencode btoa	These are mutually exclusive options for converting a binary file before emailing. (Default is uuencode.)
force uuencode force btoa	Force all files or directory listings to be encoded before sending back. There is no default.
mime	Send the message as a Mime Version 1.0 message. Text will be sent as text/plain charset=US-ASCII Non-text as application/octet-stream. If the file is splitup then it will be sent as a message/partial.
force mime	As mime but force text files to be sent as application/octet-stream
no [compress gzip uuencode btoa mime]	Turn the option off.
size num[K M]	Set the max size a file can be before it is split up and emailed back in parts to the given number of Kilo or Mega bytes. This is limited to 275KB. Default is 275KB.
mode binary mode ascii	Change the mode selected for the get command. Defaults to binary.
quit	End of input - ignore any following lines.

Author: Timothy Rulon, Office of Meteorology, National Weather Service  
 Last Modified August 01, 2003  
 Document URL: <http://weather.noaa.gov/pub/fax/ftpcmd.txt>  
<ftp://weather.noaa.gov/fax/ftpcmd.txt>

## Suggested TIFF Viewers

The (G4)/TIFF format is used because the facsimile charts are in BLACK & WHITE and other encoding formats generate significantly larger files. The suggested TIFF viewers listed here are to help in your selection and have been found to work in viewing these charts in past testing. The viewers and sources listed imply no endorsement by the NWS.

### Commercial Viewers for DOS/Windows 3.1

HyperFax.111 by Hypersoft	(603) 356-0210
Viewdirector by TMS, Inc.	(800) 944-7654
Imagehandler by LeadTools	(800) 637-4699
Keyview by FTP Software	(800) 242-4FTP
Snowview Platinum by Snowbound Software	(617) 630-9495

### Shareware viewers for DOS/Windows 3.1

Paint Shop Pro 3.0 by Jasc, Inc. (612) 930-9171  
Graphic Workshop v1.1p  
VIDVUE v1.1 by L. Gozum  
QuickView v1.2e (limited - can't rotate)

### Shareware viewers for OS/2

PMJPEG  
PMView v0.9

### Shareware viewer for Apple/MAC

GraphicConverter 2.6  
All programs that support Quicktime 6.0+  
Netscape 7.0 (Free)  
Internet Explorer 5.1 (Free)  
Eudora Pro 4.2 (shareware)  
PictureViewer QT 6.0 (Free included with Macs)  
Graphic Converter 3.6 - 4.x (shareware)  
Canvas 7.0 +  
Photoshop Elements 2.0 (Free with Wacom Tablets etc.)  
Photoshop 6.0 +  
Canon file viewer utility 1.3.2.9 (included with Canon Digital cameras)  
Media Assistant 2.0.4 (image cataloger) Low cost  
Cumulus 5.5 (Image Cataloger) Low cost

Author: Timothy Rulon, W/OS21, National Weather Service

Last Modified Tuesday, Oct 25, 04

Document URL: <http://tgs5.nws.noaa.gov/pub/fax/rfxtif.txt>

NATIONAL WEATHER SERVICE RADIOFAX PRODUCTS  
for the Western Atlantic Ocean

U.S. Coast Guard Communications Station NMF - Boston, Massachusetts

Assigned frequencies 4235.0, 6340.5, 9110, 12750 kHz

Select a carrier frequency 1.9 kHz below those listed when using a single sideband radio in the USB mode to receive these broadcasts.

The latest version of marine weather charts for broadcast by the U.S. Coast Guard are available from the National Weather Service Telecommunication Gateway on this server. The listed charts are in the G4(T4) format and enveloped in TIFF for viewing. Satellite images are in JPEG format. These charts may be found in directory: <ftp://tgftp.nws.noaa.gov/fax> or <http://weather.noaa.gov/pub/fax>

For information of how these files and other text and graphic marine forecasts may be downloaded via e-mail (FTPMAIL) see: <http://weather.noaa.gov/pub/fax/ftpmail.txt>

.TIF files now also available as .gif files

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system.

PAY ATTENTION TO CAPITALIZATION:

Example using FTPMAIL:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject line:          Put anything you like
Body:                 open
                       cd fax
                       get PPAE10.TIF
                       get PWAE98.gif
                       quit
```

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 help
```

	FILE NAME
WIND/SEAS CHARTS	
12Z Sea State Analysis, 10E-95W Northern Hemisphere	PJAA99.TIF
00Z Wind/Wave Analysis, 40W-98W Northern Hemisphere	PWAA88.TIF
12Z Wind/Wave Analysis, 40W-98W Northern Hemisphere	PWAA89.TIF
Wind/Wave Analysis, (Most Current)	PWAA90.TIF
24HR Wind/Wave Chart VT00Z Forecast 40W-98W N. Hemisphere	PWAE98.TIF
24HR Wind/Wave Chart VT12Z Forecast 40W-98W N. Hemisphere	PWAE99.TIF
24HR Wind/Wave Chart Forecast (Most Current)	PWAE10.TIF
48HR Wind/Wave VT00Z Forecast 10E-95W Northern Hemisphere	PJAI98.TIF
48HR Wind/Wave VT12Z Forecast 10E-95W Northern Hemisphere	PJAI99.TIF
48HR Wind/Wave Chart Forecast (Most Current)	PJAI10.TIF

48HR Wave Period VT00Z Forecast 10E-95W Northern Hemisphere	PJAI88.TIF
48HR Wave Period VT12Z Forecast 10E-95W Northern Hemisphere	PJAI89.TIF
48HR Wave Period Chart Forecast (Most Current)	PJAI20.TIF
96HR Wind/Wave Chart VT12Z Forecast 10E-95W N. Hemisphere	PJAM98.TIF
96HR Wave Period VT12Z Forecast 10E-95W N. Hemisphere	PJAM88.TIF

#### SURFACE CHARTS

00Z Preliminary Surface Chart Analysis 45W-85W N. Hemisphere	PYAA10.TIF
06Z Preliminary Surface Chart Analysis 45W-85W N. Hemisphere	PYAB01.TIF
12Z Preliminary Surface Chart Analysis 45W-85W N. Hemisphere	PYAC01.TIF
18Z Preliminary Surface Chart Analysis 45W-85W N. Hemisphere	PYAD01.TIF
Preliminary Surface Chart Analysis (Most Current)	PYAD10.TIF
00Z Surface Analysis Chart, Part 1, 10E-45W N. Hemisphere	PYAA01.TIF
00Z Surface Analysis Chart, Part 2, 40W-95W N. Hemisphere	PYAA02.TIF
06Z Surface Analysis Chart, Part 1, 10E-45W N. Hemisphere	PYAA03.TIF
06Z Surface Analysis Chart, Part 2, 40W-95W N. Hemisphere	PYAA04.TIF
12Z Surface Analysis Chart, Part 1, 10E-45W N. Hemisphere	PYAA05.TIF
12Z Surface Analysis Chart, Part 2, 40W-95W N. Hemisphere	PYAA06.TIF
18Z Surface Analysis Chart, Part 1, 10E-45W N. Hemisphere	PYAA07.TIF
18Z Surface Analysis Chart, Part 2, 40W-95W N. Hemisphere	PYAA08.TIF
Surface Analysis Chart, Part 1, (Most Current)	PYAA11.TIF
Surface Analysis Chart, Part 2, (Most Current)	PYAA12.TIF
24HR Surface Chart VT00Z Forecast 40W-98W Northern Hemisphere	PPAE00.TIF
24HR Surface Chart VT12Z Forecast 40W-98W Northern Hemisphere	PPAE01.TIF
24HR Surface Chart Forecast (Most Current)	PPAE10.TIF
48HR Surface Chart VT00Z Forecast 10E-95W Northern Hemisphere	QDTM85.TIF
48HR Surface Chart VT12Z Forecast 10E-95W Northern Hemisphere	QDTM86.TIF
48HR Surface Chart Forecast (Most Current)	QDTM10.TIF
96HR Surface Chart VT12Z Forecast 10E-95W Northern Hemisphere	PWAM99.TIF

#### UPPER AIR CHARTS

00Z 500MB Surface Chart Analysis 10E-95W Northern Hemisphere	PPAA50.TIF
12Z 500MB Surface Chart Analysis 10E-95W Northern Hemisphere	PPAA51.TIF
500MB Surface Chart Analysis (Most Current)	PPAA10.TIF
24HR 500MB Chart VT00Z Forecast 10E-95W Northern Hemisphere	PPAE50.TIF
24HR 500MB Chart VT12Z Forecast 10E-95W Northern Hemisphere	PPAE51.TIF
24HR 500MB Chart Forecast (Most Current)	PPAE11.TIF
36HR 500MB Chart VT00Z Forecast 10E-95W Northern Hemisphere	PPAG50.TIF
36HR 500MB Chart VT12Z Forecast 10E-95W Northern Hemisphere	PPAG51.TIF
36HR 500MB Chart Forecast (Most Current)	PPAG11.TIF
48HR 500MB Chart VT00Z Forecast 10E-95W Northern Hemisphere	PPAI50.TIF
48HR 500MB Chart VT12Z Forecast 10E-95W Northern Hemisphere	PPAI51.TIF
48HR 500MB Chart Forecast (Most Current)	PPAI10.TIF
96HR 500MB Chart VT12Z Forecast 10E-95W Northern Hemisphere	PPAM50.TIF

#### TROPICAL CYCLONE CHARTS

Tropical Cyclone Danger Area* VT03, 05N-60N, 00W-100W	PWEK89.TIF
Tropical Cyclone Danger Area* VT09, 05N-60N, 00W-100W	PWEK90.TIF
Tropical Cyclone Danger Area* VT15, 05N-60N, 00W-100W	PWEK91.TIF
Tropical Cyclone Danger Area* VT21, 05N-60N, 00W-100W	PWEK88.TIF
Tropical Cyclone Danger Area* (Most Current)	PWEK11.TIF

#### SATELLITE IMAGERY

00Z GOES IR Satellite Image, West Atlantic	evnt00.jpg
06Z GOES IR Satellite Image, Atlantic	evnt06.jpg
12Z GOES IR Satellite Image, West Atlantic	evnt12.jpg
18Z GOES IR Satellite Image, Atlantic	evnt18.jpg
W Atlantic or Atlantic (Most Current)	evnt99.jpg



## ICE CHARTS

Ice Chart from U.S. Coast Guard International Ice Patrol      PIEA88.TIF  
(During Ice Season only ~Feb-Sep, for further information see:  
<http://www.uscg.mil/lantarea/iip/home.html>)

## SCHEDULE INFORMATION

Radiofax Schedule Part 1 (Boston, MA)	PLAZ01.TIF
Radiofax Schedule Part 2 (Boston, MA)	PLAZ02.TIF
Radiofax Schedule (DOS Text Version)	hfmarsh.txt
Request for Comments	PLAZ03.TIF
Product Notice Bulletin	PLAZ04.TIF
Test Pattern	PZZZ94.TIF
Internet File Names (This file)	rfaxatl.txt

\* Tropical Cyclone Danger Area chart replaced by High Wind/Wave Warning chart  
Dec 01-May 15. Valid times 00z, 06z, 12z and 18z. Map area 05N-40N, 35W-100W

Tropical cyclone charts also broadcast from New Orleans, LA

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

Author: Timothy Rulon, Office of Marine and Coastal Services W/OS21,  
National Weather Service

Last Modified Feb 08, 2007

Document URL: <http://weather.noaa.gov/pub/fax/rfaxatl.txt>

<ftp://tgftp.nws.noaa.gov/fax/rfaxatl.txt>

NATIONAL WEATHER SERVICE RADIOFAX PRODUCTS  
for the North and Tropical East Pacific

U.S. Coast Guard Communications Station NMC - Point Reyes, CA

Assigned frequencies 4346, 8682, 12786, 17151.2, 22527 kHz

Select a carrier frequency 1.9 kHz below those listed when using a single sideband radio in the USB mode to receive these broadcasts.

The latest version of marine weather charts for broadcast by the U.S. Coast Guard are available from the National Weather Service Telecommunication Gateway on this server. The listed charts are in the G4(T4) format and enveloped in TIFF for viewing. Satellite images are in JPEG format. These charts may be found in directory: <ftp://tgftp.nws.noaa.gov/fax> or <http://weather.noaa.gov/pub/fax>

For information of how these files and other text and graphic marine forecasts may be downloaded via e-mail (FTPMAIL) see:  
<http://weather.noaa.gov/pub/fax/ftpmail.txt>

.TIF files now also available as .gif files

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system.

PAY ATTENTION TO CAPITALIZATION:

Example using FTPMAIL:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject line:          Put anything you like
Body:                 open
                       cd fax
                       get PWBE10.TIF
                       get PWBM99.gif
                       quit
```

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 help
```

	FILE NAME
WIND/WAVE CHARTS	
00Z Sea State Analysis 20N-70N, 115W-135E	PJBA99.TIF
@00Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBA88.TIF
06Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBB88.TIF
12Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBA89.TIF
18Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBD89.TIF
Wind/Wave Analysis 18N-62N, E OF 157W (Most Current)	PWBA90.TIF
24HR Wind/Wave Forecast VT00Z 18N-62N, E of 157W	PWBE98.TIF
24HR Wind/Wave Forecast VT12Z 18N-62N, E of 157W	PWBE99.TIF
24HR Wind/Wave Forecast (Most Current)	PWBE10.TIF
48HR Wind/Wave Forecast VT00Z 20N-70N, 115W-135E	PJBI98.TIF

48HR Wind/Wave Forecast VT12Z 20N-70N, 115W-135E	PJBI99.TIF
48HR Wind Wave Forecast (Most Current)	PJBI10.TIF
48HR Wave Period/Swell Direction VT00Z 20N-70N, 115W-135E	PJBI88.TIF
48HR Wave Period/Swell Direction VT12Z 20N-70N, 115W-135E	PJBI89.TIF
48HR Wave Period/Swell Direction (Most Current)	PJBI20.TIF
96HR Wind/Wave Forecast VT12Z 20N-70N, 115W-135E	PJBM98.TIF
96HR Wave Period/Swell Direction VT12Z 20N-70N, 115W-135E	PJBM88.TIF

TROPICAL WIND/WAVE CHARTS

Tropical Sea State Analysis VT00Z 20S-30N, E of 145W	PKFA88.TIF
Tropical Sea State Analysis VT12Z 20S-30N, E of 145W	PKFA89.TIF
Tropical Sea State Analysis (Most Current)	PKFA10.TIF
24HR Wind/Wave Forecast VT00Z 20S-30N, E of 145W	PWFE01.TIF
24HR Wind/Wave Forecast VT06Z 20S-30N, E of 145W	PWFE02.TIF
24HR Wind/Wave Forecast VT12Z 20S-30N, E of 145W	PWFE03.TIF
24HR Wind/Wave Forecast VT18Z 20S-30N, E of 145W	PWFE04.TIF
24HR Wind/Wave Forecast (Most Current)	PWFE10.TIF
48HR Wind/Wave Forecast VT00Z 20S-30N, E of 145W	PWFI88.TIF
48HR Wind/Wave Forecast VT12Z 20S-30N, E of 145W	PWFI90.TIF
48HR Wind/Wave Forecast (Most Current)	PWFI10.TIF
48HR Wave Period/Swell Direction VT00Z 20S-30N,E of 145W	PJFI87.TIF
48HR Wave Period/Swell Direction VT12Z 20S-30N, E of 145W	PJFI88.TIF
48HR Wave Period/Swell Direction (Most Current)	PJFI11.TIF
72HR Wind/Wave Forecast VT00Z 20S-30N, E of 145W	PWFK92.TIF
72HR Wind/Wave Forecast VT12Z 20S-30N, E of 145W	PWFK93.TIF
72HR Wind/Wave Forecast (Most Current)	PWFK10.TIF
72HR Wave Period/Swell Direction VT00Z 20S-30N,E of 145W	PJFK93.TIF

SURFACE CHARTS

00Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA01.TIF
00Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA02.TIF
06Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA03.TIF
06Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA04.TIF
12Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA05.TIF
12Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA06.TIF
18Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA07.TIF
18Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA08.TIF
Surface Analysis, Part 1 (Most Current)	PYBA90.TIF
Surface Analysis, Part 2 (Most Current)	PYBA91.TIF
24HR Surface Forecast VT00Z Forecast 18N-62N, E of 157W	PPBE00.TIF
24HR Surface Forecast VT12Z Forecast 18N-62N, E of 157W	PPBE01.TIF
24HR Surface Forecast (Most Current)	PPBE10.TIF
48HR Surface Forecast VT00Z 20N-70W, 115W-135E	PWBI98.TIF
48HR Surface Forecast VT12Z 20N-70W, 115W-135E	PWBI99.TIF
48HR Surface Forecast (Most Current)	PWBI10.TIF
96HR Surface Forecast VT12Z 20N-70W, 115W-135E	PWBM99.TIF

TROPICAL SURFACE CHARTS

00Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA96.TIF
06Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA97.TIF
12Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA98.TIF
18Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA99.TIF
East Pacific Surface Analysis Most Current	PYFA90.TIF
@00Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB86.TIF
@06Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB87.TIF
@12Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB85.TIF

@18Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB88.TIF
@ U.S./Tropical Surface Analysis (Most Current)	PYEB11.TIF
@24HR Tropical Surface ForecastVT00,20S-30N,80W-145W	PYFE79.TIF
@24HR Tropical Surface ForecastVT12,20S-30N,80W-145W	PYFE80.TIF
@24HR Tropical Surface Forecast(Most Current);	PYFE10.TIF
@48HR Tropical Surface ForecastVT00,20S-30N,80W-145W	PYFI81.TIF
@48HR Tropical Surface ForecastVT12,20S-30N,80W-145W	PYFI82.TIF
@48HR Tropical Surface Forecast(Most Current);	PYFI10.TIF
@72HR Tropical Surface ForecastVT00,20S-30N,80W-145W	PYFK83.TIF
@72HR Tropical Surface ForecastVT12,20S-30N,80W-145W	PYFK84.TIF
@72HR Tropical Surface Forecast (Most Current);	PYFK10.TIF

UPPER AIR CHARTS

00Z 500 MB Analysis 20N-70N 115W-135E	PPBA50.TIF
12Z 500 MB Analysis 20N-70N, 115W-135E	PBBA51.TIF
500 MB Analysis (Most Current)	PPBA10.TIF
24HR 500 MB Forecast VT00Z 20N-70N, 115W-135E	PPBE50.TIF
24HR 500 MB Forecast VT12Z 20N-70N, 115W-135E	PPBE51.TIF
24HR 500 MB Forecast (Most Current)	PPBE11.TIF
48HR 500 MB Forecast VT00Z 20N-70N, 115W-135E	PPBI50.TIF
48HR 500 MB Forecast VT12Z 20N-70N, 115W-135E	PPBI51.TIF
48HR 500 MB Forecast (Most Current)	PPBI10.TIF
96HR 500 MB VT12Z 20N-70N, 115W-135E	PPBM50.TIF

TROPICAL CYCLONE CHARTS

72 HR Tropical Cyclone Danger Area VT 03Z 0N-40N, 80W-180W	PWFK88.TIF
72 HR Tropical Cyclone Danger Area VT 09Z 0N-40N, 80W-180W	PWFK89.TIF
72 HR Tropical Cyclone Danger Area VT 15Z 0N-40N, 80W-180W	PWFK90.TIF
72 HR Tropical Cyclone Danger Area VT 21Z 0N-40N, 80W-180W	PWFK91.TIF
72 HR Tropical Cyclone Danger Area (Most Current)	PWFK11.TIF

Note: Tropical Cyclone Danger Area chart replaced by High Wind/Wave Warning chart Dec 01 - May 14.

SEA SURFACE TEMPERATURES

Pacific SST Chart 40N-53N, E of 136W	PTBA88.TIF
Pacific SST Chart 23N-42N, E of 150W	PTBA89.TIF

SATELLITE IMAGERY

@00Z GOES IR Satellite Image, Tropical East Pacific	evpn02.jpg
06Z GOES IR Satellite Image, Tropical East Pacific	evpn07.jpg
@12Z GOES IR Satellite Image, Tropical East Pacific	evpn04.jpg
18Z GOES IR Satellite Image, Tropical East Pacific	evpn08.jpg
GOES IR Satellite Image, Tropical East Pac (MOST CURRENT)	evpn10.jpg
@06Z GOES IR Satellite Image, East Pacific	evpn03.jpg
12Z GOES IR Satellite Image, East Pacific	evpn13.jpg
@18Z GOES IR Satellite Image, East Pacific	evpn14.jpg
21Z GOES VISIBLE Satellite Image, East Pacific	evpn00.jpg
GOES Satellite Image, East Pacific (MOST CURRENT)	evpn98.jpg
00Z GOES IR Satellite Image, Pacific	evpn01.jpg
06Z GOES IR Satellite Image, Pacific	evpn06.jpg
12Z GOES IR Satellite Image, Pacific	evpn12.jpg
18Z GOES IR Satellite Image, Pacific	evpn18.jpg
GOES IR Satellite Image, Pacific (MOST CURRENT)	evpn99.jpg

SCHEDULE INFORMATION

Radiofax Schedule Part 1 (Point Reyes, CA)	PLBZ01.TIF
Radiofax Schedule Part 2 (Point Reyes, CA)	PLBZ02.TIF
Radiofax Schedule (DOS Text Format)	hfreyes.txt
Request for Comments	PLBZ03.TIF
Product Notice Bulletin	PLBZ04.TIF
Test Pattern	PZZZ93.TIF
Internet File Names (This file)	rfaxpac.txt

@ Not transmitted via Pt. Reyes radiofax but listed here for convenience

Many of these charts also broadcast from Kodiak, AK and Honolulu, HI

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

Author: Tim Rulon, NWS Marine And Coastal Weather Services Branch W/OS21

Last Modified Feb 08, 2007

Document URL: <http://weather.noaa.gov/pub/fax/rfaxpac.txt>

<ftp://weather.noaa.gov/fax/rfaxpac.txt>

NATIONAL WEATHER SERVICE RADIOFAX PRODUCTS  
for the Gulf of Mexico, Caribbean, Tropical Atlantic and Tropical E Pacific

U.S. Coast Guard Communications Station NMG - New Orleans, Louisiana

Assigned frequencies 4317.9, 8503.9 12789.9, 17146.4 kHz

Select a carrier frequency 1.9 kHz below those listed when using a single sideband radio in the USB mode to receive these broadcasts.

The latest version of marine weather charts for broadcast by the U.S. Coast Guard are available from the National Weather Service Telecommunication Gateway on this server. The listed charts are in the G4(T4) format and enveloped in TIFF for viewing. These charts may be found in directory: <ftp://tgftp.nws.noaa.gov/fax> or <http://weather.noaa.gov/pub/fax>

For information of how these files and other text and graphic marine forecasts may be downloaded via e-mail (FTPMAIL) see: <http://weather.noaa.gov/pub/fax/ftpmail.txt>

.TIF files now also available as .gif files

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system.

PAY ATTENTION TO CAPITALIZATION:

Example using FTPMAIL:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject line:          Put anything you like
Body:                 open
                       cd fax
                       get PWEE11.TIF
                       get PYEA11.gif
                       quit
```

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 help
```

	FILE NAME
WIND/WAVE CHARTS	
00Z Sea State Analysis, 0N-31N, 35W-100W	PJEA88.TIF
12Z Sea State Analysis, 0N-31N, 35W-100W	PJEA90.TIF
Sea State Analysis (Most Current)	PJEA11.TIF
24HR Wind/Wave Forecast VT00, 0N-31N, 35W-100W	PWEE89.TIF
24HR Wind/Wave Forecast VT06, 0N-31N, 35W-100W	PWEE90.TIF
24HR Wind/Wave Forecast VT12, 0N-31N, 35W-100W	PWEE91.TIF
24HR Wind/Wave Forecast VT18, 0N-31N, 35W-100W	PWEE92.TIF
24HR Wind/Wave Forecast (Most Current)	PWEE11.TIF
48HR Wind/Wave Forecast VT00, 0N-31N, 35W-100W	PWEI88.TIF
48HR Wind/Wave Forecast VT12, 0N-31N, 35W-100W	PWEI89.TIF
48HR Wind/Wave Forecast (Most Current)	PWEI11.TIF

48HR Wave Period/Swell Dir Forecast VT00, 0N-31N, 35W-100W	PJEI88.TIF
48HR Wave Period/Swell Dir Forecast VT12, 0N-31N, 35W-100W	PJEI89.TIF
48HR Wave Period/Swell Direction Forecast (Most Current)	PJEI11.TIF
72HR Wind/Wave Forecast VT00, 0N-31N, 35W-100W	PJEK88.TIF
72HR Wind/Wave Forecast VT12, 0N-31N, 35W-100W	PJEK89.TIF
72HR Wind/Wave Forecast (Most Current)	PJEK11.TIF
72HR Wave Period/Swell Dir Forecast VT00, 0N-31N, 35W-100W	PKEK88.TIF

SURFACE CHARTS

@00Z U.S./Tropical Surface Analysis (W Half) 5S-50N,55W-125W	PYEB86.TIF
@06Z U.S./Tropical Surface Analysis (W Half) 5S-50N,55W-125W	PYEB87.TIF
@12Z U.S./Tropical Surface Analysis (W Half) 5S-50N,55W-125W	PYEB85.TIF
@18Z U.S./Tropical Surface Analysis (W Half) 5S-50N,55W-125W	PYEB88.TIF
@ U.S./Tropical Surface Analysis (W Half) (Most Current)	PYEB11.TIF
00Z Tropical Surface Analysis (E Half) 5S-50N, 0W-70W	PYEA86.TIF
06Z Tropical Surface Analysis (E Half) 5S-50N, 0W-70W	PYEA87.TIF
12Z Tropical Surface Analysis (E Half) 5S-50N, 0W-70W	PYEA85.TIF
18Z Tropical Surface Analysis (E Half) 5S-50N, 0W-70W	PYEA88.TIF
Tropical Surface Analysis (E Half) (Most Current)	PYEA11.TIF
24HR Tropical Surface Forecast(E Half)VT00,00N-31N, 35W-100W	PYEE79.TIF
24HR Tropical Surface Forecast(E Half)VT12,00N-31N, 35W-100W	PYEE80.TIF
Tropical Surface Forecast(Most Current)	PYEE10.TIF
48HR Tropical Surface Forecast(E Half)VT00,00N-31N, 35W-100W	PYEI81.TIF
48HR Tropical Surface Forecast(E Half)VT12,00N-31N, 35W-100W	PYEI82.TIF
Tropical Surface Forecast(Most Current)	PYEI10.TIF
72HR Tropical Surface Forecast(E Half)VT00,00N-31N, 35W-100W	PYEK83.TIF
72HR Tropical Surface Forecast(E Half)VT12,00N-31N, 35W-100W	PYEK84.TIF
Tropical Surface Forecast(Most Current)	PYEK10.TIF

@ For further forecasts covering the Tropical East Pacific,  
see Pt. Reyes and Honolulu charts

TROPICAL CYCLONE CHARTS

Tropical Cyclone Danger Area* VT03, 05N-60N, 00W-100W	PWEK89.TIF
Tropical Cyclone Danger Area* VT09, 05N-60N, 00W-100W	PWEK90.TIF
Tropical Cyclone Danger Area* VT15, 05N-60N, 00W-100W	PWEK91.TIF
Tropical Cyclone Danger Area* VT21, 05N-60N, 00W-100W	PWEK88.TIF
Tropical Cyclone Danger Area* (Most Current)	PWEK11.TIF

HIGH SEAS FORECASTS

04Z High Seas Forecast 7N-31N, 35W-98W, In English	PLEA86.TIF
10Z High Seas Forecast 7N-31N, 35W-98W, In English	PLEA87.TIF
16Z High Seas Forecast 7N-31N, 35W-98W, In English	PLEA89.TIF
22Z High Seas Forecast 7N-31N, 35W-98W, In English	PLEA88.TIF
High Seas Forecast (Most Current)	PLEA10.TIF

SATELLITE IMAGERY

0645Z GOES IR Satellite Image, 12S-44N, 28W-112W	evst06.jpg
1145Z GOES IR Satellite Image, 12S-44N, 28W-112W	evst12.jpg
1745Z GOES IR Satellite Image, 12S-44N, 28W-112W	evst18.jpg
2345Z GOES IR Satellite Image, 12S-44N, 28W-112W	evst00.jpg
GOES IR Satellite Image (Most Current)	evst99.jpg

SCHEDULE INFORMATION

Radiofax Schedule (New Orleans, LA)	PLEZ01.TIF
Radiofax Schedule (DOS Text Format)	hfgulf.txt
Request for Comments	PLEZ02.TIF

Product Notice Bulletin  
Test Chart  
Internet File Names, (This file)

PLEZ03.TIF  
PZZZ95.TIF  
rfaxmex.txt

\* Tropical Cyclone Danger Area chart replaced by High Wind/Wave Warning  
chart Dec 01 - May 15, valid times 00z, 06z, 12z and 18z,  
05N - 40N, 35W - 100W

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

Author: Tim Rulon, NWS Marine And Coastal Weather Services Branch, W/OS21  
Last Modified Feb 08, 2007

Document URL: <http://weather.noaa.gov/pub/fax/rfaxmex.txt>  
<ftp://tgftp.nws.noaa.gov/pub/fax/rfaxmex.txt>



NATIONAL WEATHER SERVICE RADIOFAX PRODUCTS  
for the Northeast and Eastern Pacific

U.S. Coast Guard Communications Station NOJ - Kodiak, Alaska

Assigned frequencies 2054, 4298, 8459, 12412.5 kHz

Select a carrier frequency 1.9 kHz below those listed when using a single sideband radio in the USB mode to receive these broadcasts.

The latest version of marine weather charts for broadcast by the U.S. Coast Guard are available from the National Weather Service Telecommunication Gateway on this server. The listed charts are in the G4(T4) format and enveloped in TIFF for viewing. Satellite images are in JPEG format. These charts may be found in directory: <ftp://tgftp.nws.noaa.gov/fax> or <http://weather.noaa.gov/pub/fax>

For information of how these files and other text and graphic marine forecasts may be downloaded via e-mail (FTPMAIL) see:  
<http://weather.noaa.gov/pub/fax/ftpmail.txt>

.TIF files now also available as .gif files

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system.

PAY ATTENTION TO CAPITALIZATION:

Example using FTPMAIL:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject line:          Put anything you like
Body:                 open
                       cd fax
                       get PJBI99.TIF
                       get PYBE10.gif
                       quit
```

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 help
```

	FILE NAME
WIND/WAVE CHARTS	
00Z Sea State Analysis 20N-70N, 115W-135E	PJBA99.TIF
24HR Wind/Wave Forecast VT00Z 40N-70N, 115W-170E	PJBE88.TIF
24HR Wind/Wave Forecast VT12Z 40N-70N, 115W-170E	PJBE89.TIF
24HR Wind Wave Forecast (Most Current)	PJBE10.TIF
48HR Wind/Wave Forecast VT00Z 20N-70N, 115W-135E	PJBI98.TIF
48HR Wind/Wave Forecast VT12Z 20N-70N, 115W-135E	PJBI99.TIF
48HR Wind Wave Forecast (Most Current)	PJBI10.TIF
48HR Wave Period/Swell Direction VT00Z 20N-70N, 115W-135E	PJBI88.TIF

48HR Wave Period/Swell Direction VT12Z 20N-70N, 115W-135E	PJBI89.TIF
48HR Wave Period/Swell Direction (Most Current)	PJBI20.TIF
96HR Wind/Wave Forecast VT12Z 20N-70N, 115W-135E	PJBM98.TIF
96HR Wave Period/Swell Direction VT12Z 20N-70N, 115W-135E	PJBM88.TIF

#### SURFACE CHARTS

00Z Surface Analysis 40N-70N, 125W-150E	PYCA00.TIF
06Z Surface Analysis 40N-70N, 125W-150E	PYCA01.TIF
12Z Surface Analysis 40N-70N, 125W-150E	PYCA02.TIF
18Z Surface Analysis 40N-70N, 125W-150E	PYCA03.TIF
Surface Analysis (Most Current)	PYCA10.TIF
24HR Surface Chart Forecast VT00Z 40N-70N, 115W-170E	PYBE00.TIF
24HR Surface Chart Forecast VT12Z 40N-70N, 115W-170E	PYBE01.TIF
24HR Surface Chart Forecast (Most Current)	PYBE10.TIF
48HR Surface Chart Forecast VT00Z 20N-70N 115W-135E	PWBI99.TIF
48HR Surface Chart Forecast VT12Z 20N-70N 115W-135E	PWBI98.TIF
48HR Surface Chart Forecast (Most Current)	PWBI10.TIF
96HR Surface Chart Forecast VT12Z	PWBM99.TIF

#### UPPER AIR CHARTS

00Z 500 MB Analysis 20N-70N 115W-135E	PPBA50.TIF
12Z 500 MB Analysis 20N-70N, 115W-135E	PBBA51.TIF
500 MB Analysis (Most Current)	PPBA10.TIF
24HR 500 MB Forecast VT00Z 20N-70N, 115W-135E	PPBE50.TIF
24HR 500 MB Forecast VT12Z 20N-70N, 115W-135E	PPBE51.TIF
24HR 500 MB Forecast (Most Current)	PPBE11.TIF
48HR 500 MB Forecast VT00Z 20N-70N, 115W-135E	PPBI50.TIF
48HR 500 MB Forecast VT12Z 20N-70N, 115W-135E	PPBI51.TIF
48HR 500 MB Forecast (Most Current)	PPBI10.TIF
96HR 500 MB VT12Z 20N-70N, 115W-135E	PPBM50.TIF

#### SEA SURFACE TEMPERATURES

Sea Surface Temperature Analysis 40N-60N,125W - 160E	PTCA88.TIF
--	------------

#### SATELLITE IMAGERY

00Z GOES IR Satellite Image, Pacific	evpn01.jpg
06Z GOES IR Satellite Image, Pacific	evpn06.jpg
12Z GOES IR Satellite Image, Pacific	evpn12.jpg
18Z GOES IR Satellite Image, Pacific	evpn18.jpg
GOES IR Satellite Image, Pacific (MOST CURRENT)	evpn99.jpg

#### ICE CHARTS

Sea Ice Analysis	PTCA89.TIF
5 Day Sea Ice Forecast	PTCO89.TIF
Cook Inlet Sea Ice Analysis	PTCA87.TIF

#### OTHER PRODUCTS

AK Coastal Forecast Tables	PLBZ00.TIF
----------------------------	------------

#### SCHEDULE INFORMATION and MISCELLANEOUS

Radiofax Schedule Kodiak, AK;  
Radiofax Schedule (DOS Text Version)  
Test Pattern;  
Radiofacsimile Symbols and Contractions  
Internet File Names; (This file)

PLBZ05.TIF  
hfak.txt  
xxxxxx.xxx  
PLBZ06.TIF  
rfaxak.txt

xxxxxx.xxx = Currently unavailable

Many of these charts also broadcast from Pt. Reyes, CA

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

Author: Tim Rulon, NWS Marine And Coastal Weather Services Branch W/OS21  
Last Modified Feb 08, 2007  
Document URL: <http://weather.noaa.gov/pub/fax/rfaxak.txt>  
<ftp://tgftp.nws.noaa.gov/fax/rfaxak.txt>

NATIONAL WEATHER SERVICE RADIOFAX PRODUCTS  
for the Central, Southeast and North Pacific

NAVY Communications Station KVM-70 - Honolulu, Hawaii

Assigned frequencies 9982.5, 11090 and 16135 kHz

Select a carrier frequency 1.9 kHz below those listed when using a single sideband radio in the USB mode to receive these broadcasts.

The latest version of NWS marine weather charts for broadcast by the NAVY are available from the National Weather Service Telecommunication Gateway on this server. The listed charts are in the G4(T4) format and enveloped in TIFF for viewing. These charts may be found in directory: <ftp://tgftp.nws.noaa.gov/fax> or <http://weather.noaa.gov/pub/fax>

For information of how these files and other text and graphic marine forecasts may be downloaded via e-mail (FTPMAIL) see: <http://weather.noaa.gov/pub/fax/ftpmail.txt>

xxxxxxx (Not yet available from these directories)

.TIF files now also available as .gif files

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system.

PAY ATTENTION TO CAPITALIZATION:

Example using FTPMAIL:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject line:          Put anything you like
Body:                  open
                       cd fax
                       get PJFD89.TIF
                       get PBFA11.gif
                       quit
```

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:           Put anything you like
Body:                   help
```

	FILE NAME
WIND/WAVE CHARTS - CENTRAL PACIFIC	
00Z Pacific Wind/Wave Analysis 30S-30N, 110W-130E	PJFB89.TIF
12Z Pacific Wind/Wave Analysis 30S-30N, 110W-130E	PJFD89.TIF
Pacific Wind/Wave Analysis (Most Current)	PJFB10.TIF
24HR Pacific Wind/Wave Forecast VT00Z 30S-30N, 110W-130E	PWFE82.TIF
24HR Pacific Wind/Wave Forecast VT12Z 30S-30N, 110W-130E	PWFE84.TIF
24HR Pacific Wind/Wave Forecast (Most Current)	PWFE11.TIF
48HR Pacific Wind/Wave Forecast VT00Z 30S-30N, 110W-130E	PJFI89.TIF
48HR Pacific Wind/Wave Forecast VT12Z 30S-30N, 110W-130E	PJFI91.TIF
48HR Pacific Wind/Wave Forecast (Most Current)	PJFI10.TIF

72HR Pacific Sea State Forecast VT00Z 30S-30N, 110W-130E	PJFK89.TIF
72HR Pacific Sea State Forecast VT12Z 30S-30N, 110W-130E	PJFK91.TIF
72HR Pacific Sea State Forecast (Most Current)	PJFK10.TIF

WIND/WAVE CHARTS - SE PACIFIC

Tropical Sea State Analysis VT00Z 20S-30N, E of 145W	PKFA88.TIF
Tropical Sea State Analysis VT12Z 20S-30N, E of 145W	PKFA89.TIF
Tropical Sea State Analysis (Most Current)	PKFA10.TIF
24HR Wind/Wave Forecast VT00Z 20S-30N, E of 145W	PWFE01.TIF
24HR Wind/Wave Forecast VT06Z 20S-30N, E of 145W	PWFE02.TIF
24HR Wind/Wave Forecast VT12Z 20S-30N, E of 145W	PWFE03.TIF
24HR Wind/Wave Forecast VT18Z 20S-30N, E of 145W	PWFE04.TIF
24HR Wind/Wave Forecast (Most Current)	PWFE10.TIF
48HR Wind/Wave Forecast VT00Z 20S-30N, E of 145W	PWFI88.TIF
48HR Wind/Wave Forecast VT12Z 20S-30N, E of 145W	PWFI90.TIF
48HR Wind/Wave Forecast (Most Current)	PWFI10.TIF
@48HR Wave Period/Swell Direction VT00Z 20S-30N, E of 145W	PJFI87.TIF
48HR Wave Period/Swell Direction VT12Z 20S-30N, E of 145W	PJFI88.TIF
48HR Wave Period/Swell Direction (Most Current)	PJFI11.TIF
72HR Wind/Wave Forecast VT00Z 20S-30N, E of 145W	PWFK92.TIF
72HR Wind/Wave Forecast VT12Z 20S-30N, E of 145W	PWFK93.TIF
72HR Wind/Wave Forecast (Most Current)	PWFK10.TIF
72HR Wave Period/Swell Direction VT00Z 20S-30N, E of 145W	PJFK93.TIF

WIND/WAVE CHARTS - NORTH PACIFIC

00Z Sea State Analysis 20N-70N, 115W-135E	PJBA99.TIF
@00Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBA88.TIF
@06Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBB88.TIF
@12Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBA89.TIF
@18Z Wind/Wave Analysis 18N-62N, E OF 157W	PWBD89.TIF
@ Wind/Wave Analysis 18N-62N, E OF 157W (Most Current)	PWBA90.TIF
24HR Wind/Wave Forecast VT00Z 18N-62N, E OF 157W	PWBE98.TIF
24HR Wind/Wave Forecast VT12Z 18N-62N, E OF 157W	PWBE99.TIF
24HR Wind/Wave Forecast (Most Current)	PWBE10.TIF
48HR Wind/Wave Forecast VT00Z 20N-70N, 115W-135E	PJBI98.TIF
48HR Wind/Wave Forecast VT12Z 20N-70N, 115W-135E	PJBI99.TIF
48HR Wind Wave Forecast (Most Current)	PJBI10.TIF
48HR Wave Period/Swell Direction VT00Z 20N-70N, 115W-135E	PJBI88.TIF
@48HR Wave Period/Swell Direction VT12Z 20N-70N, 115W-135E	PJBI89.TIF
48HR Wave Period/Swell Direction (Most Current)	PJBI20.TIF
96HR Wind/Wave Forecast VT12Z 20N-70N, 115W-135E	PJBM98.TIF
96HR Wave Period/Swell Direction VT12Z 20N-70N, 115W-135E	PJBM88.TIF

SURFACE CHARTS - CENTRAL PACIFIC

@00Z North Pacific Preliminary Analysis 20N-80N, 110W-110E	xxxxxxx.TIF
@06Z North Pacific Preliminary Analysis 20N-80N, 110W-110E	xxxxxxx.TIF
@12Z North Pacific Preliminary Analysis 20N-80N, 110W-110E	xxxxxxx.TIF
@18Z North Pacific Preliminary Analysis 20N-80N, 110W-110E	xxxxxxx.TIF
@ North Pacific Preliminary Analysis (Most Current)	PYPA00.TIF
00Z Pacific Surface Analysis EQ-50N, 110W-130E	PPBA88.TIF
06Z Pacific Surface Analysis EQ-50N, 110W-130E	PPBA89.TIF
12Z Pacific Surface Analysis EQ-50N, 110W-130E	PPBA90.TIF
18Z Pacific Surface Analysis EQ-50N, 110W-130E	PPBA91.TIF
Pacific Surface Analysis (Most Current)	PPBA11.TIF
00Z Pacific Streamline Analysis 30S-30N, 110W-130E	PWFA90.TIF
06Z Pacific Streamline Analysis 30S-30N, 110W-130E	PWFA91.TIF
12Z Pacific Streamline Analysis 30S-30N, 110W-130E	PWFA92.TIF

18Z Pacific Streamline Analysis 30S-30N, 110W-130E	PWFA93.TIF
Pacific Streamline Analysis (Most Current)	PWFA11.TIF
@\$00Z Tropical Surface Analysis 40S-40N, 100W-120E	xxxxxxx.TIF
@\$06Z Tropical Surface Analysis 40S-40N, 100W-120E	xxxxxxx.TIF
@\$12Z Tropical Surface Analysis 40S-40N, 100W-120E	xxxxxxx.TIF
@\$18Z Tropical Surface Analysis 40S-40N, 100W-120E	xxxxxxx.TIF
@\$ Tropical Surface Analysis (Most Current)	QYFA99.TIF
03Z Significant Cloud Features 30S-50N, 110W-160E	PBFA99.TIF
15Z Significant Cloud Features 30S-50N, 110W-160E	PBFC99.TIF
Significant Cloud Features (Most Current)	PBFA11.TIF
24HR Pacific Surface Forecast VT00Z 30S-50N 110W-130E	PYFE87.TIF
24HR Pacific Surface Forecast VT12Z 30S-50N 110W-130E	PYFE88.TIF
24HR Pacific Surface Forecast (Most Current)	PYFE11.TIF
@\$24HR Wind/Stream Forecast VT00Z 30S-50N, 100W-120E	QWFI99.TIF
@\$48HR Wind/Stream Forecast VT00Z 30S-50N, 100W-120E	QWFQ99.TIF
48HR Pacific Surface Forecast VT00Z 30S-50N 110W-130E	PYFI87.TIF
48HR Pacific Surface Forecast VT12Z 30S-50N 110W-130E	PYFI88.TIF
48HR Pacific Surface Forecast (Most Current)	PYFI11.TIF
72HR Pacific Surface Forecast VT00Z 30S-50N 110W-130E	PYFK87.TIF
72HR Pacific Surface Forecast VT12Z 30S-50N 110W-130E	PYFK88.TIF
72HR Pacific Surface Forecast (Most Current)	PYFK11.TIF

\$ These charts will no longer be available sometime after June 20, 2006

#### SURFACE CHARTS - SE PACIFIC

00Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA96.TIF
06Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA97.TIF
12Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA98.TIF
18Z East Pacific Surface Analysis 20S-30N, E of 145W	PYFA99.TIF
East Pacific Surface Analysis Most Current	PYFA90.TIF
@00Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB86.TIF
@06Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB87.TIF
@12Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB85.TIF
@18Z U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB88.TIF
@ U.S./Tropical Surface Analysis 5S-50N,55W-125W	PYEB11.TIF
24HR Tropical Surface Forecast VT00 20S-30N, E of 145W	PYFE79.TIF
24HR Tropical Surface Forecast VT12 20S-30N, E of 145W	PYFE80.TIF
24HR Tropical Surface Forecast(Most Current)	PYFE10.TIF
48HR Tropical Surface Forecast VT00 20S-30N, E of 145W	PYFI81.TIF
48HR Tropical Surface Forecast VT12 20S-30N, E of 145W	PYFI82.TIF
48HR Tropical Surface Forecast(Most Current)	PYFI10.TIF
72HR Tropical Surface Forecast VT00 20S-30N, E of 145W	PYFK83.TIF
72HR Tropical Surface Forecast VT12 20S-30N, E of 145W	PYFK84.TIF
72HR Tropical Surface Forecast (Most Current)	PYFK10.TIF

#### SURFACE CHARTS - NORTH PACIFIC

00Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA01.TIF
00Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA02.TIF
06Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA03.TIF
06Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA04.TIF
12Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA05.TIF
12Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA06.TIF
18Z Surface Analysis NE Pacific (Part 1) 20N-70W, 115W-175W	PYBA07.TIF
18Z Surface Analysis NW Pacific (Part 2) 20N-70W, 175W-135E	PYBA08.TIF
Surface Analysis, Part 1 (Most Current)	PYBA90.TIF
Surface Analysis, Part 2 (Most Current)	PYBA91.TIF
@24HR Surface Forecast VT00Z 18N-62W, E of 157W	PPBE00.TIF
@24HR Surface Forecast VT12Z 18N-62W, E of 157W	PPBE01.TIF

@24HR Surface Forecast (Most Current)	PPBE10.TIF
48HR Surface Forecast VT00Z 20N-70W, 115W-135E	PWBI98.TIF
48HR Surface Forecast VT12Z 20N-70W, 115W-135E	PWBI99.TIF
48HR Surface Forecast (Most Current)	PWBI10.TIF
96HR Surface Forecast VT12Z 20N-70W, 115W-135E	PWBM99.TIF

#### TROPICAL CYCLONE CHARTS - PACIFIC

72 HR Tropical Cyclone Danger Area VT 03Z 0N-40N, 80W-170E	PWFK03.TIF
72 HR Tropical Cyclone Danger Area VT 09Z 0N-40N, 80W-170E	PWFK09.TIF
72 HR Tropical Cyclone Danger Area VT 15Z 0N-40N, 80W-170E	PWFK15.TIF
72 HR Tropical Cyclone Danger Area VT 21Z 0N-40N, 80W-170E	PWFK21.TIF
72 HR Tropical Cyclone Danger Area (Most Current)	PWFK12.TIF

#### SEA SURFACE TEMPERATURE CHARTS

Pacific SST Chart 55N-EQ, 110W-160E	PTFA88.TIF
-------------------------------------	------------

#### SATELLITE IMAGERY (IR)

00Z Eastern Pacific Satellite Image 05S-55N, 110W-155E	evpz00.jpg
06Z Eastern Pacific Satellite Image 05S-55N, 110W-155E	evpz06.jpg
12Z Eastern Pacific Satellite Image 05S-55N, 110W-155E	evpz12.jpg
18Z Eastern Pacific Satellite Image 05S-55N, 110W-155E	evpz18.jpg
Eastern Pacific Satellite Image (Most Current)	evpz11.jpg
00Z Southwest Pacific Satellite Image 40S-05N, 130W-165E	evps00.jpg
06Z Southwest Pacific Satellite Image 40S-05N, 130W-165E	evps06.jpg
12Z Southwest Pacific Satellite Image 40S-05N, 130W-165E	evps12.jpg
18Z Southwest Pacific Satellite Image 40S-05N, 130W-165E	evps18.jpg
Southwest Pacific Satellite Image (Most Current)	evps11.jpg
@00Z Tropical East Pacific Satellite Image 20S-40N,E of 145W	evpn02.jpg
06Z Tropical East Pacific Satellite Image 20S-40N,E of 145W	evpn07.jpg
@12Z Tropical East Pacific Satellite Image 20S-40N,E of 145W	evpn04.jpg
18Z Tropical East Pacific Satellite Image 20S-40N,E of 145W	evpn08.jpg
Tropical East Pacific Satellite Image (MOST CURRENT)	evpn10.jpg
@00Z Pacific Satellite Image 05N-55N, E of 180W	evpn01.jpg
06Z Pacific Satellite Image 05N-55N, E of 180W	evpn06.jpg
@12Z Pacific Satellite Image 05N-55N, E of 180W	evpn12.jpg
18Z Pacific Satellite Image 05N-55N, E of 180W	evpn18.jpg
Pacific Satellite Image (MOST CURRENT)	evpn99.jpg

#### SCHEDULE INFORMATION

Radiofax Schedule (Honolulu, HI) Part I	PLBZ07.TIF
Radiofax Schedule (Honolulu, HI) Part II	PLBZ09.TIF
Radiofax Schedule (DOS Text Version)	hfhi.txt
Test/Map Symbols/General Notice	PLBZ08.TIF
Internet File Names (This file)	rfaxhi.txt

@ Not transmitted via Honolulu radiofax but listed here for convenience

Many of these charts also Broadcast via Pt. Reyes, CA and Kodiak, AK

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>  
Author: Timothy Rulon, Marine and Coastal Weather Services Branch W/OS21  
National Weather Service  
Last Modified Feb 20, 2007  
Document URL: <http://weather.noaa.gov/pub/fax/rfaxhi.txt>  
<ftp://tgftp.nws.noaa.gov/fax/rfaxhi.txt>

NATIONAL WEATHER SERVICE MARINE TEXT PRODUCTS  
HIGHSEAS, FORECAST DISCUSSION, OFFSHORE, NAVTEX, and OPEN LAKE PRODUCTS

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system. NOTE CAPITALIZATION!

Send an e-mail to: ftpmail@weather.noaa.gov  
Subject Line: Put anything you like  
Body: open  
cd data  
cd forecasts  
cd marine  
cd high\_seas  
get north\_pacific.txt  
get north\_atlantic.txt  
quit

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

Send an e-mail to: ftpmail@weather.noaa.gov  
Subject Line: Put anything you like  
Body: help

#### HIGH SEAS FORECASTS

These files may be found in directory:  
ftp://tgftp.nws.noaa.gov/data/forecasts/marine/high\_seas/

PRODUCT DESCRIPTION	FILE NAME
Northwest Atlantic Highseas (GMDSS Area IV)	north_atlantic.txt
Northeast Pacific Highseas (GMDSS Area XII)	north_pacific.txt
Peru Highseas (GMDSS Area XVI)	east_pacific_3.txt
25S-0N, 160E-120W South Central Pacific	south_hawaii.txt
30-60N, east of 160 E (p/o NE Pacific)	east_pacific_1.txt
0-30N, E of 140W (p/o NE Pacific)	east_pacific_2.txt
0-30N, 160E-140W (p/o NE Pacific)	north_hawaii.txt

#### FORECAST DISCUSSION

These files may be found in directory:  
ftp://tgftp.nws.noaa.gov/data/raw/ag/

Example:  
Send an e-mail to: ftpmail@weather.noaa.gov  
Subject Line: Put anything you like  
Body: open  
cd data  
cd raw  
cd ag  
get agnt40.kwnm.mim.atn.txt  
quit

PRODUCT DESCRIPTION	FILE NAME
---------------------	-----------



Northwest Atlantic	agnt40.kwnm.mim.atn.txt
Northeast Pacific	agpn40.kwnm.mim.pac.txt
Gulf, Caribbean Sea & SW N. Atlantic	agxx40.knhc.mim.ats.txt

Note...these Forecast Discussions are primarily intended for use by forecasters and make heavy use of abbreviations. A glossary is not available.

#### OFFSHORE FORECASTS

For offshore forecasts, NAVTEX forecasts can also be utilized which are nearly identical and may contain supplementary information at times for coastal areas.

These files may be found in directory:  
ftp://tgftp.nws.noaa.gov/data/raw/fz/

#### Example:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                  open
                       cd data
                       cd raw
                       cd fz
                       get fznt21.kwbc.off.nt1.txt
                       quit
```

PRODUCT DESCRIPTION	FILE NAME
New England	fznt21.kwbc.off.nt1.txt
Mid-Atlantic	fznt22.kwbc.off.nt2.txt
SW North Atlantic, Caribbean	fznt23.knhc.off.nt3.txt
Gulf of Mexico	fznt24.knhc.off.nt4.txt
Washington, Oregon	fzpn25.kwbc.off.pz5.txt
California	fzpn26.kwbc.off.pz6.txt
Eastern Gulf of Alaska	fzak67.pajk.off.ajk.txt
Western Gulf of Alaska	fzak61.pafc.off.aer.txt
Bering Sea	fzak62.pafc.off.alu.txt
Hawaii	fzhw60.phfo.off.hfo.txt

#### NAVTEX FORECASTS

These files may be found in directory:  
ftp://tgftp.nws.noaa.gov/data/raw/fz/

#### Example:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                  open
                       cd data
                       cd raw
                       cd fz
                       get fznt23.kwnm.off.n01.txt
                       quit
```

PRODUCT DESCRIPTION	FILE NAME
NAVTEX Boston, MA	fznt23.kwnm.off.n01.txt

NAVTEX Chesapeake, VA	fznt24.kwnm.off.n02.txt
NAVTEX Savannah, GA	fznt25.kwnm.off.n03.txt
NAVTEX Miami, FL	fznt25.knhc.off.n04.txt
NAVTEX San Juan, PR	fznt26.knhc.off.n05.txt
NAVTEX New Orleans, LA	fznt27.knhc.off.n06.txt
NAVTEX Astoria, OR	fzpn24.kwnm.off.n09.txt
NAVTEX Pt. Reyes, CA	fzpn23.kwnm.off.n08.txt
NAVTEX Cambria, CA	fzpn22.kwnm.off.n07.txt
NAVTEX Honolulu, HI	fzhw61.phfo.off.n10.txt
NAVTEX Kodiak, (SE) AK	fzak61.pajk.off.n11.txt
NAVTEX Kodiak, (N Gulf) AK	fzak63.pafc.off.n12.txt
NAVTEX Kodiak, (W) AK	fzak64.pafc.off.n13.txt
NAVTEX Kodiak, (NW and Artic) AK	fzak69.pafg.off.n14.txt

#### OPEN LAKE FORECASTS

These files may be found in directory:  
<ftp://tgftp.nws.noaa.gov/data/raw/fz/>

#### Example:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                  open
                       cd data
                       cd raw
                       cd fz
                       get fzus61.kbuf.glf.sl.txt
                       quit
```

PRODUCT DESCRIPTION	FILE NAME
St. Lawrence	fzus61.kbuf.glf.sl.txt
Lake Ontario	fzus61.kbuf.glf.lo.txt
Lake Erie	fzus61.kcle.glf.le.txt
Lake St. Clair	fzus63.kdtx.glf.sc.txt
Lake Huron	fzus63.kdtx.glf.lh.txt
Lake Michigan	fzus63.klot.glf.lm.txt
Lake Superior	fzus63.kmqt.glf.ls.txt

Further information see: <http://www.nws.noaa.gov/om/marine/home.htm>

Author: Timothy Rulon, Office of Marine and Coastal Services W/OS21,  
 National Weather Service  
 Last Modified Jan 30, 2007  
 Document URL: <http://weather.noaa.gov/pub/fax/marinel.txt>  
<ftp://tgftp.nws.noaa.gov/fax/marinel.txt>

NATIONAL WEATHER SERVICE MARINE TEXT PRODUCTS  
HURRICANE PRODUCTS

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system. NOTE CAPITALIZATION!

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 open
                       cd data
                       cd hurricane_products
                       cd atlantic
                       cd weather
                       get outlook.txt
                       cd /data
                       cd hurricane_products
                       cd atlantic
                       cd storm_2
                       get technical_advisory.txt
                       quit
```

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 help
```

ATLANTIC HURRICANE PRODUCTS

These files may be found in directory:  
[ftp://tgftp.nws.noaa.gov/data/hurricane\\_products/atlantic](ftp://tgftp.nws.noaa.gov/data/hurricane_products/atlantic)

PRODUCT DESCRIPTION	FILE NAME
Tropical WX Outlook	/weather/outlook.txt
Tropical WX Discussion	/weather/discussion.txt
Tropical WX Summary	/weather/summary.txt
Tropical WX Disturbance Stmt	/weather/advisory.txt
Tropical Cyclone Update (Storm #1)	/storm_1/update.txt
Tropical Cyclone Update (Storm #2)	/storm_2/update.txt
Tropical Cyclone Update (Storm #3)	/storm_3/update.txt
Tropical Cyclone Update (Storm #4)	/storm_4/update.txt
Tropical Cyclone Update (Storm #5)	/storm_5/update.txt
Tropical Cyclone Discussion (Storm #1)	/storm_1/discussion.txt
Tropical Cyclone Discussion (Storm #2)	/storm_2/discussion.txt
Tropical Cyclone Discussion (Storm #3)	/storm_3/discussion.txt
Tropical Cyclone Discussion (Storm #4)	/storm_4/discussion.txt
Tropical Cyclone Discussion (Storm #5)	/storm_5/discussion.txt
Public Advisory (Storm #1)	/storm_1/advisory.txt
Public Advisory (Storm #2)	/storm_2/advisory.txt
Public Advisory (Storm #3)	/storm_3/advisory.txt
Public Advisory (Storm #4)	/storm_4/advisory.txt
Public Advisory (Storm #5)	/storm_5/advisory.txt
Tropical Depression Forecast (Storm #1)	/storm_1/technical_advisory.txt
Tropical Depression Forecast (Storm #2)	/storm_2/technical_advisory.txt
Tropical Depression Forecast (Storm #3)	/storm_3/technical_advisory.txt
Tropical Depression Forecast (Storm #4)	/storm_4/technical_advisory.txt

Tropical Depression Forecast (Storm #5)	/storm_5/technical_advisory.txt
Hurricane Probabilities (Storm #1)	/storm_1/strike_probability.txt
Hurricane Probabilities (Storm #2)	/storm_2/strike_probability.txt
Hurricane Probabilities (Storm #3)	/storm_3/strike_probability.txt
Hurricane Probabilities (Storm #4)	/storm_4/strike_probability.txt
Hurricane Probabilities (Storm #5)	/storm_5/strike_probability.txt
RECON Plan	TBD

Atlantic Tropical Weather Outlook normally issued 0300z, 0900z, 1500z and 2100z during hurricane season, June 1 - November 30. Remaining products issued when active systems exist. May be issued at 3-hourly intervals and other unscheduled times as system approaches landfall.

#### EASTERN PACIFIC HURRICANE PRODUCTS

These files may be found in directory:

ftp://tgftp.nws.noaa.gov/data/hurricane\_products/eastern\_pacific

PRODUCT DESCRIPTION	FILE NAME
Tropical WX Outlook	/weather/outlook.txt
Tropical WX Discussion	/weather/discussion.txt
Tropical WX Summary	/weather/summary.txt
Tropical WX Disturbance Stmt	/weather/advisory.txt
Tropical Cyclone Update (Storm #1)	/storm_1/update.txt
Tropical Cyclone Update (Storm #2)	/storm_2/update.txt
Tropical Cyclone Update (Storm #3)	/storm_3/update.txt
Tropical Cyclone Update (Storm #4)	/storm_4/update.txt
Tropical Cyclone Update (Storm #5)	/storm_5/update.txt
Tropical Cyclone Discussion (Storm #1)	/storm_1/discussion.txt
Tropical Cyclone Discussion (Storm #2)	/storm_2/discussion.txt
Tropical Cyclone Discussion (Storm #3)	/storm_3/discussion.txt
Tropical Cyclone Discussion (Storm #4)	/storm_4/discussion.txt
Tropical Cyclone Discussion (Storm #5)	/storm_5/discussion.txt
Public Advisory (Storm #1)	/storm_1/advisory.txt
Public Advisory (Storm #2)	/storm_2/advisory.txt
Public Advisory (Storm #3)	/storm_3/advisory.txt
Public Advisory (Storm #4)	/storm_4/advisory.txt
Public Advisory (Storm #5)	/storm_5/advisory.txt
Tropical Depression Forecast (Storm #1)	/storm_1/technical_advisory.txt
Tropical Depression Forecast (Storm #2)	/storm_2/technical_advisory.txt
Tropical Depression Forecast (Storm #3)	/storm_3/technical_advisory.txt
Tropical Depression Forecast (Storm #4)	/storm_4/technical_advisory.txt
Tropical Depression Forecast (Storm #5)	/storm_5/technical_advisory.txt
RECON Plan	TBD

Eastern Pacific Tropical Weather Outlook normally issued 0300z, 0900z, 1500z and 2100z during hurricane season, May 15 - November 30. Remaining products issued when active systems exist. May be issued at 3-hourly intervals and other unscheduled times as system approaches landfall.

#### CENTRAL PACIFIC HURRICANE PRODUCTS

These files may be found in directory:

ftp://tgftp.nws.noaa.gov/data/hurricane\_products/central\_pacific

PRODUCT DESCRIPTION	FILE NAME
Tropical WX Outlook	/weather/outlook.txt
Tropical WX Discussion	(discontinued)

Tropical WX Summary	/weather/summary.txt
Tropical WX Disturbance Stmt	/weather/advisory.txt
Tropical Cyclone Update (Storm #1)	/storm_1/update.txt
Tropical Cyclone Update (Storm #2)	/storm_2/update.txt
Tropical Cyclone Update (Storm #3)	/storm_3/update.txt
Tropical Cyclone Update (Storm #4)	/storm_4/update.txt
Tropical Cyclone Update (Storm #5)	/storm_5/update.txt
Tropical Cyclone Discussion (Storm #1)	/storm_1/discussion.txt
Tropical Cyclone Discussion (Storm #2)	/storm_2/discussion.txt
Tropical Cyclone Discussion (Storm #3)	/storm_3/discussion.txt
Tropical Cyclone Discussion (Storm #4)	/storm_4/discussion.txt
Tropical Cyclone Discussion (Storm #5)	/storm_5/discussion.txt
Public Advisory (Storm #1)	/storm_1/advisory.txt
Public Advisory (Storm #2)	/storm_2/advisory.txt
Public Advisory (Storm #3)	/storm_3/advisory.txt
Public Advisory (Storm #4)	/storm_4/advisory.txt
Public Advisory (Storm #5)	/storm_5/advisory.txt
Tropical Depression Forecast (Storm #1)	/storm_1/technical_advisory.txt
Tropical Depression Forecast (Storm #2)	/storm_2/technical_advisory.txt
Tropical Depression Forecast (Storm #3)	/storm_3/technical_advisory.txt
Tropical Depression Forecast (Storm #4)	/storm_4/technical_advisory.txt
Tropical Depression Forecast (Storm #5)	/storm_5/technical_advisory.txt
RECON PLAN	TBD

Central Pacific Tropical Weather Outlook normally issued 0300z, 0900z, 1500z and 2100z during hurricane season, June 1 - November 30. Remaining products issued when active systems exist. May be issued at 3-hourly intervals and other unscheduled times as system approaches landfall.

#### WESTERN PACIFIC HURRICANE PRODUCTS

These files may be found in directory:  
<http://tgftp.nws.noaa.gov/pub/data/raw/wt>

Example:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                  open
                       cd data
                       cd raw
                       cd wt
                       get wtpq31.pgum.tcp.pq1.txt
                       quit
```

PRODUCT DESCRIPTION	FILE NAME
Public Advisory (Storm #1)	/wtpq31.pgum.tcp.pq1.txt
Public Advisory (Storm #2)	/wtpq32.pgum.tcp.pq2.txt
Public Advisory (Storm #3)	/wtpq33.pgum.tcp.pq3.txt
Public Advisory (Storm #4)	/wtpq34.pgum.tcp.pq4.txt
Public Advisory (Storm #5)	/wtpq35.pgum.tcp.pq5.txt

These products may only contain information on cyclones with potential landfalls in U.S. areas. See NAVY products below for additional information..

WESTERN PACIFIC HURRICANE PRODUCTS (NAVY)

These files may be found in directory:  
<http://tgftp.nws.noaa.gov/pub/data/raw/wt>

Example:

```
Send an e-mail to:      ftpmail@weather.noaa.gov
Subject Line:          Put anything you like
Body:                 open
                       cd data
                       cd raw
                       cd wt
                       get wtpn21.pgtw..txt
                       quit
```

PRODUCT DESCRIPTION	FILE NAME
NW Pacific Tropical Cyclone Formation Alert Storm #1	/wtpn21.pgtw..txt
NW Pacific Tropical Cyclone Formation Alert Storm #2	/wtpn22.pgtw..txt
NW Pacific Tropical Cyclone Formation Alert Storm #2	/wtpn23.pgtw..txt
NW Pacific Tropical Cyclone Formation Alert Storm #4	/wtpn24.pgtw..txt
NW Pacific Tropical Cyclone Formation Alert Storm #5	/wtpn25.pgtw..txt
SW Pacific Tropical Cyclone Formation Alert Storm #1	/wtps21.pgtw..txt
SW Pacific Tropical Cyclone Formation Alert Storm #2	/wtps22.pgtw..txt
SW Pacific Tropical Cyclone Formation Alert Storm #3	/wtps23.pgtw..txt
SW Pacific Tropical Cyclone Formation Alert Storm #4	/wtps24.pgtw..txt
SW Pacific Trocical Cyclone Formation Alert Storm #5	/wtps25.pgtw..txt
NW Pacific Tropical Cyclone Warning Storm #1	/wtpn31.pgtw..txt
NW Pacific Tropical Cyclone Warning Storm #2	/wtpn32.pgtw..txt
NW Pacific Tropical Cyclone Warning Storm #3	/wtpn33.pgtw..txt
NW Pacific Tropical Cyclone Warning Storm #4	/wtpn34.pgtw..txt
NW Pacific Tropical Cyclone Warning Storm #5	/wtpn35.pgtw..txt
SW Pacific Tropical Cyclone Warning Storm #1	/wtpS31.pgtw..txt
SW Pacific Tropical Cyclone Warning Storm #2	/wtpS32.pgtw..txt
SW Pacific Tropical Cyclone Warning Storm #3	/wtpS33.pgtw..txt
SW Pacific Tropical Cyclone Warning Storm #4	/wtpS34.pgtw..txt
SW Pacific Tropical Cyclone Warning Storm #5	/wtpS35.pgtw..txt

Author: Timothy Rulon

Marine and Coastal Services Branch, OS21

National Weather Service

Last Modified Friday Jan 30, 2007

Document URL: <http://weather.noaa.gov/pub/fax/marine2.txt>

<ftp://tgftp.nws.noaa.gov/fax/marine2.txt>

NATIONAL WEATHER SERVICE MARINE TEXT PRODUCTS  
COASTAL and NEARSHORE MARINE FORECASTS

This file is intended to assist mariners using the FTPMAIL system which is used to obtain National Weather Service products via e-mail. The following is an example in the use of the FTPMAIL system. NOTE CAPITALIZATION!

Send an e-mail to: ftpmail@weather.noaa.gov  
Subject Line: Put anything you like  
Body: open  
cd data  
cd raw  
cd fz  
get fzus56.kmtr.cwf.mtr.txt  
quit

The "help" file contains a more detailed description of the FTPMAIL system and available products. To obtain a copy of the FTPMAIL "help file".

Send an e-mail to: ftpmail@weather.noaa.gov  
Subject Line: Put anything you like  
Body: help

COASTAL and NEARSHORE MARINE FORECASTS

These files may be found in directory:  
ftp://tgftp.nws.noaa.gov/data/raw/fz

PRODUCT DESCRIPTION	FILE NAME
Caribou, ME	fzus51.kcar.cwf.car.txt
Gray, ME	fzus51.kgyx.cwf.gyx.txt
Taunton, MA	fzus51.kbox.cwf.box.txt
New York, NY	fzus51.kokx.cwf.okx.txt
Philadelphia, PA	fzus51.kphi.cwf.phi.txt
Washington, DC	fzus51.klwx.cwf.lwx.txt
Wakefield, VA	fzus51.kakq.cwf.akq.txt
Newport/Morehead City, NC	fzus52.kmhx.cwf.mhx.txt
Wilmington, NC	fzus52.kilm.cwf.ilm.txt
Charleston, SC	fzus52.kchs.cwf.chs.txt
Jacksonville, FL	fzus52.kjax.cwf.jax.txt
Melbourne, FL	fzus52.kmlb.cwf.mlb.txt
Miami, FL	fzus52.kmfl.cwf.mfl.txt
Key West, FL	fzus52.kkey.cwf.key.txt
San Juan, PR	fzca52.tjsj.cwf.sju.txt
San Juan, PR (Spanish)	fzca52.tjsj.cwf.spn.txt
Tampa, FL	fzus52.ktbw.cwf.tbw.txt
Tallahassee, FL	fzus52.ktae.cwf.tae.txt
Mobile, AL	fzus54.kmob.cwf.mob.txt
New Orleans, LA	fzus54.klix.cwf.lix.txt
Lake Charles, LA	fzus54.klch.cwf.lch.txt
Houston/Galveston, TX	fzus54.khgx.cwf.hgx.txt
Corpus Christi, TX	fzus54.kcrp.cwf.crp.txt
Brownsville, TX	fzus54.kbro.cwf.bro.txt
Seattle, WA	fzus56.ksew.cwf.sew.txt
Portland, OR	fzus56.kpqr.cwf.pqr.txt
Medford, OR	fzus56.kmfr.cwf.mfr.txt
Eureka, CA	fzus56.keka.cwf.eka.txt

San Francisco, CA	fzus56.kmtr.cwf.mtr.txt
Los Angeles, CA	fzus56.klox.cwf.lox.txt
San Diego, CA	fzus56.ksgx.cwf.sgx.txt
Hawaii	fzhw50.phfo.cwf.hfo.txt
Hawaii (Generalized)	fzhw51.phfo.cwf.hil.txt
Marianas (Guam)	fzmy50.pgum.cwf.my.txt
East Micronesia	fzpq51.pgum.cwf.pq1.txt
West Micronesia	fzpq52.pgum.cwf.pq2.txt
Samoa	fzsz50.nstu.cwf.ppg.txt
Buffalo, NY	fzus51.kbuf.nsh.buf.txt
Cleveland, OH	fzus51.kcle.nsh.cle.txt
Detroit/Pontiac, MI	fzus53.kdtx.nsh.dtx.txt
Gaylord, MI	fzus53.kapx.nsh.apx.txt
Grand Rapids, MI	fzus53.kgrr.nsh.grr.txt
Northern Indiana, IN	fzus53.kiwx.nsh.ixw.txt
Chicago, IL	fzus53.klot.nsh.lot.txt
Milwaukee/Sullivan, WI	fzus53.kmkx.nsh.mkx.txt
Green Bay, WI	fzus53.kgrb.nsh.grb.txt
Marquette, MI	fzus53.kmqt.nsh.mqt.txt
Duluth, MN	fzus53.kdlh.nsh.dlh.txt
AK, SE Inner Coastal Waters	fzak51.pajk.cwf.ajk.txt
AK, SE Outside Coastal Waters	fzak52.pajk.cwf.aeg.txt
AK, Yakutat Bay	fzak57.paya.cwf.yak.txt
AK, North Gulf Coast and Kodiak	fzak51.pafc.cwf.aer.txt
AK, Valdez Arm and Narrows	fzak58.pavw.cwf.vws.txt
AK, Chiniak and Marmot Bays	fzak58.padq.cwf.adq.txt
Southwest AK and the Aleutians	fzak52.pafc.cwf.alu.txt
Western AK	fzak52.pafg.cwf.wcz.txt
Arctic Coast	fzak51.pafg.cwf.nsb.txt
Sea Ice Advisory West & Arctic AK	fzak80.pafc.ice.afc.txt

Author: Timothy Rulon, Marine and Coastal Weather Services Branch (W/OS21)  
National Weather Service  
Last Modified Jan 30, 2007  
Document URL: <http://weather.noaa.gov/pub/fax/marine3.txt>  
<ftp://tgftp.nws.noaa.gov/fax/marine3.txt>



## Marine Forecasts and Related Information Available via E-mail

National Weather Service (and other) marine forecasts are available via a variety of Government, University, Commercial and Public/Freeware systems intended to make information accessible to users such as mariners who may have an e-mail capability but do not have direct Internet access. The following is a listing of several known automated systems.

Note: Any reference to any product or service does not imply any endorsement by the National Weather Service as to function or suitability for your purpose or environment.

This document (<http://weather.noaa.gov/pub/fax/robots.txt>) may be retrieved via e-mail as follows:

```
Send an e-mail to:  ftpmail@weather.noaa.gov
Subject line:      Put anything you like
Body:              open
                   cd fax
                   get robots.txt
                   quit
```

### FTPMAIL

National Weather Service marine text forecasts and radiofax charts are available via e-mail via an FTPMAIL server. Further, FTPMAIL may be used to acquire any file on the [tgftp.nws.noaa.gov](http://tgftp.nws.noaa.gov) FTP server. The FTPMAIL server is intended to allow Internet access for mariners and other users who do not have direct access to the World Wide Web but who are equipped with an e-mail system. Turnaround is generally less than one hour, however, performance may vary widely and receipt cannot be guaranteed. To get started in using the NWS FTPMAIL service, follow these simple directions to obtain the FTPMAIL "help" file (11 KBytes), or see <http://weather.noaa.gov/pub/fax/ftpmail.txt>

```
Send an e-mail to:  ftpmail@weather.noaa.gov
Subject line:      Put anything you like
Body:              help
```

Not all NWS forecast products are available via FTP and therefore accessible via FTPMAIL such as worldwide computer generated model forecasts which include areas beyond the area of U.S. forecasting responsibility such as the Indian Ocean and South Atlantic.

To retrieve Wave Watch III ([http://polar.ncep.noaa.gov/waves/main\\_table.html](http://polar.ncep.noaa.gov/waves/main_table.html)) and other forecasts via e-mail, use one of the www-to-email systems such as SAILDOCS or OTHERS described below. Be aware computer generated products from forecast models are not reviewed by forecasters and are therefore subject to error. E.G. per the Wave Watch III webpage:

URLs = [http://polar.ncep.noaa.gov/waves/latest\\_run/xxxx.yyyyzzzz](http://polar.ncep.noaa.gov/waves/latest_run/xxxx.yyyyzzzz)

where xxxx =

```
"nww3_at"  Atlantic
"nww3_na"  North Atlantic
"wna"      Western North Atlantic
"wna_ecg"  WNA US coastal zoom
"nah"      North Atlantic Hurricane
"nah_ecg"  NAH US coastal zoom
```

"nww3\_in" Indian Ocean  
"nww3\_pa" Pacific  
"nww3\_np" North Pacific  
"enp" Eastern North Pacific  
"enp\_haw" ENP Hawaii zoom  
"enp\_wc" ENP west coast zoom  
"nph" North Pacific Hurricane  
"nph\_haw" NPH Hawaii zoom  
"nph\_wc" NPH west coast zoom  
"akw" Alaskan Waters

where "yyyy" = "h006" or "h000" for -6 or zero hour hindcasts  
where "yyyy" = "f006" to "f180" (multiples of 6 hours) for forecasts

where "zzzz" =  
"h.gif" Wave Height Forecast  
"h.2.gif" Wave Period and Direction Forecast  
"h.3.gif" Wind Speed and Direction Forecast

e.g. 24hr Wind Speed and Direction Forecast for North Atlantic =  
[http://polar.ncep.noaa.gov/waves/latest\\_run/nww3\\_na.f024h.3.gif](http://polar.ncep.noaa.gov/waves/latest_run/nww3_na.f024h.3.gif)  
(See SAILDOCS or OTHERS described below to retrieve via e-mail,  
file size ~ = 30k Bytes )

And similarly, to retrieve sea surface temperature and surface  
current forecasts from NOAA's for Real-Time Ocean Forecast System (Atlantic):

URLs = [http://polar.ncep.noaa.gov/ofs/aofs\\_images/aofs\\_zzz\\_yyyy\\_xxxx.png](http://polar.ncep.noaa.gov/ofs/aofs_images/aofs_zzz_yyyy_xxxx.png)

where xxxx =  
"natl" North Atlantic  
"wnatl" Western North Atlantic  
"wnatlzoom" Western North Atlantic zoom  
"hurr" Gulf of Mexico

where yyyy =  
"nowcast", "f024", "f048", "f072", "f096" or "f120"

where "zzz" =  
"sst" Sea Surface Temperature (°C)  
"cur" Surface Current (magnitude m/sec)

#### National Hurricane Center Listserver

The National Weather Service's National Hurricane Center operates an e-mail listserver which is special interest to mariners who do not have direct access to the World Wide Web but who are equipped with an e-mail system. This listserver provides an automated means to receive NWS hurricane forecast products via e-mail. However, performance may vary and receipt cannot be guaranteed. This is an experimental service. Interruptions or duplications in e-mail deliveries while we test the system are to be expected. To get started in using the National Hurricane Center Listserver, follow these simple directions for more information, or see: <http://www.nhc.noaa.gov/signup.shtml>

Send an e-mail to: [ftpmail@weather.noaa.gov](mailto:ftpmail@weather.noaa.gov)  
Subject line: Put anything you like  
Body: open  
cd fax  
get nhclist.txt  
quit

#### University of Illinois Listserver

The University of Illinois at Urbana-Champaign operates an e-mail listserver of which two Lists, WX-ATLAN, and WX-TROPL are of special interest to mariners who do not have direct access to the World Wide Web but who are equipped with an e-mail system. These Lists provide an automated means to receive NWS hurricane (and some marine) forecast products via e-mail. However, performance may vary and receipt cannot be guaranteed. To get started in using the University of Illinois Listserver, follow these simple directions to obtain further information, or see: <http://www.lsoft.se/scripts/wl.exe?XH=LISTSERV.UIUC.EDU>

Send an e-mail to: [ftpmail@weather.noaa.gov](mailto:ftpmail@weather.noaa.gov)  
Subject line: Put anything you like  
Body: open  
cd fax  
get uiuclist.txt  
quit

#### Hurricane Watch Net YahooGroup Listserver

The Amateur Radio "HAM" Hurricane Watch Net manages two YahooGroup Lists, HWN, and hwn\_epac, which are of special interest to mariners who do not have direct access to the World Wide Web but who are equipped with an e-mail system. These Lists provide an automated means to receive NWS hurricane forecast products via e-mail. However, performance may vary and receipt cannot be guaranteed. Due to a system limitation, duplicate e-mails are likely. To get started in using the HWN/hwn\_epac YahooGroup Listserver, follow these simple directions to obtain further information, or see: <http://www.hwn.org/>, <http://groups.yahoo.com/group/HWN> and [http://groups.yahoo.com/group/hwn\\_epac](http://groups.yahoo.com/group/hwn_epac)

Send an e-mail to: [ftpmail@weather.noaa.gov](mailto:ftpmail@weather.noaa.gov)  
Subject line: Put anything you like  
Body: open  
cd fax  
get hwnlist.txt  
quit

#### SAILDOCS

SAILDOCS is an email-based document-retrieval system which currently offers two services: a document retrieval service which will return documents from the Internet or SAILDOCS own files, and a subscription service which will send Internet documents (for example weather reports) at scheduled intervals. SAILDOCS files include National Weather Service text forecasts and gridded binary (GRIB files) for wind, pressure, 500mb, and sea surface temperature. SAILDOCS is supported in part by Sailmail ([www.sailmail.com](http://www.sailmail.com)) but is an independent service that can be used by anyone who agrees to the terms and conditions. To get started in using SAILDOCS, follow these simple directions to obtain further information, or see: <http://www.saildocs.com/>

Send an e-mail to: [info@saildocs.com](mailto:info@saildocs.com)  
Subject line: Put anything you like  
Body: Put anything you like

#### NAVIMAIL

Météo-France's NAVIMAIL system enables you to receive gridded binary (GRIB files) for wind, pressure, waves, sea surface temperature, as well as text bulletins and satellite images. There is a service charge for GRIB data, however, text bulletins and satellite images are available at no charge. To get started in using NAVIMAIL, follow these simple directions to obtain further information, or see:  
<http://www.meteo.fr/marine/navimail>

Send an e-mail to: ftpmail@weather.noaa.gov  
Subject line: Put anything you like  
Body: open  
cd fax  
get navimail.txt  
quit

#### U.S. NOTICES TO MARINERS BY E-MAIL

The National Geospatial-Intelligence Agency (NGA) provides a service whereby the U.S Notices to Mariners are e-mailed to the requesting address every weekend, with the following limitations:

- \* The notice transmitted is listed on the Maritime Safety Information (MSI) Website in the "Notice to Mariners" section as "Entire NtM". Graphics provided in this version are inadequate for navigation purposes. Navigation-quality chartlets are available for download on the MSI website as needed.
- \* Many networks and e-mail applications have restrictions on file sizes for e-mail attachments. In order to ensure all notices are received, the limit on file sizes for the receiving account should be changed to 2.5 Mb. Contact your system administrator or help desk for more assistance.
- \* In order to subscribe, the customer must be logged into the e-mail account to which they wish the notice sent. When the hyperlink below is selected, an e-mail window is generated with the "To" and "From" addresses filled out. The "Subject" and "Body" will be blank. Selecting "Send" subscribes the user to the e-mailed Notice to Mariners.
- \* Instructions to unsubscribe from the notice are included in each Notice to Mariners e-mail.

#### Privacy Act Advisory

Your e-mail address will be used for the purpose of electronically mailing the U.S. Notice to Mariners to you. Upon receipt of your subscription, your identification as the sender will be stripped from your e-mail and only the destination e-mail address you provide will be automatically added to the subscription list. Subscriptions will be processed automatically. If you unsubscribe, your e-mail address will be purged from the file and will not be retained. NGA may collect statistical data about the number of subscribers, number of subscription cancellations, and the number of delivery failures.

To subscribe to U.S. Notices to Mariners by E-mail:

Send an e-mail to: join-ntm@goldweb.nga.mil  
Subject line: Leave blank  
Body: Leave blank

#### U.S. COAST GUARD LOCAL NOTICES TO MARINERS (LNM) LISTSERVER

LNM's and other maritime related information are available via a one-way listserver at: <http://www.navcen.uscg.gov/lnm/listserver.htm>

#### NANUS & GPS STATUS MSGS BY EMAIL

Users with an urgent need to be notified of changes to the GPS Constellation may subscribe to the Navigation Center NANU List Server (<http://cgls.uscg.mil/mailman/listinfo/nanu>) and/or the GPS Status Message List Server (<http://cgls.uscg.mil/mailman/listinfo/gps>). These services provide emails containing the NANU and/or GPS Status Messages, generally within 60 minutes of notification by the Air Force of a change to the GPS Constellation. This is a free service. **PRIVACY INFORMATION:** Disclosure of your email address is voluntary. It is solicited for the sole purpose of delivering the requested information to you and will not be released to any other party.

#### OTHERS

A non-NWS FAQ webpage describing several FTP-to-EMAIL and WWW-to-EMAIL servers may be found at:

<http://www.faqs.org/faqs/internet-services/access-via-email/>

If you have access to the World Wide Web be certain to check out the following webpages. See these pages for further links.

<http://www.nws.noaa.gov> NWS Homepage  
<http://www.nws.noaa.gov/om/marine/home.htm> NWS Marine Page

Author: Timothy Rulon     [timothy.rulon@noaa.gov](mailto:timothy.rulon@noaa.gov)  
Marine and Coastal Weather Services Branch W/OS21  
National Weather Service  
Last Modified Feb 08, 2007  
Document URL: <http://weather.noaa.gov/pub/fax/robots.txt>  
<ftp://weather.noaa.gov/fax/robots.txt>



# AMVER/SEAS

## In Pursuit of Safety At Sea

Under a cooperative agreement between the National Oceanic and Atmospheric Administration (NOAA) and the U. S. Coast Guard (USCG), software has been created to assist Volunteer Observing Ships (VOS) in submitting marine weather reports and participating in the Automated Mutual-assistance Vessel Rescue system (AMVER). The VOS program allows ships to report marine weather to the National Weather Service (NWS) so that high seas forecasts will be as timely and accurate as possible. The AMVER system allows ships to report their intended track so that in the event of an emergency all available resources may be focused on aiding ships in distress. Both of these systems are voluntary and are intended to aid all mariners on the high seas. All transmission costs are paid by the U.S. Coast Guard and NOAA. The ship is not responsible for any transmission costs, provided messages are sent to the address specified in the user=s guide.

NOAA=s SEAS (Shipboard Environmental data Acquisition System) program relies on volunteer observers to report weather at least four times per day at 00Z, 06Z, 12Z, and 18Z. Ships are encouraged to also submit reports at 03Z, 09Z, 15Z and 21Z. In addition, a very limited number of ships are asked to collect oceanographic data. For these ships, a SEAS field representative installs the extra hardware needed and trains the crew in collecting and transmitting the data. Portions of the software needed for these observations are password protected to eliminate confusion.

AMVER reports allow the U. S. Coast Guard to track a vessel=s position. The AMVER program relies on ships to submit four types of reports: (1) Sail Plans; (2) Position Reports; (3) Arrival Reports and (4) Deviation Reports, when necessary. The U. S. Coast Guard updates their database with the position information from these reports, which allows them to identify vessels in the vicinity of a ship in distress.

Ships may participate in either the AMVER or SEAS program, but there are benefits to participating in both. A ship can reduce reporting requirements, since AMVER position reports are created from every weather message and automatically forwarded to the U.S. Coast Guard.

A typical voyage would require the submission of an AMVER Sail Plan before departure, submissions of weather reports four times per day and the submission of an Arrival Report upon arrival. A Deviation Report is only submitted if the ship deviates from its original plan. Ships that follow the same routes repeatedly get an additional benefit since Sail Plans can be stored in the system and recalled and modified rather than creating new ones.

The AMVER/SEAS PC software was developed for use with INMARSAT C transceivers. For those ships already participating in the SEAS program, GOES transmitters will continue to work for the transmission of SEAS observations. To participate in the AMVER program the ship must possess an INMARSAT C transmitter with a floppy drive and the ability to send messages in binary format, and a 286 (or better) IBM compatible PC.

A Windows 95/98/00/ME/NT/XP version of AMVER/SEAS is now available.

### **For Information on SEAS contact:**

Your nearest U.S. Port Meteorological Officer or SEAS representative listed in the Appendix.

### **For Information on AMVER contact:**

Ben Strong 1-212-668-7762 1-212-668-7684 (FAX)

e-mail: [bmstrong@battery.ny.uscg.mil](mailto:bmstrong@battery.ny.uscg.mil)

or visit the SEAS website at:

**<http://seas.amverseas.noaa.gov/seas/>**

# MAROB

## An Experimental Voluntary Marine Observation Program

*All Information with Respect to the MAROB Program Are Preliminary and Subject to Revision*

The MAROB Program is an experimental voluntary marine observation program of the National Weather Service in the early stages of development. It seeks the participation of all mariners, both commercial and recreational, which are not part of the more in-depth VOS program. It is the goal of the program to collect as many marine observations as practicable, to improve the accuracy of coastal, offshore and high seas forecasts, by taking advantage of technological advancements in marine communications and the proliferation of the Internet.

MAROB observations will be in coded form which can be better ingested, distributed and displayed by forecasters than observations in plain language. The MAROB report format will be identical to VOS coded reports, with the exception that "MAROB" will replace "BBXX". The MAROB program will differ from the VOS Program in at least several other aspects: Although MAROBs will be used by forecasters in forecast decision process, these data will likely not be used directly by computer models; Any communications charges and the cost of any observing equipment will not be reimbursed by the Weather Service; The observation elements collected will typically be a subset of those collected in the full VOS report.

The National Weather Service is in the process of developing cooperative arrangements with organizations such as the United States Power Squadrons, the Coast Guard Auxiliary, the WinLink 2000 Global Radio Network, the Maritime Mobile Service Network, CruiseEmail.com, Oceans, Sailmail, SkyMate, MarineNet Wireless, and the YOTREP Reporting System, to both train observers and forward observations to NWS. Technologies utilized may include cellular telephone, HF Marine radio, MF Marine radio, VHF Marine Radio, Ham Radio, Webforms and e-mail.

In several cases, MAROB reporting schemes will work in conjunction with vessel position reporting systems such as WinLink's Position Reporter, the Maritime Mobile Service Network's ShipTrak, and the YOTREPs Reporter, to enhance the safety of mariners.

At present, mariners may participate in the MAROB program in any of several ways.

For information on the MAROB Program see:

**<http://www.nws.noaa.gov/om/marine/marob.htm>**

Or contact:

timothy.rulon@noaa.gov  
1-301-713-1677 x 128

For information on other marine observation programs of the National Weather Service see:

**<http://www.nws.noaa.gov/om/marine/voluntary.htm>**

*Note: Any reference to a commercial product or service does not imply any endorsement by the National Weather Service as to function or suitability for your purpose or environment.*



## USEFUL MARINE WEATHER PUBLICATIONS

Marine Service Charts (MSC) - \$1.25<sup>1</sup>

Marine Service Charts (MSC) list frequencies, schedules and locations of stations disseminating NWS products. They also contain additional weather information of interest to the mariner. Charts are also available via the Internet at: <http://www.nws.noaa.gov/om/marine/pub.htm>.

<u>Location</u>	<u>Number</u>
Eastport, ME to Montauk Point, NY	MSC-1
Montauk Point, NY to Manasquan, NJ	MSC-2
Manasquan, NJ to Cape Hatteras, NC	MSC-3
Cape Hatteras, NC to Savannah, GA	MSC-4
Savannah, GA to Apalachicola, FL	MSC-5
Apalachicola, FL to Morgan City, LA	MSC-6
Morgan City, LA to Brownsville, TX	MSC-7
Mexican Border to Point Conception, CA	MSC-8
Point Conception, CA to Point St George, CA	MSC-9
Point St George, CA to Canadian Border	MSC-10
Great Lakes	MSC-11/12
Hawaiian Waters	MSC-13
Puerto Rico and Virgin Islands	MSC-14
Alaskan Waters	MSC-15
Guam and the Northern Mariana Islands	MSC-16

## OTHER PUBLICATIONS OF VALUE TO THE MARINER

### NOAA PUBLICATIONS

Mariner's Weather Log Magazine - \$13.00/2 issues/yr (\$18.20 foreign)<sup>3</sup>  
Selected Marine Worldwide Weather Broadcasts (9/92)<sup>5</sup>  
Voluntary Observing Ship Program Brochure (1999) Free<sup>6</sup>  
NWS Observing Handbook NO.1 (7/04) Free<sup>6</sup>  
Marine Report User Guide  
Worldwide Marine Radiofacsimile Broadcast Schedules (05/06) Free<sup>4</sup>  
NOAA Weather Radio Brochure (NOAA/PA 94070, 3/97) Free<sup>2</sup>  
NOAA Weather Radio Handout (NOAA/PA 94061, 3/97) Free<sup>2</sup>  
A Mariners Guide to Marine Weather Services - Great Lakes (NOAA/PA 98053) Free<sup>2</sup>  
A Mariners Guide to Marine Weather Services - Coastal, Offshore, and High Seas (NOAA/PA 98054) Free<sup>2</sup>  
Safe Boating Weather Tips (NOAA/PA 94058, 6/98) Free<sup>2</sup>  
National Ocean Service Coast Pilot, Volumes 1-9<sup>1</sup>  
Directory of Private Weather Services - Free<sup>10</sup>  
Lightning & Boats (NOAA/Sea Grant NCU-G-95-004)  
Mariners Guide for Hurricane Awareness in the North Atlantic Basin (large file 2.3 MB PDF format)

### NGA PUBLICATIONS

NGA Publication 117 "Radio Navigational Aids" (2005)...Includes CD<sup>13</sup>  
American Practical Navigator (Bowdich) Publication 9 (2002) -<sup>13</sup>  
Pilot Chart Atlas, 5 areas<sup>13</sup>  
Sailing Directions, 42 volumes<sup>13</sup>  
U.S. Notices to Mariners<sup>14</sup>  
U.S. Notices to Mariners #1, Special Notice to Mariners Paragraphs<sup>14</sup>

## U.S. COAST GUARD PUBLICATIONS

The Future in Marine Radio Communications - GMDSS (1998) Free<sup>9</sup>

## NAVY PUBLICATIONS

U.S. NAVY Hurricane Havens/Heavy Weather Handbooks  
(<http://www.nrlmry.navy.mil/pubs.htm>) Free

## Non-U.S. GOVERNMENT PUBLICATIONS

Canadian Coast Guard Radio Aids to Navigation - \$18.95 Cdn  
The British Admiralty List of Radio Signals<sup>8</sup>  
Volume 1 Coast Radio Stations (2 parts)  
Volume 2 Radio Navigational Aids, Satellite Navigation Systems, Legal Time,  
Radio Time Signals & Electronic Fixing Systems  
Volume 3 Maritime Safety Information Services (2 Parts)  
Volume 4 Meteorological Observation Stations  
Volume 5 Global Maritime Distress and Safety Systems  
Volume 6 Pilot Services, Vessel Traffic Services & Port Operations (5 parts)

## INTERNATIONAL PUBLICATIONS

TSUNAMI The Great Waves - Free<sup>11</sup>  
The SafetyNET Users Handbook - Free  
International SafetyNET Manual, 1994; IMO-908E<sup>12</sup>  
NAVTEX Manual, 1994; IMO-951E<sup>12</sup>  
GMDSS Handbook, 1995 (Includes GMDSS Master Plan); IMO-970E<sup>12</sup>  
SOLAS Consolidated Edition, 1997; IMO-110E<sup>12</sup>  
World Meteorological Organization Publication 9 - Weather Reporting<sup>15</sup>  
Volume A - Observing Stations  
Volume C1 - Meteorological Bulletins  
Volume C2 - Transmission Programmes (Includes broadcast information)  
Volume D - Information for Shipping (Includes broadcast information)

1. FAA/National Aeronautical Charting Office  
Distribution Division, AVN-530  
6303 Ivy Lane, Suite 400  
Greenbelt, MD 20770  
(301) 436-8301  
(800) 638-8972 toll free, U.S. only  
(301) 436-6829 FAX  
Email: [9-AMC-chartsales@faa.gov](mailto:9-AMC-chartsales@faa.gov)  
<http://chartmaker.ncd.noaa.gov>  
or your local chart agent: <http://chartmaker.ncd.noaa.gov/nsd/states.html>

2. Available Internet: Via <http://www.nws.noaa.gov/om/index.html>  
Or from your local National Weather Service Forecast Office.

3. Superintendent of Documents  
P.O. Box 371954  
Pittsburgh, PA 15250-7954  
(202) 512-1800 (7:30am-4:30pm EST)  
(202) 512-2250 FAX  
<http://www.gpo.gov>  
<http://www.nws.noaa.gov/om/mwl/mwl.htm>  
(Distributed free to ships in VOS program)

4. (Printed version available only to ships participating in U.S. VOS program)  
web version <http://www.nws.noaa.gov/om/marine/rfax.pdf>  
National Weather Service  
Voluntary Observing Ship Technical Lead  
Robert "Luke" Luke  
NDBC Bldg #1100  
Stennis Space Center, MS 39529  
(228) 688-1457  
(228) 688-3153 (fax)  
[robert.luke@noaa.gov](mailto:robert.luke@noaa.gov)  
<http://www.vos.noaa.gov>
  
5. Joint Publication of National Weather Service and Naval Oceanography Command  
Out of date, no longer produced  
Marine Communications Program Manager, W/OS21  
National Weather Service, NOAA  
1325 East-West Highway  
Silver Spring, MD 20910  
(301)-713-1677 x128  
(301)-713-1598  
<http://www.nws.noaa.gov/os/marine/feedback.htm>
  
6. (Some publications available only to ships participating in U.S. VOS program)  
National Weather Service  
Voluntary Observing Ship Technical Lead  
Robert "Luke" Luke  
NDBC Bldg #1100  
Stennis Space Center, MS 39529  
(228) 688-1457  
(228) 688-3153 (FAX)  
[robert.luke@noaa.gov](mailto:robert.luke@noaa.gov)  
<http://www.vos.noaa.gov>
  
8. UK Hydrographic Office  
Admiralty Way, Tauton, Somerset  
TA1 2DNm United Kingdom  
+44(0) 1823 337900 x3333  
+44(0) 1823 323753 FAX  
[info@hydro.gov.uk](mailto:info@hydro.gov.uk)  
<http://www.ukho.gov.uk>  
<http://www.ukho.gov.uk/amd/distributorsList.asp> (Distributors)
  
9. Commandant (G-SCT)  
U.S. Coast Guard  
2100 Second Street S.W.  
Washington, D.C. 20593  
(202)-267-2860  
(202)-267-4106 (FAX)  
[cgcomms@comdt.uscg.mil](mailto:cgcomms@comdt.uscg.mil)  
<http://www.navcen.uscg.gov/marcomms/gmdss/#Brochure>  
<http://www.navcen.uscg.gov/marcomms/default.htm>
  
10. National Weather Service  
Industrial Meteorology Staff  
1325 East-West Highway  
Silver Spring, MD 20910  
(301)-713-0258  
(301)-713-0610  
[nws.im@noaa.gov](mailto:nws.im@noaa.gov)  
<http://www.nws.noaa.gov/im/>

11. International Tsunami Information Center  
737 Bishop St. Suite 2200  
Honolulu, HI 96813-3213  
808-532-6422  
808-532-5576 (FAX)  
itic@itic.noaa.gov  
<http://www.prh.noaa.gov/itic/>
12. International Maritime Organization (IMO)  
4 Albert Embankment  
London SE1 7SR UK  
+44 207 7357611  
+44 207 5873210 FAX (general enquiries)  
+44 207 5873241 FAX (publication sales)  
Telex: 23588  
info@imo.org  
<http://www.imo.org>
13. Superintendent of Documents  
P.O. Box 371954  
Pittsburgh, PA 15250-7954  
(202) 512-1800 (7:30am-4:30pm EST)  
(202) 512-2250 FAX  
<http://bookstore.gpo.gov>
14. Since 2004, no longer printed by U.S. Government
15. American Meteorological Society  
Attn: WMO Publications Center  
45 Beacon Street  
Boston, MA 02108 USA  
1-617-227-2425 Fax: 1-617-742-8718  
wmopubs@ametsoc.org  
<http://www.wmo.ch/web/catalogue/>

# Points of Contact

## U.S. Port Meteorological Officers

### Headquarters

Jeff Jenner  
Voluntary Observing Ship Project Manager  
National Data Buoy Center  
Building 1100  
Stennis Space Center, MS 39529-6000  
Tel: 228-688-2784  
Fax: 228-688-3153  
E-mail: jeff.jenner@noaa.gov

Robert A. Luke  
Voluntary Observing Ship Operations  
Manager  
National Data Buoy Center  
Building 3203  
Stennis Space Center, MS 39529-6000  
Tel: 228-688-1457  
Fax: 228-688-3923  
E-mail: robert.luke@noaa.gov

### Atlantic Ports

Peggy Alander, PMO  
National Weather Service, NOAA  
2550 Eisenhower Blvd, Suite 312  
P.O. Box 350067  
Port Everglades, FL 33316  
Tel: 954-463-4271  
Fax: 954-462-8963  
E-mail: peggy.alander@noaa.gov

Peter Gibino, PMO  
National Weather Service, NOAA  
4034-B Geo. Wash. Mem. Hwy.  
Yorktown, VA 23692-2724  
Tel: 757-877-1692  
Fax: 757-877-9561  
E-mail: peter.gibino@noaa.gov

John Warrelmann, PMO  
National Weather Service, NOAA  
13701 Fang Road  
Jacksonville, FL 32218-7933  
Tel: 904-741-5186 Ext. 117  
Fax: 904-741-0078  
E-mail: john.warrelmann@noaa.gov

James Saunders, PMO  
National Weather Service, NOAA  
Maritime Center I, Suite 287  
2200 Broening Highway  
Baltimore, MD 21224-6623  
Tel: 410-633-4709  
Fax: 410-633-4713  
E-mail: james.saunders@noaa.gov

Tim Kenefick, PMO  
NOAA Coastal Services Center  
2234 South Hobson Avenue  
Charleston, SC 29405-2413  
Tel: 843-740-1281  
Fax: 843-740-1289  
E-mail: timothy.kenefick@noaa.gov

Jim Luciani, PMO  
New York/New Jersey  
National Weather Service, NOAA  
110 Main Street, Suite 201  
South Amboy, NJ 08879-1367  
Tel: 732-316-5409  
Fax: 732-316-7643  
E-mail: james.luciani@noaa.gov

### Great Lakes Ports

Amy Seeley, PMO  
National Weather Service, NOAA  
333 West University Dr.  
Romeoville, IL 60446-1804  
Tel: 815-834-0600 Ext. 269  
Fax: 815-834-0645  
E-mail: amy.seeley@noaa.gov

## Gulf of Mexico Ports

Paula Campbell, PMO  
c/o NOAA Fisheries  
P.O. Drawer 1207  
Pascagoula, MS 39568-1207  
Tel: 504-289-2294  
E-mail: paula.campbell@noaa.gov

Chris Fakes, PMO  
National Weather Service, NOAA  
1353 FM646  
Suite 202  
Dickinson, TX 77539  
Tel: 281-534-2640 Ext. 277  
Fax: 281-534-4308  
E-mail: chris.fakes@noaa.gov

## Pacific Ports

Derek LeeLoy  
Ocean Services Program Coordinator  
National Weather Service Pacific Region HQ  
Grosvenor Center, Mauka Tower  
737 Bishop Street, Suite 2200  
Honolulu, HI 96813-3201  
Tel: 808-532-6439  
Fax: 808-532-5569  
E-mail: derek.leeloy@noaa.gov

Patrick Brandow, PMO  
National Weather Service, NOAA  
7600 Sand Point Way, N.E., BIN C15700  
Seattle, WA 98115-6349  
Tel: 206-526-6100  
Fax: 206-526-4571 or 6094  
E-mail: pat.brandow@noaa.gov

Robert Webster, PMO  
National Weather Service, NOAA  
501 West Ocean Blvd., Room 4480  
Long Beach, CA 90802-4213  
Tel: 562-980-4090  
Fax: 562-436-1550  
E-mail: bob.webster@noaa.gov

Richard Courtney  
National Weather Service, NOAA  
600 Sandy Hook Street, Suite 1  
Kodiak, AK 99615-6814  
Tel: 907-487-2102  
Fax: 907-487-9730  
E-mail: richard.courtney@noaa.gov

PMO  
National Weather Service, NOAA  
1301 Clay Street, Suite 1190N  
Oakland, CA 94612-5217  
Tel:  
Fax:  
E-mail: vos@noaa.gov

Debra Elliot, OIC  
National Weather Service, NOAA,  
154 Fairbanks Drive  
Valdez, AK 99686  
Tel: 907-835-4505  
Fax: 907-835-4598  
E-mail: debra.elliott@noaa.gov

Larry Hubble  
National Weather Service Alaska Region  
222 West 7th Avenue #23  
Anchorage, AK 99513-7575  
Tel: 907-271-5135  
Fax: 907-271-3711  
E-mail: larry.hubble@noaa.gov

## U.S. Coast Guard AMVER Center

Ben Strong, AMVER Maritime Relations Officer, United States Coast Guard  
Battery Park Building  
New York, NY 10004  
Tel: 212-668-7762  
Fax: 212-668-7684  
E-mail: bmstrong@battery.ny.uscg.mil

## SEAS Field Representatives

### AOML SEAS Program Manager

Dr. Gustavo Goni  
AOML  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4339  
Fax: 305-361-4412  
E-mail: [gustavo.goni@noaa.gov](mailto:gustavo.goni@noaa.gov)

### Drifter Program Manager

Dr. Rick Lumpkin  
AOML/PHOD  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4513  
Fax: 305-361-4412  
E-mail: [rick.lumpkin@noaa.gov](mailto:rick.lumpkin@noaa.gov)

### ARGO Program Manager

Dr. Claudia Schmid  
AOML/PHOD  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4313  
Fax: 305-361-4412  
E-mail: [claudia.schmid@noaa.gov](mailto:claudia.schmid@noaa.gov)

### Global Drifter Program

Shaun Dolkr  
AOML/PHOD  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4446  
Fax: 305-361-4366  
E-mail: [shaun.dolk@noaa.gov](mailto:shaun.dolk@noaa.gov)

### Northeast Atlantic SEAS Rep.

Jim Farrington  
SEAS Logistics/AMC  
439 West York Street  
Norfolk, VA 23510  
Tel: 757-441-3062  
Fax: 757-441-6495  
E-mail: [james.w.farrington@noaa.gov](mailto:james.w.farrington@noaa.gov)

### Southwest Pacific SEAS Rep.

Carrie Wolfe  
Southern California Marine Institute  
820 S. Seaside Avenue  
San Pedro, Ca 90731-7330  
Tel: 310-519-3181  
Fax: 310-519-1054  
E-mail: [cwolfe@csulb.edu](mailto:cwolfe@csulb.edu)

### Southeast Atlantic SEAS Rep.

Derrick Snowden  
AOML/GOOS Center  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4332  
Fax: 305-361-4412  
E-mail: [derrick.snowden@noaa.gov](mailto:derrick.snowden@noaa.gov)

### Pacific Northwest SEAS Rep.

Steve Noah  
SEAS Logistics/PMC  
424 3rd Ave South #407  
Edmonds, WA 98020  
Tel: 206-526-4280 or 425-238-6501  
E-mail: [KARSTENO@aol.com](mailto:KARSTENO@aol.com)

# Other Port Meteorological Officers

## ARGENTINA

Mario J. Garcia, Jefe del Dto. Redes  
Servicio Meteorológico Nacional  
25 de Mayo 658 (C1002ABN)  
Buenos Aires  
Argentina  
Tel: +54-11 4514 1525  
Fax: +54-11 5167 6709  
E-mail: [garcia@meteofa.mil.ar](mailto:garcia@meteofa.mil.ar)

## AUSTRALIA

### Head Office

Graeme Ball, Mgr.,  
Marine Observations Group  
Bureau of Meteorology  
GPO Box 1289K  
Melbourne, VIC 3001  
Australia  
Tel: +61-3 9669 4203  
Fax: +61-3 9669 4168  
E-mail: [smmo@bom.gov.au](mailto:smmo@bom.gov.au)  
Group E-mail: [marine\\_obs@bom.gov.au](mailto:marine_obs@bom.gov.au)

### Fremantle

Malcolm (Mal) Young, PMA  
c/o Bureau of Meteorology  
PO Box 1370  
West Perth WA 6872  
Australia  
Tel: +61-8 9474 1974  
Fax: +61-8 6210 1801  
E-mail: [PMA.Fremantle@bom.gov.au](mailto:PMA.Fremantle@bom.gov.au)

### Melbourne

Albert Dolman, PMA  
c/o Bureau of Meteorology  
GPO Box 1636M  
Melbourne, Vic. 3001  
Australia  
Tel: +61-4 3858 7341  
Fax: +61-3 5229 5432  
E-mail: [PMA.Melbourne@bom.gov.au](mailto:PMA.Melbourne@bom.gov.au)

### Sydney

Capt. Einion E. (Taffy) Rowlands, PMA  
c/o Bureau of Meteorology  
GPO Box 413  
Darlinghurst NSW 1300  
Australia  
Tel: +61-2 9296 1547  
Fax: +61-2 9296 1648  
E-mail: [PMA.Sydney@bom.gov.au](mailto:PMA.Sydney@bom.gov.au)



## CANADA

### Canadian Headquarters

Gerie Lynn Lavigne, Life Cycle Manager  
Marine Networks, Environment Canada  
Surface Weather, Climate and Marine  
Networks  
4905 Dufferin Street  
Toronto, Ontario  
Canada M3H 5T4  
Tel: +1-416 739 4561  
Fax: +1-416 739 4261  
E-mail: [gerielynn.lavigne@ec.gc.ca](mailto:gerielynn.lavigne@ec.gc.ca)

### British Columbia

Hamid Nasr, PMO  
Environment Canada  
140 - 13160  
Vanier Place  
Richmond, British Columbia V6V 2J2  
Canada  
Tel: +1-604-713-9523  
Cel: +1-604-839-8630  
Fax: +1-604-664-4094  
E-mail: [Hamid.Nasr@ec.gc.ca](mailto:Hamid.Nasr@ec.gc.ca)

### Newfoundland

Andrew Dwyer, PMO  
Environment Canada  
6 Bruce Street  
St John's, Newfoundland A1N 4T3  
Canada  
Tel: +1-709-772-4798  
Fax: +1-709-772-5097  
E-mail: [Andre.Dwyer@ec.gc.ca](mailto:Andre.Dwyer@ec.gc.ca)

### Nova Scotia

Randy Sheppard, PMO  
Meteorological Service of Canada  
16th Floor, 45 Aldernay Drive  
Dartmouth, Nova Scotia B2Y 2N6  
Canada  
Tel: 1+902 426 6703  
E-mail: [randy.sheppard@ec.gc.ca](mailto:randy.sheppard@ec.gc.ca)

### Ontario

Tony Hilton , Supervisor PMO, Rick  
Shukster, PMO & Roland Kleer, PMO  
Environment Canada  
Meteorological Service of Canada  
100 East Port Blvd.  
Hamilton, Ontario L8H 7S4 Canada  
Tel: +1-905 312 0900  
Fax: +1-905 312 0730  
E-mail: [tony.hilton@ec.gc.ca](mailto:tony.hilton@ec.gc.ca)

[roland.kleer@ec.gc.ca](mailto:roland.kleer@ec.gc.ca)  
[rick.shukster@ec.gc.ca](mailto:rick.shukster@ec.gc.ca)

### Quebec

Erich Gola, PMO  
Meteorological Service of Canada  
Quebec Region  
100 Alexis Nihon, Suite 300, 3rd Floor  
Montreal, Quebec H4M 2N8  
Canada  
Tel: +1-514 283-1644  
Cel: +1-514 386-8269  
Fax: +1-514 496-1867  
E-mail: [Erich.Gola@ec.gc.ca](mailto:Erich.Gola@ec.gc.ca)

## CHINA

YU Zhaoguo  
Shanghai Meteorological Bureau  
166 Puxi Road  
Shanghai, China

## CROATIA

### Port of Split

Captain Zeljko Sore  
Marine Meteorological Office-Split  
P.O. Box 370  
Glagoljaska 11  
HR-21000 Split  
Croatia  
Tel: +385-21 589 378  
Fax: +385-21 591 033 (24 hours)  
E-mail: sore@cirus.dhz.hr

### Port of Rijeka

Smiljan Viskovic  
Marine Meteorological Office-Rijeka  
Riva 20  
HR-51000 Rijeka  
Croatia  
Tel: +385-51 215 548  
Fax: +385-51 215 574

## DENMARK

Cmdr Roi Jespersen, PMO & Cmdr Harald R. Joensen, PMO  
Danish Meteorological Inst., Observation Dept  
Surface and Upper Air Observations Division  
Lyngbyvej 100  
DK-2100 Copenhagen  
Denmark  
Tel: +45 3915 7337  
Fax: +45 3915 7390  
E-mail: rj@dmi.dk  
hrj@dmi.dk

## FALKLANDS

Captain R. Gorbitt, Marine Officer  
Fishery Protection Office  
Port Stanley  
Falklands  
Tel: +500 27260  
Fax: +500 27265  
Telex: 2426 FISHDIR FK

## FRANCE

### Headquarters

André Péries, PMO Supervisor  
Météo-France DSO/RESO/PMO  
42, Avenue Gustave Coriolis  
31057 Toulouse Cédex  
France  
Tel: +33-5 61 07 98 54  
Fax: +33-5 61 07 98 69  
E-mail: andre.peries@meteo.fr

### Boulogne-sur-mer

Gérard Doligez  
Météo-France DDM62  
17, boulevard Sainte-Beuve  
62200 Boulogne-sur-mer  
France  
Tel: +33-3 21 10 85 10  
Fax: +33-2 21 33 33 12  
E-mail: gerard.doligez@meteo.fr

### Brest

Louis Stéphan, Station Météorologique  
16, quai de la douane 29200 Brest  
France  
Tel: +33-2 98 44 60 21  
Fax: +33-2 98 44 60 21

### La Réunion

Yves Morville, Station Météorologique  
Port Réunion  
France  
Fax: +262 262 921 147  
Telex: 916797RE  
E-mail: dirre@meteo.fr  
meteo.france.leport@wanadoo.fr

### Le Havre

André Devatine, Station Météorologique  
Nouveau Sémaphore  
Quai des Abeilles  
76600 Le Havre  
France  
Tel: +33-2 32 74 03 65  
Fax: +33 2 32 74 03 61  
E-mail: andre.devatine@meteo.fr

### Marseille

Michel Perini, PMO  
Météo-France / CDM 13  
2A BD du Château-Double  
13098 Aix en Provence Cédex 02  
France  
Tel: +00 33 (0)4 42 95 25 42  
Fax: +00 33 (0)4 42 95 25 49  
E-mail: michel.perini@meteo.fr

### Montoir de Bretagne

Jean Beaujard, Station Météorologique  
Aérodrome de Saint-Nazaire-Montoir  
44550 Montoir de Bretagne  
France  
Tel: +33-2 40 17 13 17  
Fax: +33-2 40 90 39 37

### New Caledonia

Henri Lévêque, Station Météorologique  
BP 151  
98845 Noumea Port  
New Caledonia  
France  
Tel: +687 27 30 04  
Fax: +687 27 42 95

## GERMANY

### Headquarters

Volker Weidner, PMO Advisor  
Deutscher Wetterdienst  
Bernhard-Nocht-Strasse 76  
D-20359 Hamburg  
Germany  
Tel: +49-40 6690 1410  
Fax: +49-40 6690 1496  
E-mail: pmo@dwd.de

### Bremen

Ulrich Ranke, PMO  
Deutscher Wetterdienst  
Flughafendamm 45  
D-28199 Bremen  
Germany  
Tel: +49-421 5372 163  
Fax: +49-421 5372 166  
E-mail: pmo@dwd.de

### Bremerhaven

Henning Hesse, PMO  
Deutscher Wetterdienst  
An der Neuen Schleuse 10b  
D-27570 Bremerhaven  
Germany  
Tel: +49-471 70040-18  
Fax: +49-471 70040-17  
E-mail: pmo@dwd.de

### Hamburg

Peter Gollnow, PMO &  
Horst von Bargen, PMO  
Deutscher Wetterdienst  
Bernhard-Nocht-Strasse 76  
D - 20359 Hamburg  
Germany  
Tel: +49-40 6690 1411 or 1412  
Fax: +49 40 6990 1496  
E-mail: pmo@dwd.de

### Rostock

Christine Bergs, PMO &  
Christel Heidner, PMO  
Deutscher Wetterdienst  
Seestrasse 15a  
D-18119 Rostock  
Germany  
Tel: +49 381 54388-30/31  
Fax: +49 381 54388-63  
E-mail: pmo@dwd.de

## GILBRALTAR

Principal Meteorological Officer  
Meteorological Office  
RAF Gibraltar BFPO 52  
Gibraltar  
Tel: +350 53419  
Fax: +350 53474

## GREECE

Michael Myrsilidis, Marine Meteorology  
Section  
Hellenic National Meteorological Service  
(HNMS)  
EI, Venizelou 14  
16777 Hellinikon  
Athens  
Greece  
Tel: +30-10 9699013  
Fax: +30-10 9628952, 9649646  
E-mail: mmirsi@hnms.gr

## HONG KONG, CHINA

Wing Tak Wong, Senior Scientific Officer  
Hong Kong Observatory  
134A Nathan Road  
Kowloon  
Hong Kong, China  
Tel: +852 2926 8430  
Fax: +852 2311 9448  
E-mail: wtwong@hko.gov.hk

## ICELAND

Hreinn Hjartarson, Icelandic Met. Office  
Bústadavegur 9  
IS-150 Reykjavik  
Iceland  
Tel: +354 522 6000  
Fax: +354 522 6001  
E-mail: hreinn@vedur.is

## INDIA

### Calcutta

Port Meteorological Office  
Alibnagar, Malkhana Building  
N.S. Dock Gate No. 3  
Calcutta 700 043  
India  
Tel: +91-33 4793167

### Fort Mumbai

Port Meteorological Office  
3rd Floor, New Labour Hamallage Building  
Yellow Gate, Indira Doct  
Fort Mumbai 400 001  
India  
Tel: +91-2613733

### Goa

PMO, Port Meteorological Liaison Office  
Sada, P.O., Head Land Sada  
Goa 403 804  
India  
Tel: +91-832 520012

### Visakhapatnam

Port Meteorological Office  
c/o The Director, Cyclone Warning Centre  
Chinna Waltair  
Visakhapatnam 530 017. Andhra Pradesh  
India  
Tel: +91-891 746506

### Chennai

Port Meteorological Office  
10th Floor, Centenary Building  
Chennai Port Trust, Rajaji Road  
Chennai 600 001  
India  
Tel: +91-44 560187

### Kochi

Port Meteorological Office  
Cochin Harbour, North End, Wellington  
Island  
Kochi 682 009  
India  
Tel: +91-484 667042

## INDONESIA

### Belawan

Stasiun Meteorologi Maritim Belawan  
Jl. Raya Pelabuhan III  
Belawan - 20414  
Indonesia  
Tel: +62-21 6941851  
Fax: +62-21 6941851  
Fax: +62-438 21710

### Jakarta

Mochamad Rifangi  
Meteorological and Geophysical Agency  
Jl. Angkasa I No. 2 Kemayoran  
Jakarta - 10720  
Indonesia  
Tel: +62-21 4246321  
Fax: +62-21 4246703

### Makassar

Stasiun Meteorologi Maritim Makassar  
Jl. Sabutung I No. 20 Paotere  
Makassar  
Indonesia  
Tel: +62-411 319242  
Fax: +62-411 328235

### Surabaya

Stasiun Meteorologi Maritim Surabaya  
Jl. Kalimas baru No. 97B  
Surabaya - 60165  
Indonesia  
Tel: +62-31 3291439  
Fax: +62-31 3291439

### Bitung

Stasiun Meteorologi Maritim Bitung  
Jl. Kartini No. 1  
Bitung - 95524  
Indonesia  
Tel: +62-438 30989

Stasiun Meteorologi Maritim Tanjung Priok  
Jl. Padamarang Pelabuhan  
Tanjung Priok  
Jakarta - 14310  
Indonesia  
Tel: +62-21 4351366  
Fax: +62-21 490339

### Semarang

Stasiun Meteorologi Maritim Semarang  
Jl. Deli Pelabuhan  
Semarang - 50174  
Indonesia  
Tel: +62-24 3549050  
Fax: +62-24 3559194

## IRELAND

### Cork

Brian Doyle, PMO  
Met Eireann  
Cork Airport  
Cork  
Ireland  
Tel: +353-21 4917753  
Fax: +353-21 4317405

### Donegal

Paddy Delaney, Station Manager  
Met Eireann  
Cork Airport  
MalinHead  
Lifford  
Co. Donegal  
Ireland

### Dublin

Columba Creamer, Marine Unit  
Met Eireann  
Glasnevin Hill  
Dublin 9  
Ireland

### Mayo

Andy Clohessy, Station Manager  
Connaught International Airport  
Charleston  
Co. Mayo  
Ireland

### Wexford

Dennis O. Mahoney, Station Manager  
Met Eireann  
Rossiare Harbour  
Wexford  
Ireland  
Tel: +353-53 33113  
Fax: +353-53 33105  
E-mail: met.rossiarre@eircom.net

## ISRAEL

### Ashdod

Aharon Ofir, PMO  
Marine Department  
Ashdod Port  
Tel: 972 8 8524956

### Haifa

Hani Arbel, PMO  
Haifa Port  
Tel: 972 4 8664427

## JAPAN

### Headquarters

Dr. Kazuhiko Hayashi, Scientific Officer  
Marine Div., Climate and Marine Dept.  
Japan Meteorological Agency  
1-3-4 Otemachi, Chiyoda-ku  
Tokyo, 100-8122  
Japan  
Tel: +81-3 3212 8341 ext. 5144  
Fax: +81-3 3211 6908  
Email: hayashik@met.kishou.go.jp  
VOS@climar.kishou.go.jp

### Kobe

Port Meteorological Officer  
Kobe Marine Observatory  
1-4-3, Wakinohamakaigan-dori, Chuo-ku  
Kobe 651-0073  
Japan  
Tel: +81-78 222 8918  
Fax: +81-78 222 8946

### Nagoya

Port Meteorological Officer  
Nagoya Local Meteorological Observatory  
2-18, Hiyori-ho, Chigusa-ku  
Nagoya, 464-0039  
Japan  
Tel: +81-52 752 6364  
Fax: +81-52 762-1242

### Yokohama

Port Meteorological Officer  
Yokohama Local Meteorological  
Observatory  
99 Yamate-cho, Naka-ku  
Yokohama, 231-0862  
Japan  
Tel: +81-45 621 1991  
Fax: +81-45 622 3520  
Telex: 2222163

## KENYA

Ali Juma Mafimbo, PMO  
PO Box 98512  
Mombasa  
Kenya  
Tel: +254-11 225687 / 433689  
Fax: +254-11 433689  
E-mail: [mafimbo@lion.meteo.go.ke](mailto:mafimbo@lion.meteo.go.ke)

## MALASYA

### Port Bintulu

Paul Chong Ah Poh, PMO  
Bintulu Meteorological Station  
P.O. Box 285  
97007 Bintulu  
Sarawak  
Malaysia  
Fax: +60-86 314 386

### Port Klang

Mohd Shah Ani, PMO  
Malaysian Meteorological Service  
Jalan Sultan  
46667 Petaling Jaya  
Selangor  
Malaysia  
Fax: +60-3 7957 8046

### Port Kinabalu

Mohd Sha Ebung, PMO  
Malaysian Meteorological Service  
7th Floor, Wisma Dang Bandang  
P.O. Box 54  
88995 Kota Kinabalu  
Sabah  
Malaysia  
Fax: +60-88 211 019



## MAURITIUS

Port Louis  
Meteorological Services  
St. Paul Road  
Vacoas  
Mauritius  
Tel: +230 686 1031/32  
Fax: +230 686 1033  
E-mail: [meteo@intnet.mu](mailto:meteo@intnet.mu)

## NEW ZEALAND

Julie Fletcher, MMO  
Meteorological Service New Zealand Ltd.  
P.O. Box 722  
Wellington  
New Zealand  
Tel: +64-4 4700 789  
Fax: +64-4 4700 772

## PAKISTAN

Hazrat Mir, Senior Meteorologist  
Pakistan Meteorological Department  
Meteorological Office  
Jinnah International Airport  
Karachi  
Pakistan  
Tel: +92-21 45791300, 45791322  
Fax: +92-21 9248282  
E-mail: [pmdmokar@khi.paknet.com.pk](mailto:pmdmokar@khi.paknet.com.pk)

## NETHERLANDS

Bert de Vries, PMO &  
René Rozeboom, PMO  
KNMI, PMO-Office  
Wilhelminalaan 10  
Postbus 201  
3730 Ae de Bilt  
Netherlands  
Tel: +31-30 2206391  
Fax: +31-30 2210849  
E-mail: [PMO-Office@knmi.nl](mailto:PMO-Office@knmi.nl)

## NORWAY

Tor Inge Mathiesen, PMO  
Norwegian Meteorological Institute  
Allégaten 70  
N-5007 Bergen  
Norway  
Tel: +47-55 236600  
Fax: +47-55 236703  
Telex: 40427/42239

## PHILIPINES

### **Cagayan de Oro City**

Leo Rodriguez  
Pagasa Complex Station  
Cagayan de Oro City 9000, Misamis  
Occidental  
Philippines  
Tel: +63-8822 722 760

### **Davao City**

Edwin Flores  
Pagasa Complex Station, Bangoy Airport  
Davao City 8000  
Philippines  
Tel: +63-82 234 08 90

### **Dumaguete City**

Edsin Culi  
Pagasa Complex Station  
Dumaguete City Airport  
Dumaguete City, Negros Oriental 6200  
Philippines  
Tel: +63-35 225 28 04

### **Manila**

Dr. Juan D. Cordeta & Benjamin Tado, Jr.  
Pagasa Port Meteorological Office  
PPATC Building, Gate 4  
South Harbor  
Manila 1018  
Philippines 1100  
Tel: +63-22 527 03 16

## POLAND

Józef Kowalewski, PMO Gdynia and Gdansk  
Institute of Meteorology and Water Management  
Waszyngton 42  
PL-81-342 Gdynia  
Poland  
Tel: +48-58 6204572  
Fax: +48-58 6207101  
Telex: 054216  
E-mail:kowalews@stratus.imgw.gdynia.pl

## REPUBLIC OF KOREA

### **Inchon**

Inchon Meteorological Station  
25 Chon-dong, Chung-gu  
Inchon  
Republic of Korea  
Tel: +82-32 7610365  
Fax: +82-32 7630365

### **Legaspi City**

Orthello Estareja  
Pagasa Complex Station  
Legaspi City, 4500  
Philippines  
Tel: +63-5221 245 5241

### **Iloilo City**

Constancio Arpon, Jr.  
Pagasa Complex Station  
Iloilo City 5000  
Philippines  
Tel: +63-33 321 07 78

### **Mactan City**

Roberto Entrada  
Pagasa Complex Station, Mactan Airport  
Mactan City, CEBU 6016  
Philippines  
Tel: +63-32 495 48 44

### **Pusan**

Pusan Meteorological Station  
1-9 Taechong-dong, Chung-gu  
Pusan  
Republic of Korea  
Tel: +82-51 4697008  
Fax: +82-51 4697012

## RUSSIAN FEDERATION

Ravil S. Fakhrutdinov  
Roshydromet  
12, Novovagan'kovsky Street  
Moscow 123242  
Russian Federation  
Tel:+7-095 255 23 88  
Fax: +7-095 255 20 90  
Telex: 411117 RUMS RF  
E-mail: marine@mcc.mecom.ru fakhrutdinov@rhmc.mecom.ru

## SAUDI ARABIA

Mahmoud M. Rajkhan, PMO  
Meteorology and Environmental Protection  
Administration (MEPA)  
P.O. Box 1358  
Jeddah 21431  
Saudi Arabia  
Tel: +966-2 6512312 Ext. 2252 or 2564

## SINGAPORE

Amran bin Osman, PMS  
Meteorological Service  
PO Box 8  
Singapore Changi Airport  
Singapore 9181  
Tel: 5457198  
Fax: +65 5457192  
Telex: RS50345 METSIN

## SOUTH AFRICA

Headquarters  
Ian T. Hunter  
Manager: Maritime Services  
South African Weather Service  
Private Bag X097  
Pretoria 0001  
Tel: +27 (0) 12 367 6032  
Fax: +27 (0) 12 367 6042  
Weatherline: 082 162  
E-mail:ian@weathersa.co.za  
www.weathersa.co.za

### Cape Town

C. Sydney Marais, PMO  
Cape Town Regional Weather Office  
Cape Town International Airport  
Cape Town 7525  
South Africa  
Tel: +27-21 934 0836  
Fax: +27-21 934 3296  
E-mail: maritime@weathersa.co.za

### Durban

Gus McKay, PMO  
Durban Regional Weather Office  
Durban International Airport  
Durban 4029  
South Africa  
Tel: +27-31 408 1446  
Fax: +27-31 408 1445  
E-mail:mckay@weathersa.co.za

## SWEDEN

Kerstin Svensson  
SMHI  
Universitetsallén 32  
SE-851 71 SUNDSVALL  
Tel +46 60 785 88 30

## THAILAND

Kesrin Hanprasert, Meteorologist  
Marine and Upper Air Observation Section  
Meteorological Observation Division  
Thai Meteorological Department  
4353 Sukhumvit Road, Bangna  
Bangkok 10260  
Thailand  
Tel: +66-2 399 4561  
Fax: +66-2 398 9838  
E-mail:Wattana@fc.nrct.go.th

## UNITED KINGDOM

### Headquarters

Sarah C. North, Marine Networks Manager Met  
Office  
Observations Supply - Marine Networks  
FitzRoy Road  
Exeter  
Devon  
EX1 3PB  
United Kingdom  
Tel: +44-1392 855 617  
Fax: +44-870 900 5050  
E-mail: sarah.north@metoffice.gov.uk  
Group E-mail:Obsmar@metoffice.gov.uk

### South England

Steve Key, PMO  
Met Office  
Trident House  
21 Berth, Tilbury Dock  
Tilbury, Essex RM18 7HL  
United Kingdom  
Tel: +44-1375 859 970  
Fax: +44-1375 859 972  
e-mail: pmolondon@metoffice.gov.uk

### Scotland

Tony Eastham, PMO  
Met Office  
Saughton House, Broomhouse Drive  
Edinburgh EH11 3XQ  
United Kingdom  
Tel: +44-131 528 7305  
Fax: +44-131 528 7345  
E-mail:pmoedinburgh@metoffice.gov.uk

## TANZANIA, UNITED REPUBLIC OF

H. Charles Mwakitosi, PMO  
P.O. Box 3056  
Dar es Salaam  
United Republic of Tanzania

### North England

Colin B. Attfield, PMO  
Met office  
c/o 12 Brackley Close  
Wallasey  
Merseyside CH44 3EJ  
United Kingdom  
Tel:+44-151 638 8516  
Fax: +44-870 900 5050  
E-mail:pmoliverpool@metoffice.gov.uk

### PMO Southampton forthcoming

Ian J. Hendry, Offshore Adviser  
Met Office  
Davidson House Campus 1  
Aberdeen Science & Technology Park  
Bridge of Don  
Aberdeen AB22 8GT  
United Kingdom  
Tel: +44-1224 407 557  
Fax: +44-1224 407 568  
E-mail:ihendry@metoffice.gov.uk

# NOAA WEATHER RADIO NETWORK

- (1) 162.550 mHz
- (2) 162.400 mHz
- (3) 162.475 mHz
- (4) 162.425 mHz
- (5) 162.450 mHz
- (6) 162.500 mHz
- (7) 162.525 mHz

Channel numbers, e.g. (WX1, WX2) etc. have no special significance but are often designated this way in consumer equipment. Other channel numbering schemes are also prevalent.

The NOAA Weather Radio network provides voice broadcasts of local and coastal marine forecasts on a continuous cycle. The forecasts are produced by local National Weather Service Forecast Offices. Coastal stations also broadcast predicted tides and real time observations from buoys and coastal meteorological stations operated by NOAA's National Data Buoy Center. Based on user demand, and where feasible, Offshore and Open Lake forecasts are broadcast as well.

The NOAA Weather Radio network provides near continuous coverage of the coastal U.S, Great Lakes, Hawaii, and populated Alaska coastline. Typical coverage is 25 nautical miles offshore, but may extend much further in certain areas.

